LEST AVAILABLE COPY

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: C12N 15/82, 15/10, 9/12, 5/10, C12Q 1/68, A01H 5/00

A2

(11) International Publication Number:

WO 00/08187

~ | (4

(43) International Publication Date:

17 February 2000 (17.02.00)

(21) International Application Number:

PCT/EP99/05652

(22) International Filing Date:

4 August 1999 (04.08.99)

(30) Priority Data:

98202634.6

4 August 1998 (04.08.98)

EP

(71) Applicant (for all designated States except US): VLAAMS INTERUNIVERSITAIR INSTITUUT VOOR BIOTECH-NOLOGIE [BE/BE]; Rijvisschestraat 120, B-9052 Zwijnaarde (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LEE, Jeong, Hee [KR/BE]; Spinmolenplein 274 (22K), B-9000 Gent (BE). VERBRUGGEN, Nathalie [BE/BE]; Avenue des Saisons, 53, B-1050 Ixelles (BE).

(74) Agent: DE CLERCQ, Ann; Ann De Clercq & Co. B.V.B.A., Brandstraat 100, B-9830 Sint-Martens-Latem (BE). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: GENES INVOLVED IN TOLERANCE TO ENVIRONMENTAL STRESS

(57) Abstract

The present invention relates to a method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress resistance in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells. The present invention further relates to an isolated polynucleic acid obtainable by such a method as listed in Table 1 as well as recombinant polynucleic acid comprising the same. The present invention further relates to an isolated polypeptide encoded by a polynucleic acid of the invention. The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into a plant cell a recombinant DNA comprising a polynucleic acid as defined which when expressed in a plant cell enhances the tolerances or induces resistance to environmental stress conditions of said plant. The present invention particularly relates to plant cells, plants or harvestable parts or propagation material thereof transformed with a recombinant polynucleic acid as defined above.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

l	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
ł	AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ł	AT	Austria	FR	France	I.U	Luxembourg	SN	Senegal
ı	ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ı	ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
ı	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
ı	BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
ł	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
ı	BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
ı	BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
I	BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
l	BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
ı	BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
١	CA	Canada	П	Italy	MX	Mexico	UZ	Uzbekistan
ı	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
ı	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
ı	CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
ı	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		22302545
I	CM	Cameroon		Republic of Korea	PL	Poland		
ı	CN	China	KR	Republic of Korea	PT	Portugal		
ı	CU	Cuba	KZ	Kazakstan	RO	Romania		
ı	CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
ı	DE	Germany	LI	Liechtenstein	SD	Sudan		
ı	DK	Denmark	LK	Sri Lanka	SE	Sweden		
ı	EE	Estonia	LR	Liberia	SG	Singapore		

Genes involved in tolerance to environmental stress

5

10

15

20

25

30

35

The present invention relates to molecular biology, in particular plant molecular biology. In particular, the invention relates to improvements of crop productivity of useful plants. One of the major limitations of crop productivity is the effect of environmental stress conditions on plant growth and development. An important goal of molecular biology is the identification and isolation of genes that can provide resistance or tolerance to such stresses. For agriculture, the creation of transgenic plants containing such genes provides the potential for improving the stress resistance or tolerance of plants.

Drought, salt loading, and freezing are stresses that cause adverse effects on the growth of plants and the productivity of crops. The physiological response to these stresses arises out of changes in cellular gene expression. Expression of a number of genes has been demonstrated to be induced by these stresses (Zhu et al., 1997; Shinozaki et al., 1996; Thomashow, 1994). The products of these genes can be classified into two groups: those that directly protect against environmental stresses and those that regulate gene expression and signal transduction in the stress response. The first group includes proteins that likely function by protecting cells from dehydration, such as the enzymes required for biosynthesis of various osmoprotectants, late-embryogenesis-abundant (LEA) proteins, antifreeze proteins, chaperones, and detoxification enzymes (Shinozaki et al., 1997, Ingram et al., 1996, Bray et al., 1997). The second group of gene products includes transcription factors, protein kinases, and enzymes involved in phosphoinositide metabolism (Shinozaki et al., 1997). An overview of the methods known to improve stress tolerance in plants is also given in Holmberg & Bülow, (1998).

Further studies are definitely needed to give an insight into the mechanisms involved in the plant response to environmental stress conditions.

The study of plants naturally adapted to extreme desiccation has led to the hypothesis that the genetic information for tolerance to environmental stress conditions exists in all higher plants. In glycophytes, this information would only be expressed in seeds and pollen grains which undergo a desiccation process.

The induction of osmotolerance in plants is very important to crop productivity: 30 to 50 % of the land under irrigation is presently affected by salinity. Several lines of evidence also demonstrate that even mild environmental stress conditions throughout the growth season have a negative impact on plant growth and crop productivity. It is

15

20

25

30

35

for instance known that even minor limitations in water availability cause a reduced photosynthetic rate. Unpredictable rainfall, increase in soil salinity at the beginning and the end of the growing season often result in decreased plant growth and crop productivity. These environmental factors share at least one element of stress and that is water deficit or dehydration. Drought is a significant problem in agriculture today. Over the last 40 years, for example, drought accounted for 74% of the total US crop losses of corn. To sustain productivity under adverse environmental conditions, it is important to provide crops with a genetic basis for coping with water deficit, for example by breeding water retention and tolerance mechanisms into crops so that they can grow and yield under these adverse conditions.

It is an aim of the present invention to provide a new method for screening for plant genes involved in tolerance or resistance to environmental stress.

It is an aim of the present invention to provide new plant genes, more particularly plant genes providing the potential of improving the tolerance to environmental stress conditions in plants.

It is also an aim of the present invention to provide polypeptides encoded by said new plant genes.

It is further an aim of the present invention to provide methods for producing plants with enhanced tolerance or resistance to environmental stress conditions based on said new genes.

It is also an aim of the present invention to provide recombinant polynucleic acids comprising said new genes.

It is further an aim of the present invention to provide plant cells and plants transformed with said new genes.

It is further an aim of the present invention to provide plant cells and plants with enhanced tolerance or resistance to environmental stress conditions.

The present invention relates more particularly to a method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.

It has been found that the transfer of genes from plants which are often difficult to assay for certain characteristics, to lower eukaryotes, such as yeasts and fungi, but

15

20

25

30

35

in particular yeast, especially Saccharomyces, is relatively-easy to achieve, whereby it has now been shown that the results of testing for tolerance or resistance to environmental conditions in the resulting yeast cells gives a relatively reliable measure of the capability of the inserted coding sequence or gene to induce tolerance or resistance to environmental stress in plants. Thus the expression of polynucleic acid sequences comprising the gene or coding sequence which are responsible for inducing tolerance or resistance to environmental stress conditions can be enhanced in the plant species from which it originates or in any other plant species.

In the present context the term "enhancing" must be understood to mean that the levels of molecules correlated with stress protection in a transformed plant cell, plant tissue or plant part will be "substantially increased" or "elevated" meaning that this level will be greater than the levels in an untransformed plant.

This may be achieved by inducing overexpression of suitable genetic information which is already present, or by any other suitable means of introducing into the plant cell heterologous information resulting in a capability to tolerate or resist environmental stress.

The term "environmental stress" has been defined in different ways in the prior art and largely overlaps with the term "osmotic stress". Holmberg et al., 1998 for instance define different environmental stress factors which result in abiotic stress. Salinity, drought, heat, chilling and freezing are all described as examples of conditions which induce osmotic stress. The term "environmental stress" as used in the present invention refers to any adverse effect on metabolism, growth or viability of the cell, tissue, seed, organ or whole plant which is produced by an non-living or non-biological environmental stressor. More particularly, it also encompasses environmental factors such as water stress (flooding, drought, dehydration), anaerobic (low level of oxygen, CO₂ etc.), aerobic stress, osmotic stress, salt stress, temperature stress (hot/heat, cold, freezing, frost) or nutrients/pollutants stress.

The term "anaerobic stress" means any reduction in oxygen levels sufficient to produce a stress as hereinbefore defined, including hypoxia and anoxia.

The term "flooding stress" refers to any stress which is associated with or induced by prolonged or transient immersion of a plant, plant part, tissue or isolated cell in a liquid medium such as occurs during monsoon, wet season, flash flooding or excessive irrigation of plants, etc.

"Cold stress" and "heat stress" are stresses induced by temperatures which are respectively, below or above, the optimum range of growth temperatures for a

WO 00/08187

5

10

15

20

25

30

35

4

PCT/EP99/05652

particular plant species. Such optimum growth temperature ranges are readily determined or known to those skilled in the art.

"Dehydration stress" is any stress which is associated with or induced by the loss of water, reduced turgor or reduced water content of a cell, tissue, organ or whole plant.

"Drought stress" refers to any stress which is induced by or associated with the deprivation of water or reduced supply of water to a cell, tissue, organ or organism.

"Oxidative stress" refers to any stress which increases the intracellular level of reactive oxygen species.

The terms "salinity-induced stress", "salt-stress" or similar term refer to any stress which is associated with or induced by elevated concentrations of salt and which result in a perturbation in the osmotic potential of the intracellular or extracellular environment of a cell.

Said salt can be for example, water soluble inorganic salts such as sodium sulfate, magnesium sulfate, calcium sulfate, sodium chloride, magnesium chloride, calcium chloride, potassium chloride etc., salts of agricultural fertilizers and salts associated with alkaline or acid soil conditions.

The transgenic plants obtained in accordance with the method of the present invention, upon the presence of the polynucleic acid and/or regulatory sequence introduced into said plant, attain resistance, tolerance or improved tolerance or resistance against environmental stress which the corresponding wild-type plant was susceptible to.

The terms "tolerance" and "resistance" cover the range of protection from a delay to complete inhibition of alteration in cellular metabolism, reduced cell growth and/or cell death caused by the environmental stress conditions defined herein before. Preferably, the transgenic plant obtained in accordance with the method of the present invention is tolerant or resistant to environmental stress conditions in the sense that said plant is capable of growing substantially normal under environmental conditions where the corresponding wild-type plant shows reduced growth, metabolism, viability, productivity and/or male or female sterility. Methodologies to determine plant growth or response to stress include, but are not limited to height measurements, leaf area, plant water relations, ability to flower, ability to generate progeny and yield or any other methodology known to those skilled in the art.

The terms "tolerance" and "resistance" may be used interchangeably in the present invention.

5

The methods according to the invention as set out below can be applied to any, higher plant, preferably important crops, preferably to all cells of a plant leading to an enhanced osmotic or any other form of environmental stress tolerance. By means of the embodiments as set out below, it now becomes possible to grow crops with improved yield, growth, development and productivity under environmental stress conditions, it may even become possible for instance to grow crops in areas where they cannot grow without the induced osmotolerance according to the invention.

In order to do a thorough screening for relevant plant genes and/or coding sequences, it is preferred to apply a method according to the invention whereby said cDNA library comprises copies of essentially all mRNA of said plant cell. Probably only coding sequences are sufficient. For the screening of genes involved in environmental stress, it is preferred to use a cDNA library from siliques (fruits, containing the maturing seeds), such as the siliques from *Arabidopsis*, because genes involved in for instance osmotolerance are preferentially expressed in these organs.

10

15

20

25

30

Although the genetic information may be introduced into yeast for screening by any suitable method, as long as it is in a functional format long enough for testing of tolerance or resistance to environmental stress conditions, it is preferred for ease of operation to use a well known vector such as a 2µ plasmid. It is to be preferred to have the coding sequence or the gene under control of a strong constitutive yeast promoter, to enhance good expression of the gene or coding sequence of interest. Strong constitutive yeast promoters are well known in the art and include, but are not limited to the yeast TPI promoter.

The term "gene" as used herein refers to any DNA sequence comprising several operably linked DNA fragments such as a promoter and a 5' untranslated region (the 5'UTR), a coding region (which may or may not code for a protein), and an untranslated 3' region (3'UTR) comprising a polyadenylation site. Typically in plant cells, the 5'UTR, the coding region and the 3'UTR (together referred to as the transcribed DNA region) are transcribed into an RNA which, in the case of a protein encoding gene, is translated into a protein. A gene may include additional DNA fragments such as, for example, introns. As used herein, a genetic locus is the position of a given gene in the genome of a plant.

The present invention more particularly relates to an isolated polynucleic acid obtainable by a method comprising the preparation of a cDNA as set out above comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an

10

15

20

25

30

enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.

The term "polynucleic acid" refers to DNA or RNA, or amplified versions thereof, or the complement thereof.

The present invention more particularly provides an isolated polynucleic acid obtainable by a method as defined above which encodes a polypeptide as listed in Table 1.

The capacity of an isolated polynucleic acid to confer tolerance or resistance to environmental stress conditions can be tested according to methods well-known in the art, see for example, Grillo et al. (1996), Peassarakli et al. (Editor), Nilsen et al. (1996), Shinozaki et al. (1999), Jones et al. (1989), Fowden et al. (1993) or as described in the appended examples.

The present invention more particularly relates to an isolated polynucleic acid which encodes a homolog of any of the polypeptides as listed in Table 1, which is chosen from:

- (a) any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, or 121, or the complementary strands thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b), or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

Said fragment as defined above are preferably unique fragments of said sequences.

The term "hybridizing" refers to hybridization conditions as described in Sambrook (1989), preferably specific or stringent hybridization conditions are aimed at.

15

20

25

30

35

Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH. The Tm is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, stringent conditions will be those in which the salt concentration is about 0.02 molar at pH 7 and the temperature is at least about 60°C.

In the present invention, genomic DNA or cDNA comprising the polynucleic acids of the invention can be identified in standard Southern blots under stringent conditions using the cDNA sequence shown. The preparation of both genomic and cDNA libraries is within the skill of the art. Examples of hybridization conditions are also given in the Examples section.

The present invention also relates to the isolated polynucleic acids which encode polypeptides which are a homolog of the polypeptides as set out in Table 1 useful for the production of plants which are resistant or tolerant to environmental stress conditions.

The present invention also relates to a polynucleic acid comprising at least part of any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121. Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76 or 78. Said part of said gene is preferably a unique part.

The present invention preferably relates to the use of a polynucleic acid comprising at least part of any of SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of

15

20

25

30

SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121 for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Said part of said gene is preferably a unique part.

The present invention particularly relates to an isolated polynucleic acid as defined above, which encodes a plant homolog of yeast DBF2 kinase, more particularly a DBF2 kinase homolog from Arabidopsis thaliana termed At-DBF2, which can at least be used to confer enhanced environmental stress tolerance or resistance in plants and yeast.

More preferably, the present invention relates to an isolated polynucleic acid encoding a plant DFB2 kinase, which is chosen from:

- (a) SEQ ID NO 1, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (e) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b), or,
- (c) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

Alternatively, the present invention relates to a polynucleic acid derived from a plant comprising at least part of SEQ ID NO 1, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 1. Preferably said gene encodes a protein

15

20

25

30

35

having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2.

The present invention also relates to the use of an isolated polynucleic acid as defined above which encodes a plant HSP 17.6A protein for the production of transgenic plants, more particularly a homolog from Arabidopsis thaliana, which at least can be used to confer enhanced environmental stress tolerance in plants and yeast.

More preferably, the present invention relates to the use of an isolated polynucleic acid as defined above which is chosen from:

- (a) SEQ ID NO 3, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

The present invention also relates to the use of a polynucleic acid comprising at least part of SEQ ID NO 3, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 3. Preferably said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 4, for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

More preferably, the present invention relates to the use of an isolated polynucleic acid as defined above which is chosen from:

(a) any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or the complementary strand thereof;

10

15

20

25

30

- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

The present invention preferably relates to the use of a polynucleic acid comprising at least part of any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Said part of said gene is preferably a unique part.

According to another preferred embodiment, the present invention relates to an isolated polynucleic acid as defined above, which encodes a protein termed c74, more particularly a plant homolog of c74, even more preferably a c74 from Arabidopsis thaliana, which at least can be used to confer enhanced environmental stress tolerance in plants and yeast.

More particularly, the present invention relates to an isolated polynucleic acid as defined above, which is chosen from:

- (a) SEQ ID NO 5, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;

10

15

20

25

30

- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

The present invention also relates to a polynucleic acid comprising at least part of SEQ ID NO 5, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 5. Preferably said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 6.

Two nucleic acid sequences or polypeptides are said to be "identical" according to the present invention if the sequence of nucleotides or amino acid residues, respectively, in the two sequences is the same when aligned for maximum correspondence as described below. The term "complementary to" is used herein to mean that the complementary sequence hybridizes to all or a portion of a given polynucleotide sequence.

Sequence comparisons between two (or more) polynucleic acid or polypeptide sequences are typically performed by comparing sequences of the two sequences over a "comparison window" to identify and compare local regions of sequence similarity. A "comparison window", as used herein, refers to a segment of at least about 20 contiguous positions, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted by the local homology algorithm of Smith and Waterman (1981), by the homology alignment algorithm of Needleman and Wunsch (1970), by the search for similarity method of Pearson and Lipman (1988), by computerized implementations of these algorithms (GAP, BESTFIT, BLAST, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group (GCG), 575 Science Dr., Madison, WI), or by visual inspection.

"Percentage of sequence identity" is determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleic acid or polypeptide sequences in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity.

5

10

15

20

25

The term "substantial identity" of polynucleic acid or polypeptide sequences means that a polynucleotide sequence comprises a sequence that has at least 60%, 65%, 70% or 75% sequence identity, preferably at least 80% or 85%, more preferably at least 90% and most preferably at least 95 %, compared to a reference sequence using the programs described above (preferably BLAST) using standard parameters. One of skill will recognize that these values can be appropriately adjusted to determine corresponding identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the like. Substantial identity of amino acid sequences for these purposes normally means sequence identity of at least 40%, 45%, 50% or 55% preferably at least 60%, 65%, 70%, 75%, 80% or 85% more preferably at least 90%, and most preferably at least 95%. Polypeptides which are "substantially similar" share sequences as noted above except that residue positions which are not identical may differ by conservative amino acid changes. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. For example, a group of amino acids having aliphatic side chains is glycine, alanine, valine, leucine, and isoleucine; a group of amino acids having aliphatic-hydroxyl side chains is serine and threonine; a group of amino acids having amide-containing side chains is asparagine and glutamine; a group of amino acids having aromatic side chains is phenylalanine, tyrosine, and tryptophan; a group of amino acids having basic side chains is lysine, arginine, and histidine; and a group of amino acids having sulfur-containing side chains is cysteine and methionine. Preferred conservative amino acids substitution groups are: valinephenylalanine-tyrosine, leucine-isoleucine, lysine-arginine. alanine-valine. asparagine-glutamine.

10

20

35

Another indication that nucleotide sequences are substantially identical is if two molecules hybridize to each other, or a third nucleic acid, under stringent conditions.

More particularly, the polynucleic acids as used herein will comprise at least part of a DNA sequence which is essentially similar, or, preferentially, essentially identical or identical to one or both of the nucleotide or amino acid sequences corresponding to SEQ ID NO 1 to 121 disclosed herein, more specifically in the nucleotide sequence encoding, or the amino-acid sequence corresponding to the "active domain" of the respective protein or polypeptide.

The polynucleic acid sequences according to the present invention can be produced by means of any nucleic acid amplification technique known in the art such as PCR or conventional chemical synthesis.

For a general overview of PCR see PCR Protocols (Innis et al. (1990)).

Polynucleotides may also be synthesized by well-known techniques as described in the technical literature. See, e.g., Carruthers et al. (1982) and Adams et al. (1983). Double stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

The present invention more particularly relates to an isolated polypeptide encoded by a polynucleic acid according to any of the polynucleic acids as defined above, or a functional fragment thereof.

The present invention preferably relates to an isolated polypeptide as listed in Table 1 or to an isolated polypeptide encoded by a polynucleic acid isolated as defined above. Preferably, the present invention relates to polypeptides or peptides having at least part of the sequence of any of SEQ ID NO NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Preferably, said part is a unique part and preferably includes the active domain of said polypeptide. Preferably said polypeptide is a recombinant polypeptide.

The term "isolated" distinguishes the protein or polynucleic acid according to the invention from the naturally occurring one.

The present invention also relates to a polypeptide comprising at least part of a polypeptide which is at least 50%, 55%, 60%, 65% identical, preferentially at least 70%, 75% identical, more preferably at least 80% or 85% identical, and most

10

15

20

25

preferably at least 90% or 95% identical to any of SEQ ID NO NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120.

The terms "polypeptide" and "protein" are used interchangeably throughout the present description.

Said polypeptide preferably has the ability to confer tolerance or resistance to environmental stress conditions in at least plants, plant parts, plant tissues, plant cells, plant calli or yeast.

The term "functional fragment" refers to a fragment having substantially the biological activity of the protein from which it is derived.

The polypeptides of the present invention may be produced by recombinant expression in prokaryotic and eukaryotic engineered cells such as bacteria, yeast or fungi. It is expected that those of skill in the art are knowledgeable in the numerous expression systems available for expression in these systems.

The present invention more particularly relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising transiently introducing into a plant cell a recombinant DNA comprising any of the polynucleic acids as defined above which when (over)expressed in a plant cell enhances tolerance or resistance to environmental stress of said plant.

The term "plant cell" as defined above also comprises plant tissue or a plant as a whole. The present invention more particularly relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising transiently introducing into a plant cell a recombinant DNA comprising any of the polynucleic acids encoding a protein as listed in Table 1 which when (over)expressed in a plant cell enhances tolerance or resistance to environmental stress in said plant.

The term "(over)expression" refers to the fact that the polypeptides of the invention encoded by said polynucleic acid are preferably expressed in an amount effective to confer tolerance or resistance to the transformed plant, to an amount of salt, heat, cold, (or other stress factors) that inhibits the growth of the corresponding untransformed plant.

Several methods to obtain transient introduction and expression of a recombinant DNA in a plant are known to the art. For example, plant virus vectors can

be used to obtain such purpose. Examples conferring to the use of plant viral vectors are described in Porta and Lomonossoff (1996), WO9320217 and US 5,589,367.

The present invention also relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising stably introducing into the genome of a plant cell a recombinant DNA comprising any of the polynucleic acids as defined above which when (over)expressed in a plant cell enhances the environmental stress tolerance or resistance of a plant.

The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress conditions, said method comprising introducing into the genome of a plant cell a recombinant DNA comprising any of the polynucleic acids encoding a protein as listed Table 1 which when (over)expressed in a plant cell enhances the environmental stress resistance of said plant.

10

15

20

25

30

35

According to a preferred embodiment, the present invention relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding a DBF2 kinase, preferably a plant DBF2 kinase, most preferably an Arabidopsis DBF2 kinase.

According to another preferred embodiment, the present invention relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding an HSP 17.6A protein, preferably a plant HSP 17.6A protein, most preferably an Arabidopsis HSP 17.6A.

According to a preferred embodiment, the present invention relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding a c74 protein, preferably a plant c74 protein, most preferably a Arabidopsis c74 protein.

Preferably, the present invention relates to a method as defined above, comprising:

- (a) introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a polynucleic acid as defined above, and,
 - a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit

and under the control of said plant-expressible promoter, and,

PCT/EP99/05652

(b) regenerating said plant from said plant cell.

5

10

15

20

25

30

The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising indirectly increasing of inducing the expression of an endogenous gene in said plant comprised within a polynucleic acid as defined above or indirectly increasing of inducing te activity of a protein as defined above.

The present invention also relates to a method as defined above, comprising:

- (a) introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a DNA encoding a protein which when expressed in said plant cell at an effective amount indirectly increases or induces the expression of an endogenous polynucleic acid or indirectly increases or induces the protein activity of a protein encoded by said polynucleic acid of the present invention, and,
 - a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter, and,

(b) regenerating said plant from said plant cell.

A "recombinant" DNA molecule will comprise a "heterologous sequence" meaning that said recombinant DNA molecule will comprise a sequence originating from a foreign species, or, if from the same species, may be substantially modified from its original form. For example, a promoter operably linked to a structural gene which is from a species different from which the structural gene was derived, or, if from the same species, may be substantially modified from its original form.

The present invention also relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress conditions, said method comprising indirectly increasing or inducing the expression of an endogenous gene in said plant comprised within a polynucleic acid as defined above or indirectly increasing or inducing the activity of a protein of the invention as defined above. According to this embodiment, other polynucleic acids modulating the expression or the activity of a protein according to the present invention may be introduced

17

transiently or stably into the genome of said plants. The term "modulating" means enhancing, inducing, increasing, decreasing or inhibiting.

Increase or induction of expression or induction or increase of protein activity is required when said regulator protein is a positive regulator of the expression or the activity of at least one of the polynucleic acids or protein of the present invention.

5

10

15

20

25

30

35

Decrease or inhibition of expression or decrease or inhibition of protein activity is required when said regulator protein is a negative regulator of the expression or activity of at least one of the polynucleic acids or proteins of the present invention.

Increase of the activity of said polypeptide according to the present invention is obtained, according to one embodiment of the invention, by influencing endogenous gene expression in the plant. This is preferably achieved by the introduction of one or more polynucleic acid sequences according to the invention into the plant genome, in a suitable conformation for gene expression (e.g. under control of a plant-expressible promoter). This will result in increased or induced expression (overexpression) or increased or induced activity of the protein in the plant cells, and, in the presence of an adequate substrate, in an increase of tolerance or resistance to environmental stress conditions in a transgenic plant or plant cell as compared to a non-transgenic plant or plant cell. This increase in tolerance can be measured by measuring mRNA levels, or where appropriate, the level or activity of the respective protein (e.g. by means of ELISA, activity of the enzyme as measured by any technique known in the art). Endogenous gene expression refers to the expression of a protein which is naturally found in the plant, plant part or plant cell concerned.

Alternatively, said enhanced tolerance or resistance to environmental stress conditions may be achieved by introducing into the genome of the plant, one or more transgenes which interact with the expression of endogenous genes (polynucleic acids) according to the present invention, by anti-sense RNA, co-suppression or ribozyme suppression of genes which normally inhibit the expression of the polynucleic acids of the present invention or by suppression of genes which normally inhibit the activity of the polypeptides of the invention as defined above.

For inhibition of expression, the nucleic acid segment to be introduced generally will be substantially identical to at least a portion of the endogenous gene or genes to be repressed. The sequence, however, need not be perfectly identical to inhibit expression. The vectors of the present invention can be designed such that the inhibitory effect applies to other genes within a family of genes exhibiting homology or substantial homology to the target gene.

For antisense suppression, the introduced sequence also need not be full length relative to either the primary transcription product or fully processed mRNA.

Generally, higher homology can be used to compensate for the use of a shorter sequence.

5

10

15

20

25

35

Furthermore, the introduced sequence need not have the same intron or exon pattern, and homology of non-coding segments may be equally effective. Normally, a sequence of between about 30 or 40 nucleotides up to the full length sequence should be used, though a sequence of at least about 100 nucleotides is preferred, a sequence of at least about 200 nucleotides is more preferred, and a sequence of about 500 to about 1700 nucleotides is especially preferred.

Catalytic RNA molecules or ribozymes can also be used to inhibit expression of genes as explained above. It is possible to design ribozymes that specifically pair with virtually any target RNA and cleave the phosphodiester backbone at a specific location, thereby functionally inactivating the target RNA. In carrying out this cleavage, the ribozyme is not itself altered, and is thus capable of recycling and cleaving other molecules, making it a true enzyme. The inclusion of ribozyme sequences within antisense RNAs confers RNA-cleaving activity upon them, thereby increasing the activity of the constructs.

A number of classes of ribozymes have been identified. One class of ribozymes is derived from a number of small circular RNAs which are capable of selfcleavage and replication in plants. The RNAs replicate either alone (viroid RNAs) or with a helper virus (satellite RNAs). Examples include RNAs from avocado sunblotch viroid and the satellite RNAs from tobacco ringspot virus, lucerne transient streak virus, velvet tobacco mottle virus, solanum nodiflorum mottle virus and subterranean clover mottle virus. The design and use of target RNA-specific ribozymes is described in Haseloff et al. (1988).

Another method of suppression of gene expression is sense suppression. Introduction of nucleic acid configured in the sense orientation has been shown to be an effective means by which to block the transcription of target genes. For an example of the use of this method to modulate expression of endogenous genes see, Napoli et al. (1990), and U.S. Patents Nos. 5,034,323, 5,231,020, and 5,283,184.

The suppressive effect may occur where the introduced sequence contains no coding sequence per se, but only intron or untranslated sequences homologous to sequences present in the primary transcript of the endogenous sequence. The introduced sequence generally will be substantially identical to the endogenous

15

20

25

30

sequence intended to be repressed. This minimal identity will typically be greater than about 65%, but a higher identity might exert a more effective repression of expression of the endogenous sequences. Substantially greater identity of more than about 80% is preferred, though about 95% to absolute identity would be most preferred. As with antisense regulation, the effect should apply to any other proteins within a similar family of genes exhibiting homology or substantial homology.

For sense suppression, the introduced sequence, needing less than absolute identity, also need not be full length, relative to either the primary transcription product or fully processed mRNA. This may be preferred to avoid concurrent production of some plants which are overexpressers. A higher identity in a shorter than full length sequence compensates for a longer, less identical sequence. Furthermore, the introduced sequence need not have the same intron or exon pattern, and identity of non-coding segments will be equally effective. Normally, a sequence of the size ranges noted above for antisense regulation is used.

Other methods for altering or replacing genes known in the art can also be used to inhibit expression of a gene. For instance, insertional mutants using T-DNA or transposons can be generated. See, e.g., Haring et al. (1991) and Walbot (1992). Another strategy in genetic engineering of plants and animals is targeted gene replacement. Homologous recombination has typically been used for this purpose (see, Capecchi (1989)).

Alternatively, the present invention also relates to a method as defined above wherein said DNA encodes a sense or antisense RNA or a ribozyme capable of indirectly increasing or inducing the expression of an endogenous polynucleic acid sequence according to the invention as defined above or increasing or inducing the activity of a protein of the invention as defined above. Preferably said endogenous polynucleic acid encodes a protein as listed in Table 1.

The present invention also relates to a recombinant polynucleic acid comprising: a polynucleic acid as defined above, and, a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.

The present invention also relates to a recombinant polynucleic acid comprising:

(a) a DNA encoding a protein which when expressed in said plant at an effective amount indirectly increases or induces the expression of an endogenous

20

polynucleic acid as defined above or indirectly increases or induces the protein activity of a polypeptide as defined above, and,

(b) a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.

5

10

15

20

25

30

35

An "endogenous" polynucleic acid refers to a polynucleic acid that is already present in the plant species before transformation.

Said recombinant polynucleic acid as described here above is generally also referred to as a "recombinant vector" or an "expression cassette". An expression cassette of the invention can be cloned into an expression vector by standard methods. The expression vector can then be introduced into host cells by currently available DNA transfer methods.

The present invention also relates to the recombinant polynucleic acid as defined above, comprising a DNA which encodes an anti-sense RNA, a ribozyme or a sense RNA which increases or induces the activity of a protein as defined above in said cell. Preferably said protein is listed in Table 1.

More particularly, the present invention relates to a recombinant polynucleic acid comprising at least part of the nucleotide sequence of any of SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121.

Preferably, the present invention relates to a recombinant polynucleic acid comprising at least part of the coding sequence of a gene encoding a protein as listed in Table 1. Preferably, said "part" is a unique part of any of said nucleotide sequences. (26-28) As used herein, the term a "plant-expressible promoter" refers to a promoter that is capable of driving transcription in a plant cell. This includes any promoter of plant origin, including the natural promoter of the transcribed DNA sequence, but also any promoter of non-plant origin which is capable of directing transcription in a plant cell. The promoter may also be an artificial or synthetic promoter. The term "plant-expressible promoter" includes, but is not restricted to, constitutive, inducible, organ, tissue-specific or developmentally regulated promoters.

According to the invention, production and/or activity of a polypeptide according to the present invention in a plant or in plant parts is increased by introducing one or more polynucleic acids according to the invention into the genome of the plant. More specifically, the constitutive promoter can be, but is not restricted to, one of the following: a 35S promoter (Odell et al. (1985)), a 35S'3 promoter (Hull and Howell

(1987)), the promoter of the nopaline synthase gene ("PNOS") of the Ti-plasmid (Herrera -Estrella, (1983)) or the promoter of the octopine synthase gene ("POCS", De Greve et al. (1982)). It is clear that other constitutive promoters can be used to obtain similar effects. A list of plant-expressible promoters that can be used according to the present invention is given in Table 2.

For specific embodiments of this invention, the use of inducible promoters can provide certain advantages. Modulation of protein levels or protein activity may be required in certain parts of the plant, making it possible to limit modulation to a certain period of culture or developmental stage of the plant.

For specific embodiments of this invention, the use of organ- or tissue-specific or chemical inducible promoters can provide certain advantages. Thus, in specific embodiments of the invention, the gene(s) or part thereof is (are) placed under the control of a promoter directing expression in specific plant tissues or organs, such as for instance roots, leaves, harvestable parts, etc.

10

15

20

25

30

It is also possible to use a promoter that can be induced upon the environmental stress conditions. Such promoters can be taken for example from stress-related genes which are regulated directly by an environmental, i.e. preferable abiotic, stress in a plant cell, including genes for which expression is increased, reduced or otherwise altered. These stress related genes comprise genes the expression of which is either induced or repressed by anaerobic stress, flooding stress, cold stress, dehydration stress, drought stress, heat stress or salinity. An exemplary list of such promoters is given in Table 3.

The recombinant polynucleic acids according to the present invention may include further regulatory or other sequences from other genes, such as leader sequences (e.g. the cab22 leader from Petunia), 3' transcription termination and polyadenylation signals (e.g. from the octopine synthase gene or the nopaline synthase gene), plant translation initiation consensus sequences, introns, transcription enhancers and other regulatory elements such as adh intron 1, etc, which is or are operably linked to the gene or a fragment thereof. Additionally, the recombinant polynucleic acid can be constructed and employed to target the gene product of the polynucleic acid of the invention to a specific intracellular compartment within a plant cell on to direct a protein to the extracellular environment. This can generally be obtained by operably joining a DNA sequence encoding a transit or signal peptide to the recombinant polynucleic acid.

The recombinant DNA comprising one or more polynucleic acids according to the present invention may be accompanied by a chimeric marker gene (Hansen et al., 1999 and references therein). The chimeric marker gene can comprise a marker DNA that is operably linked at its 5' end to a plant-expressible promoter, preferably a constitutive promoter, such as the CaMV 35S promoter, or a light inducible promoter such as the promoter of the gene encoding the small subunit of Rubisco; and operably linked at its 3' end to suitable plant transcription 3' end formation and polyadenylation signals. It is expected that the choice of the marker DNA is not critical, and any suitable marker DNA can be used. For example, a marker DNA can encode a protein that provides a distinguishable color to the transformed plant cell, such as the A1 gene (Meyer et al., (1987)), can provide herbicide resistance to the transformed plant cell, such as the *bar* gene, encoding resistance to phosphinothricin (EP 0 242 246), or can provide antibiotic resistance to the transformed cells, such as the *aac(6')* gene, encoding resistance to gentamycin (WO94/01560).

10

15

20

25

30

35

According to another embodiment, the present invention invention relates to the use of the polynucleic acids above as selectable marker gene. More preferably, the present invention also relates to the use of the plant DBF2 gene as defined above as selectable marker gene, selection taking place with treatment with a stress condition.

The recombinant DNA vectors according to the present invention comprising the sequences from genes of the invention will typically also comprise a marker gene which confers a selectable phenotype on plant cells. For example, the marker may encode biocide resistance, particularly antibiotic resistance, such as resistance to kanamycin, G418, bleomycin, hygromycin, or herbicide resistance, such as resistance to chlorosulforon or Basta.

The present invention also relates to a recombinant host cell transformed with an isolated polynucleic acid as defined above. Said host can be any host known in the art. Preferably said recombinant host cell is a plant cell, yeast, fungi, insect cell, etc. In order to be efficiently expressed in said host, said polynucleic acids can be combined with any promoter known to function in said host system. Methods for transforming said host cells are also well known in the art.

The present invention particularly also relates to a plant cell transformed with at least one recombinant polynucleic acid as defined above.

The present invention also relates to a plant consisting essentially of plant cells transformed with at least one recombinant polynucleic acid as defined above.

A "transgenic plant" refers to a plant comprising a transgene in the genome of essentially all of its cells.

DNA constructs of the invention may be introduced into the genome of the desired plant host by a variety of conventional techniques (see for example Hansen et al., 1999 for review and WO 99/05902). For example, DNA constructs of the invention may be introduced into the genome of the desired plant host by using techniques such as protoplast transformation, biolistics or microprojectile bombardment or Agrobacterium mediated transformation.

Microinjection techniques are known in the art and well described in the scientific and patent literature. The introduction of DNA constructs using polyethylene glycol precipitation is described in Paszkowski et al. (1984).

10

15

20

25

30

35

Electroporation techniques are described in Fromm et al. (1985). Biolistic transformation techniques are described in Klein et al. (1987).

Alternatively, the DNA constructs may be combined with suitable T-DNA flanking regions and introduced into a conventional Agrobacterium host vector. The virulence functions of the Agrobacterium host will direct the insertion of the construct and adjacent marker into the plant cell DNA when the cell is infected by the bacteria. Agrobacterium tumefaciens-mediated transformation techniques, including disarming and use of binary vectors, are well described in the scientific literature. See, for example Horsch et al. (1984), and Fraley et al. (1983).

Transformed plant cells which are derived by any of the above transformation techniques can be cultured to regenerate a whole plant which possesses the transformed genotype and thus the desired phenotype. Such regeneration techniques rely on manipulation of certain phytohormones in a tissue culture growth medium. Plant regeneration from cultured protoplasts is described in Evans et al. (1983); and Binding (1985). Regeneration can also be obtained from plant callus, explants, organs, or parts thereof. Such regeneration techniques are described generally in Klee et al. (1987).

The polynucleic acids and polypeptides of the invention can be used to confer desired traits on a broad range of plants, including monocotyledonous or dicotyledonous plants, preferably they belong to a plant species of interest in agriculture, wood culture or horticulture, such as a crop plant, root plant, oil producing plant, wood producing plant, fruit producing plant, fodder or forage legume, companion or ornamental or horticultured plant. The plants can include species from the genera Actinidia, Apium, Allium, Ananas, Arachis, Arisaema, Asparagus, Atropa, Avena, Beta,

24

Brassica, Carica, Cichorium, Citrus, Citrullus, Capsicum, Cucumis, Cucurbita, Cydonia, Daucus, Diospyros, Fragaria, Glycine, Gossypium, Helianthus, Heterocallis, Hordeum, Hyoscyamus, Ipomoea, Lactuca, Linum, Lolium, Lycopersicon, Malus, Mangifera, Manihot, Majorana, Medicago, Musa, Nicotiana, Oryza, Panicum, Pannesetum, Persea, Petroselinum, Phaseolus, Pisum, Pyrus, Prunus, Raphanus, Rheum, Ribes, Rubus, Saccharum, Secale, Senecio, Sinapis, Solanum, Sorghum, Spinacia, Trigonella, Triticum, Vaccinium, Vitis, Vigna, Zea, and Zingiber. Additional species are not excluded. Crops grown on cultivated lands in arid and semi-arid areas in which irrigation with ground water is needed may advantageously benefit from the invention.

5

10

20

30

One of skill will recognize that after the recombinant polynucleic acid is stably incorporated in transgenic plants and confirmed to be operable, it can be introduced into other plants by sexual crossing. Any of a number of standard breeding techniques can be used, depending upon the species to be crossed. As described before, the plant cells, plant tissue, in particular, transgenic plants of the invention display a certain higher or enhanced degree of tolerance (or even resistance) to environmental stress conditions compared to the corresponding wild-type plants. For the meaning of "environmental stress", see supra. In a preferred embodiment of the present invention, the transgenic plant displays increased tolerance to osmotic stress, salt stress, cold and/or heat stress. An increase in tolerance to such environmental stress is understood to refer to a tolerance to a level of such stress which inhibits the growth and productivity of the corresponding untransformed plant, as determined by methodologies known to the art. Such increased tolerance in transgenic plants is related to an increased expression level in the transgenic plant or parts thereof of one ore more of the polynucleic acids of the present invention and/or to an increased level of activity of the polypeptide(s) encoded by said polynucleic acid, as determined by methodologies known to the art. In comparison with their untransformed counterparts, and determined according to methodologies known in the art, a transgenic plant according to the present invention shows an increased growth, viability, metabolism, fertility and/or productivity under mild environmental stress conditions. In the alternative, a transgenic plant according to the invention can grow under environmental stress conditions wherein the untransformed counterparts can not grow. An increase in tolerance to salt stress is understood to refer to the capability of the transgenic plant to grow under stress conditions which inhibit the growth of at least 95% of the parent, non-stress tolerant plants from which the stress tolerant transgenic

plants are derived. Typically, the growth rate of stress tolerant plants of the invention will be inhibited by less than 50%, preferably less than 30%, and most preferably will have a growth rate which is not significantly inhibited by growth conditions which inhibit the growth of at least 95% of the parental, non-stress tolerant plants. In an alternative example, under mild environmental stress conditions, the growth and/or productivity of the transgenic plants is statistically at least 1 % higher than for their untransformed counterparts, preferably more than 5 % higher and most preferably more than 10 % higher.

Any transformed plant obtained according to the invention can be used in a conventional breeding scheme or in *in vitro* plant propagation to produce more transformed plants with the same characteristics and/or can be used to introduce the same characteristic in other varieties of the same or related species.

10

15

20

25

30

35

Furthermore, the characteristic of the transgenic plants of the present invention to maintain normal/rapid/high growth rates under environmental stress conditions can be combined with various approaches to confer environmental stress tolerance with the use of other stress tolerance genes. Some examples of such stress tolerant genes are provided in Holmberg and Bülow (1998). Most prior art approaches which include the introduction of various stress tolerance genes have the drawback that they result in reduced or abnormal growth (compared to non-transgenic controls) under normal, non-stressed conditions, namely stress tolerance comes at the expense of growth and productivity (Kasuga et al., 1999). This correlation between constitutive expression of stress-responsive genes and reduced growth rates under normal growth conditions indicates the presence of cross talk mechanisms between stress response control and growth control.

Furthermore, the characteristic of the transgenic plants of the present invention to display tolerance to environmental stress conditions can be combined with various approaches to confer to plants other stress tolerance genes, e.g., osmotic protectants such as mannitol, proline; glycine-betaine, water-channeling proteins, etc. Thus, the approach of the present invention to confer tolerance to environmental stress conditions to plants can be combined with prior art approaches which include introduction of various stress tolerance genes. Combination of these approaches may have additive and/or synergistic effects in enhancing tolerance or resistance to environmental stress.

Thus, it is immediately evident to the person skilled in the art that the method of the present invention can be employed to produce transgenic stress tolerant plant with

15

20

25

30

any further desired trait (see for review TIPTEC Plant Product & Crop Biotechnology 13 (1995), 312-397) comprising:

- (i) herbicide tolerance (DE-A 3701623; Stalker (1988)),
- (ii) insect resistance (Vaek (1987)),
- (iii) virus resistance (Powell (1986), Pappu (1995), Lawson (1996)),
- (iv) ozone resistance (Van Camp (1994)),
- (v) improving the preserving of fruits (Oeller (1991)),
- (vi) improvement of starch composition and/or production (Stark (1992), Visser (1991)),
- 10 (vii) altering lipid composition (Voelker (1992)),
 - (viii) production of (bio)polymers (Poirer (1992)),
 - (ix) alteration of the flower color, e.g., bu manipulating the anthocyanin and flavonoid biosynthetic pathway (Meyer (1987), WO90/12084),
 - (x) resistance to bacteria, insects and fungi (Duering (1996), Strittmatter (1995), Estruch (1997)),
 - (xi) alteration of alkaloid and/or cardia glycoside composition,
 - (xii) inducing maintaining male and/or female sterility (EP-A1 0 412 006; EP-A1 0 223 399; WO93/25695);
 - (xiii) higher longevity of the inflorescences/flowers, and
 - (xvi) stress resistance.

Thus, the present invention relates to any plant cell, plant tissue, or plant which due to genetic engineering displays an enhanced tolerance or resistance to environmental stress obtainable in accordance with the method of the present invention and comprising a further nucleic acid molecule conferring a novel phenotype to the plant such as one of those described above.

The present invention also relates to a callus or calli consisting essentially of plant cells as defined here above. Such transgenic calli can be preferably used for the production of secondary metabolites in plant cell suspension cultures.

The present invention also relates to any other harvestable part, organ or tissue or propagation material of the plant as defined here above.

The present invention also relates to the seed of a transgenic plant as defined here above, comprising said recombinant DNA.

The present invention also relates to the use of any isolated polynucleic acid as defined above to produce transgenic plants.

The present invention also relates to the use of a recombinant polynucleic acid as defined above, to produce transgenic plants, preferably transgenic plants having an enhanced tolerance or resistance to environmental stress conditions. Preferably said polynucleic acid encodes a polypeptide as listed in Table 1.

The present invention also relates to the use of an isolated polynucleic acid as defined above, to produce transgenic callus having an enhanced tolerance or resistance to environmental stress conditions. Preferably said polynucleic acid encodes a polypeptide as listed in Table 1.

5

10

15

20

25

30

35

The present invention also relates to probes and primers derived from the genes of the invention that are useful for instance for the isolation of additional genes having sequences which are similar to but differ from any of SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, but which encode a protein having substantially the same biological activity as a protein having the amino acids sequence of any of SEQ ID NO 2 to 120 (even numbers) by techniques known in the art, such as PCR. The presence of a homologous gene in another plant species can for instance be verified by means of Northern of Southern blotting experiments.

The present invention also relates to the cloning of the genomic counterpart of any of the cDNA sequences as represented in SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121. These genomic counterparts can be selected from a genomic library using these cDNA sequences as a probe. The present invention also relates to the coding region as well as the promoter region of any of said genomic clones.

The term "probe" according to the present invention refers to a single-stranded oligonucleotide *sequence* which is designed to specifically hybridize to any of the polynucleic acids of the invention.

The term "primer" refers to a single stranded oligonucleotide sequence capable of acting as a point of initiation for synthesis of a primer extension product which is complementary to the nucleic acid strand to be copied. Preferably the primer is about 5-50 nucleotides long. The term "target region" of a probe or a primer according to the present invention is a sequence within the polynucleic acid(s) to which the probe or the primer is completely complementary or partially complementary (i.e. with some degree

of mismatch). It is to be understood that the complement of said target sequence is also a suitable target sequence in some cases.

"Specific hybridization" of a probe to a target region of the polynucleic acid(s) means that the probe forms a duplex with part of this region or with the entire region under the experimental conditions used, and that under those conditions this probe does substantially not form a duplex with other regions of the polynucleic acids present in the sample to be analysed.

"Specific hybridization" of a primer to a target region of the polynucleic acid(s) means that, during the amplification step, said primer forms a duplex with part of this region or with the entire region under the experimental conditions used, and that under those conditions the primer does not form a duplex with other regions of the polynucleic acids present in the sample to be analysed. It is to be understood that "duplex" as used hereby, means a duplex that will lead to specific amplification.

Preferably, the probes of the invention are about 5 nucleotides to about 1 Kb long, more preferably from about 10 to 25 nucleotides. The nucleotides as used in the present invention may be ribonucleotides, deoxyribonucleotides and modified nucleotides such as inosine or nucleotides containing modified groups which do not essentially alter their hybridization characteristics. The probes according to the present invention preferably include parts of the cDNA sequences of any of the polynucleic acids as defined above.

The present invention also relates to a composition comprising a polynucleic acid sequence as defined above, a polypeptide as defined above, a probe as defined above or a primer as defined above.

20

25

30

35

The present invention also relates to a pharmaceutical or agrochemical composition comprising said polynucleic acid, a polypeptide of the invention as defined above.

The present invention also relates to antibodies specifically reacting with a protein or polypeptide according to the present invention.

The following Examples describe by way of example the tolerance and/or resistance to several environmental stress conditions observed for transgenic plants and yeast overexpressing some of the polynucleic acids according to the present invention. Unless stated otherwise in the Examples, all recombinant DNA techniques are carried out according to standard protocols as described in Sambrook et al. (1989) and in volumes 1 and 2 of Ausubel et al. (1994). Standard materials and methods for plant molecular work are described in Plant Molecular Biology Labfax (1993) by R.D.D.

29

Croy, jointly published by BIOS Scientific Publications Ltd. (UK) and Blackwell Scientific Publications, UK.

These examples and figures are not to be construed as limiting to any of the embodiments of the present invention as set out above. All of the references mentioned herein are incorporated by reference.

10

15

20

25

30

35

BRIEF DESCRIPTION OF THE FIGURES AND TABLES

Figure 1. At-DBF2 encodes a functional homolog of the yeast Dbf2 (A) Comparison of the deduced amino acid sequence of At-DBF2 with that of yeast DBF2. Gaps were introduced to optimize the alignment. Roman numerals above the At-DBF2 sequence indicate the protein kinase catalytic subdomains defined by Hanks et al. (1988). (B) Complementation of dbf2. The dbf2 mutant S7-4A [MATa dbf2Δ::URA3 ura3 leu2 ade5 trp1 his7] (Toyn and Johnston, 1994) (B1) forms swollen pairs of daughter cells (dumbbells) at restrictive temperature (37° C). The defective morphology of the dbf2 mutant can be complemented by transformation with the pYX112 centromeric plasmid (Ingenius, R&D system) containing the At-DBF2 cDNA (B2) or DBF2 (B3); wild type (CG378 strain, MATa ade5 leu2 trp1 ura3) (B4). Log phase cultures were shifted from 28°C to 37°C and photographed after 16 hours. After 16 hours, 98% of the S7-4A cells arrested with a dumbbell morphology (B1) whereas 6,1 and 0% of dumbbells were observed in B1, B3 and B4. Strains were kindly provided by (Dr Lindl, Max Planck Institut fur Zuchtungsforschung, Koln, Germany).

Figure 2. Overexpression of *DBF2* or *At-DBF2* enhances tolerance to osmotic, salt, heat and cold stress. Yeast cells were grown in YPD and cell density was adjusted to OD600 at 2. (1) DY, (2) DY transformed with pYX212 containing *DBF2*, pYX-YDBF2, (3) DY transformed with vector alone or (4) with vector containing *At-DBF2*, pYX-AtDBF2. Serial dilutions were made in step1:10. Ten μl of each dilution was spotted on solid YPD medium (control) supplemented with 2M sorbitol (osmotic stress) or 1.2 M NaCl (salt stress) or 4μl H₂O₂ (oxidative stress) and incubated at 28°C or at 42°C (heat stress) or at 4°C (cold stress) for 3 days.

Figure 3. *DBF2* and *At-DBF2* are induced by stress. (a) Northern analysis showing the kinetics of *At-DBF2* induction in plants treated with PEG 6000 20 % and the one of *DBF2* in yeast treated with sorbitol 2M for the time indicated. (b) Northern analysis of *At-DBF2* in 10 day-old-plants grown for 5 hours in control conditions (as described in Verbruggen et al. 1993) (1), at 37° C (2), with PEG 6000 20 % (3), NaCl 1% (4), at 4° C (5) or with 0.4 mM H_2O_2 (6); and of *DBF2* in yeast cells grown for 11/2 hour in YPD (1), at 37° C (2), with sorbitol 2M (3), with NaCl 1.2 M (4), at 4° C (5) or with 0.4 mM H_2O_2 (6). Control of loading has been done with EtBr staining and is shown under each Northern analysis.

WO 00/08187

5

10

15

20

25

30

(c) Western analysis of At-DBF2 in Arabidopsis. Samples are similar to those analysed in (b). Antibodies used were raised against yeast Dbf2 and kindly provided by Dr L. Leindl (Max Planck Institut fur Zuchtungsforschung, Koln, Germany).

Figure 4. *DBF2* overexpression can suppress *hog1* osmosensitivity. The *hog1* mutant (4) [W303-1A, *MATa*, *hog1*Δ:: *TRP1*] and wild type (W303) (1) were kindly provided by Dr Thevelein (Katholieke Universiteit Leuven, Belgium). The *hog1* mutant was transformed with pYX-YDBF2 (2) or pYX-AtDBF2 (3). Each of the 4 strains was grown for 16 hours in YPD (rich medium), and cell density was adjusted to OD600 at 2. Serial dilutions, 1:10 were made at five consecutive steps. Ten microliter of each dilution was spotted on solid YPD medium (control) or solid YPD medium supplemented with 0,9 M NaCl and incubated at 28°C for 3 days.

Figure 5. *T-DBF2* (*Nicotiana tabacum* DBF2) is periodically expressed during plant cell cycle. Tobacco *DBF2* expression has been followed in BY2 cells synchronised with aphidicolin (a & b) or with propyzamide (c & d) with *At-DBF2* as probe. The measure of relative rate of DNA synthesis and of the mitotic index, the use of the cell cycle markers *CYCB1.2* and *H4* markers have been previously described (Reicheld et al., 1995). *T-DBF2* transcript levels were quantified from the blots shown in b and d using a PhosphorImager (Molecular Dynamics).

Figure 6. shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying a salt stress of 200 mM NaCl overnight.

Figure 7 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying an osmotic stress induced by 20% PEG overnight.

Figure 8 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left

section) upon applying a cold stress by gradually decreasing the temperature untill - 7°C.

Figure 9 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying a heat stress of 2 hours at 48°C.

Figure 10 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section). It can be concluded that the P35S-At-DBF2 transformed plants do not show morphological abnormalities compared to the control transgenic plants.

10

15

20

25

35

Figure 11 shows the results of a salt stress tolerance test with transgenic *A. thaliana* plants overexpressing HSP 17.6A (A) or c74 (B). The control plants (bottom left in A en B) is a transgenic line transformed with pBIN-35S-CaMVter. The other sections in A are 5 independently obtained transgenic lines overexpressing HSP17.6A. The other sections in B are 5 independently obtained transgenic lines overexpressing c74.

Figure 12 shows the influence of *At-DBF2* expression in sense and antisense orientations on stress tolerance. BY2 cells were transformed by *A. tumefaciens* with recombinant T-DNA vectors containing At-DBF2 driven by CaMV 35S RNA promoter, pBIN-35S-At-DBF2 (upper left and right sections in A or diamonds in B), the CaMV 35S promoter and terminator pBIN-35S-CaMVter (bottom left sections in A or triangles in B), or antisense *At-DBF2* under the control of the CaMV 35S promoter pBIN-35S-ASAt-DBF2 (bottom right sections in A or circles in B). (A) Picture of the same amounts of transgenic cells after 3 weeks of growth on solid medium supplemented with 300 mM NaCl, 25% PEG, 2mM H₂O₂, or at 47°C (heat). (B) Growth of suspension cells in liquid medium. Upon stress, growth was measured as fresh weigth and expressed as a percentage of unstressed growth (control) (a). Stresses were applied after subculturing (= day 0) at indicated temperatures (e) and concentrations of NaCl (b) PEG (c), and H₂O₂ (f). For the cold shock (d), cells were maintained at 0°C for 2 days before the 2-week culture at 22°C. For each construction data of three

independent transgenic lines were pooled. To not overload the figure, SDs are not shown (maximum 15% of measured values). (C) Northern analysis of At-DBF2+TDBF2, kin1, and HSP17.6. Total RNAs were extracted from independent lines transformed with pBIN-35S-At-DBF2 (1) and (2), pBIN-35S-CaMter (3), and pBIN-35S-ASAt-DBF2 (4). Osmotic stress was induced with 10% PEG treatment for 5 hr (stressed).

Figure 13 shows the results of the growth of *A. thaliana* plants transformed with p35S-AtHSP17.6A and P35S control (upper right section) upon applying an osmotic stress induced by 20% PEG overnight. The results of two independent experiments are shown, each performed with 3 independently obtained transgenic lines overexpressing At-HSP17.6A (upper left and bottom left and right).

Figure 14 shows the results of the germination of *A. thaliana* plants transformed with p35S-Atc74 and P35S control (bottom section) on mineral medium supplemented with 125 mM NaCl. The results of two independent experiments are shown, each performed with 2 independently obtained transgenic lines overexpressing Atc74 (2 upper sections).

20

25

30

5

10

15

Table 1. Classification of the *Arabidopsis thaliana* clones isolated in Example 2. Clones isolated according to the description in example 2 have been analyzed on their potential to confer tolerance. According to the method described in example 2, the tolerance of different yeast transformants expressing an Arabidopsis cDNA to osmotic stress and salt stress was compared with the tolerance of DY wild type cells.

+ : similar growth to the DY wild type cells;

++ : growth of the transformant is visible at a 10-fold higher dilution (1:10) than control (1:1);

+++ : growth of the transformant is visible at a 100-fold higher dilution

(1:100) than control (1:1);

++++ : growth of the transformant is visible at a 1000-fold higher dilution (1:1000) than control (1:1).

Table 2. Exemplary plant-expressible promoters for use in the performance of the present invention.

34

Table 3. Exemplary stress-inducible promoters for use in the performance of the present invention.

EXAMPLES

5

10

15

20

30

35

Example 1. Construction of the cDNA library.

Total RNA has been isolated from green siliques from *Arabidopsis thaliana* by grinding 1 g of siliques in 4 ml extraction buffer (100 mM tris-Hcl, pH 8, 10 mM EDTA, 100 mM LiCl) at 4° C, followed by phenolisation and chloroform: isoamylalcohol (24:1) extraction. To the aqueous phase, LiCl was added up to a final concentration of 2M, and the total RNA was allowed to precipitate overnight at 4°C. After centrifugation, the pellet was redissolved in 400 µl H₂O and reprecipitated with ethanol. Poly(A) messenger RNA was isolated from the total RNA by binding it to an oligo-dT cellulose spun column (Pharmacia), washing the column three times with 10 mM Tris-HCl, pH 7.5, 1 mM EDTA, 0.5 M NaCl and eluting the mRNA with 10 mM Tris-HCl, pH 7.5, 1 mM EDTA at 65° C.

The eluate was precipitated with ethanol, and cDNA was synthesized using MMLV- reverse transcriptase (Pharmacia) and a d(T)₁₄-Xhol primer for the first strand and *E. coli* DNA polymerase I (Pharmacia) for the second strand.

Example 2. Yeast transformation and selection for osmotolerance.

The cDNA was cloned into pYX vectors (Ingenius, R&D systems; 2 µ based pYX 212 for bank 1, ARS/CEN based pYX112 for bank 2) as EcoRI - XhoI fragments, using an Eco RI/Not I adaptor.

In these constructs, the cDNA is under the control of the strong constitutive TPI promoter. The yeast strain DY (MATa, his3, can1-100, ade2, leu2, trp1, ura3::3xSV40AP1-lacZ; kindly provided by N. Jones, Imperial Cancer Research Fund, London, UK) has been transformed with these cDNA libraries, using the Lithium Acetate transformation procedure (Gietz and Schietsl, 1995). After transformation with the Arabidopsis cDNA bank, transformants have been selected for the ability to grow in the presence of 100mM LiCl in a stepwise selection (Lee et al., 1999). LiCl is commonly used for salt tolerance screening in yeast (Haro et al. 1991). Several A. thaliana genes, conferring osmotolerance to the yeast, have been isolated (Table 1). To further analyse the potential of the selected Arabidopsis cDNA's to confer tolerance to environmental stress in yeast, each yeast transformant expressing such selected Arabidopsis cDNA's has been exposed to osmotic stress and salt stress. Each of the transformants was therefore grown for 16 hours in YPD (rich medium), and cell density was adjusted to OD600 at 2. Serial dilutions, 1:10, were made at three consecutive

steps. Ten microliters of each dilution was spotted on solid YPD medium (control) supplemented with 2 M sorbitol (osmotis stress) or 1.2 M NaCl (salt stress) and incubated at 28°C for 3 days. The results of this drop growth test (see also Lee et al., 1999) are shown in Table 1.

5

10

15

20

25

30

35

Example 3. Characterization of At-DBF2.

At-DBF2, a 1.8 kb cDNA (SEQ ID NO 1) has been identified in this screening that encodes a predicted 60.2 kDa protein showing 81 % similarity with the yeast Dbf2 transcriptional regulator. Homology (less than 40% similarity) has also be found with the putative Dbf2 homologues in human, C. elegans and Drosophila (named Ndr for nulear Dbf2 related, Millward et al. 1995). The At-DBF2 deduced protein sequence (SEQ ID NO 2) contains the 11 domains of protein kinases (Figure 1A). Amino acids lying between the invariant residues D and N of domain VI do not match the features of serine/threonine specificity (LKPE) defined by Hanks et al. (1988) but the GSPDYIALE peptide in domain VIII does well indicate serine/threonine specificity and At-DBF2 can complement the yeast dbf2 mutant (Figure 1B).

In mature Arabidopsis plants, *At-DBF2* is expressed in all tested organs. The highest abundance of transcripts has been found in siliques. A Southern analysis in Arabidopsis, tobacco and tomato has revealed that *DBF2* seems to be conserved in plants (see Example 13 below). As *At-DBF2* has been identified in a screening for LiCl tolerance, its effect in other stress situations has been tested in yeast (Figure 2).

Example 4. Overexpression of *Arabidopsis* and *Saccharomyces* cerevisiae DBF2 enhances cold, heat, salt and drought tolerance in yeast.

In order to test whether the effect was specific to the plant gene, the yeast *DBF2* gene has been overexpressed in the same vector. Upon a drop growth test (Figure 2 and Lee et al., 1999). A remarkable enhancement of stress tolerance can be seen at 42°C, during osmotic stress (sorbitol), and after salt and cold treatments in yeast. There is no difference between stress tolerance afforded by the plant or the yeast gene. The enhancement of stress tolerance due to the overexpression of *At-DBF2* or *DBF2* reflects a role for these genes in stress situations. Therefore yeast and Arabidopsis plants have been exposed to sorbitol- and PEG-induced osmotic stress. *At-DBF2* as well as *DBF2* is induced rapidly (1 to 2 hours) and transiently upon osmotic stress (Figure 3A). The expression of *At-DBF2* and *DBF2* has been analyzed during other environmental stresses in Arabidopsis plants or in yeast cells after the

time corresponding to the highest induction seen in Fig. 3A (Figure 3B). In plant as in yeast, there is a clear induction after heat, salt, osmotic and to a lesser extent after cold, which perfectly correlates with stresses to which the overexpression enhances tolerance. However, many genes are induced upon stress without relevant adaptive role, amongst others because post-transcriptional mechanisms inhibit subsequent translation. Here *At-DBF2* protein amount, as detected by anti-Dbf2 antibodies, clearly increased upon stress (Figure 3C).

Example 5. Both *At-DBF2* and *DBF2* can functionally complement the *hog1* mutation.

To investigate a possible interaction between stress signaling pathways and *DBF2*, the salt sensitive hog1 mutant was transformed with *At-BDF2* and *DBF2*. The *HOG1* MAP kinase pathway regulates osmotic induction of transcription in yeast (Schuller *et al.* 1994). The osmosensitivity of the mutant could be recovered by the overexpression of both *DBF2* and *At-DBF2* (Figure 4).

Example 6. At-DBF2 is cell cycle regulated.

10

15

20

25

30

DBF2 expression is cell cycle regulated where it plays a role in DNA synthesis initiation but also in nuclear division through its association with the CCR4 complex (Komarnitsky et al. 1998, Johnston et al. 1990). This regulation was investigated in plants. A tobacco BY-2 cell line in which the highest level of culture synchronization, compared with other plant cell lines has been achieved so far (Shaul et al. 1996, Reicheld et al. 1995) was used. Stationary phase cells were diluted into fresh medium and treated with aphidicolin (blocking cells in the beginning of the S phase) for 24 hours, then washed. The percentage of synchronous mitosis after release from the aphidicolin block was about 65 % (Figure 5A-B). A 1.6-Kb tobacco DBF2 homologue (T-DBF2) could be detected on Northern blot with the At-DBF2 as a probe. T-DBF2 steady-state transcript level clearly oscillates during the cell cycle and is mainly present during S, decreases during G2 until late M from where it increases until a peak in S phase. T-DBF2 expression occurs clearly before CYCB1.2 (a marker of G2-M phases), but parallels the one of H4 (a S phase marker) except at the S/G2 transition, where T-DBF2 transcripts decline earlier, and at the M/G1 transition, where T-DBF2 expression increases earlier. The use of the cell cycle markers CYCB1.2 and H4 is described in Reicheld et al.

To follow unperturbed G1 and S phases, BY2 cell suspension was synchronized using a double blocking procedure (Nagata *et al.*,1992). After the release from the aphidicoline block, cells are treated for 4 hours with propyzamide in the beginning of the preprophase. The percentage of synchronous mitosis after the release from the propyzamide block was higher than 75%. *T-DBF2* was periodically expressed with an undetectable expression until late M, a sharp increase in G1 and a peak in mid S (Figure 5C-D) which confirms results of Figures 5A-B. However a function for the plant *DBF2* in cell cycle can only be assigned with measurement of the kinase activity. In yeast, *DBF2* transcript levels do not correlate with kinase activation which occurs by dephosphorylation (Toyn and Johnson, 1994). The precise function of Dbf2 in regulation of the cell cycle is not known. An essential role has been proposed during anaphase or telophase. No activity has been measured in G1 despite evidence for a role for Dbf2 in initiation of DNA synthesis.

As other proteins recently identified, Dbf2 controls the M/G1 transition which is a major cell cycle transition in yeast (Aerne *et al.* 1998). The existence of a M/G1 control checkpoint has been suggested in plant cells (Hemmerlin and Bach 1998) but its importance compared to G1/S and G2/M has not been investigated.

Overexpression of *DBF2* in yeast results in kinase activity throughout the cell cycle, which may be due to the saturation of a post-translational deactivating mechanism (Toyn and Johnston, 1994). Overexpression of the functionnally conserved *At-DBF2* has most probably the same effect. However, the presence of Dbf2 kinase activity at the wrong time in the cell cycle does apparently not affect its progression. In marked contrast constitutive activity has a marked effect on stress tolerance. The role played by *At-DBF2* or *DBF2* in stress is most probably independent from the cell division cycle. *At-DBF2* expression is present in all plant organs (abundant expression is observed in stems where only 1-2 % cells have a mitotic activity) and can be rapidly induced upon stress. However, a link with the cell cycle is not excluded. Higher stress tolerance in yeast overexpressing *DBF2* or *At-DBF2* may be correlated to the overproduction of the kinase in G1 where yeast cells are particularly sensitive to stress. Most plant cells are also thought to be blocked in G1 but the relationship with stress response is poorly known.

WO 00/08187

PCT/EP99/05652

Example 7. Tobacco cell transformation and recombinant T-DNA Vector construction

.39

BY2 cells were stably transformed as described (Shaul et al., 1996) by Agrobacterium tumefaciens C58C1Rif^R (pGV2260) strain (Deblaere et al., 1985) carrying pBIN-35S-At-DBF2 or pBIN-35S-ASAt-DBF2 recombinant binary vectors. PBIN-35S-At-DBF2 is the plant binary vector pBIN m-gfp4 in which the BamHI-Sacl fragment containing the gfp reporter gene was replaced with a BamHI-Sacl fragment containing the At-DBF2 cDNA from pYX-At-DBF2. p-Bin-35S-CaMVter is the plant binary vector pBIN19 in the HindIII-Sacl restriction sites of which the hindIII-Sacl fragment of pDH51 containing the cauliflower mosaic virus (CaMV) 35S RNA promoter and terminator was cloned. pBIN-35S-ASAt-DBF2 is the pBIN-35S-CaMVter vector in which the At-DBF2 cDNA was cloned in the antisense orientation from pYXAt-DBF2 in the BamHI-Smal restriction sites, between the CaMV 35S RNA promoter and terminator. More details are described in Lee et al. (1999).

15

20

25

30

35

10

5

Example 8. Overexpression of At-DBF2 sense and antisense RNA in plant cells

Transgenic plant cells overexpressing At-DBF2 were generated to test the role of this protein in stress tolerance in planta. Tobacco BY2 cells were stably transformed by A. tumefaciens carrying the At-DBF2 cDNA driven by the strong constitutive CaMV 35S RNA promoter. The antisense At-DBF2 RNA also was overexpressed under the control of the same promoter. Control lines were obtained by transforming tobacco BY2 cells with pBIN-35S-CaMVter. Three independently obtained At-DBF2overexpressing tobacco transgenic cell lines have been selected with a high and similar At-DBF2 expression and analysed further. Three tobacco transgenic cell lines overexpressing antisense At-DBF2 were chosen that showed an undetectable tobacco DBF2 transcript level. Both the overexpression of At-DBF2 and the down-regulation of the endogenous gene by the antisense strategy did not result in significant differences in growth after 2 weeks (Fig. 12A and 12B). On the contrary, marked differences in growth were observed after a 2-week treatment with NaCl, PEG-induced drought, cold. or high temperatures. Transgenic lines that overexpressed At-DBF2 were clearly more tolerant than control lines. Inhibition of the endogenous DBF2 expression was correlated with a higher sensitivity to those stresses. To understand the basis of stress

40

tolerance in *At-DBF2*-overexpressing plant cells, expression of stress-induced genes was followed in control and stress conditions (Fig. 12C). Tobacco kin1 and HSP17.6A homologues already were induced in *At-DBF2*-overexpressing tobacco cells in control conditions to a level similar to that observed during stress conditions (PEG-induced drought), suggesting that *At-DBF2* overexpression may mimic a stress signal.

5

10

25

30

Example 9. Arabidopsis transformation and recombinant T-DNA vector construction with genes conferring tolerance to environmental stress

Arabidopsis were stably transformed as described in Clarke, Wei and Lindsey (1992) by Agrobacterium tumefaciens C58C1RifR (pGV2260) strains carrying pBIN-35S-At-DBF2, pBIN-35S-At-HSP17.6A, pBIN-35S-At-c74 recombinant binary vectors. pBIN-35S-At-DBF2 is described in Lee et al. 1999. pBIN-35S-At-HSP17.6A recombinant binary vector was constructed as following: the EcoRI-Xhol fragment containing At-HSP17.6A cDNA in pYX-HSP17.6A (recombinant pYX212) was first cloned in pYES2 (Invitrogen) resulting in pYES-HSP17.6A. Than the BamHI-SphI fragment of pYES-HSP17.6A containing the At-HSP17.6A cDNA was cloned in the plant binary vector pBIN m-gfp4 in which the BamHI-SacI fragment containing the gfp receptor gene was deleted and replaced by the At-HSP17.6A cDNA. The 3' protruding ends generated by Sacl and Sphl were blunt ended by T4 DNA polymerase. pBIN-35S-c74 was constructed with a similar strategy as pBIN-35S-AtHSP17.6A with an intermediary pYES-Atc74 vector. The At-c74 cDNA was first amplified with PCR using the primers 5' AAA AAA CAC ATA CAG GAA TTC 3' (SEQ ID NO 122) and 5' AGT TAG CTA GCT GAG CTC GAG 3' (SEQ ID NO 123), then cloned "blunt ended" in the vector pYES2 cut with NotI and BstXI and blunt ended with T4 DNA polymerase. Subsequently, the BamHI-SphI fragment of pYES-c74 was cloned in pBINm-gfp4 as explained supra.

Example 10. Tolerance to environmental stress in plant cells

Transgenic calli were isolated from each of the transgenic Arabidopsis lines transformed with At-DBF2, At-HSP17.6A and At-c74. The growth of these transgenic calli during salt stress was measured and compared with control calli derived from transgenic Arabidopsis lines transformed with pBIN-35S-CaMVter. Callus pieces (25 for each transgenic line) of similar fresh weight (50 to 100 mg) were therefor grown on callus inducing medium (Clarke et al., 1992) supplemented with 200mM NaCl. After two weeks, from visual inspection, it was clear that transgenic calli transformed with

At-DBF2 or At-HSP17.6A or At-c74 looked much better than control transgenic calli transformed with pBIN-35S-CaMVter. The latter calli turned yellow and started dying. To confirm the observation, the fresh weight of the calli was measured. In comparison with the control transgenic calli, the fresh weight of the transgenic calli was for each of the three lines at least five times higher than the fresh weight of the control trangenic calli.

Example 11. Tolerance to environmental stress in plants.

10

15

20

25

30

35

Seeds from transgenic Arabidopsis plants tranformed with pBIN-35S-At-DBF2, p-BIN-35S-At-c74, or pBIN-35S-At-HSP17.6A, were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-AS+At-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark, 70 microeinsteins. After 9 days growth, filters were transferred to liquid K1 medium supplemented with 200 mM NaCl for overnight incubation. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium. Under these conditions, the control transgenic plants turned yellow, their growth was inhibited and eventually they died. On the contrary, the transgenic lines transformed with At-DBF2 or At-HSP17.6A or At-c74 survived very well (Figure 6 and Figure 11).

To further evaluate the scope of protection to environmental stress, transgenic plants were exposed to osmotic stress. Therefor seeds from transgenic Arabidopsis plants transformed with pBIN-35S-At-DBF2, pBIN-35S-At-c74 or pBIN-35S-At-HSP17.6A were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-ASAt-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark,

70 microeinsteins. After 9 days growth, filters were transferred to liquid K1 medium supplemented with 20 % polyethylene glycol for overnight incubation. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium. Under these conditions, the control transgenic plants turned yellow, their growth was inhibited and eventually they died. On the contrary, the transgenic lines transformed with At-DBF2, At-HSP17.6A or At-c74 survived very well (see Figure 7 and 13). Their growth was comparable to growth on control medium without polyethylene glycol.

To further analyse the scope of protection to environmental stress, transgenic plants were exposed to high and low temperatures. Therefor seeds from transgenic plants transformed with pBIN-35S-At-DBF2 or pBIN-35S-At-c74 were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-ASAt-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark, 70 microeinsteins. After 9 days growth, for the experiments with high temperature stress, plants were exposed to gradually decreasing temperatures, down to -7°C. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium.

10

15

20

25

30

Under both low temperature and high temperature stress, the growth of control transgenic plants was inhibited and eventually they died. The transgenic lines transformed with At-DBF2 or At-c74 survived very well. Their growth was comparable to growth under control conditions with normal temperature (see Figure 8 and 9).

To further analyse the scope of protection to environmental stress, transgenic plants were exposed to salt stress during germination. Sterilized mature seeds from transgenic plants transformed with pBIN-35S-At-DBF2 or pBIN-35S-At-c74 were placed on top of petri dishes containing MS (Murashige and Skoog) medium with 0,8 % agar and 30 g l⁻¹ sucrose. Control plants were the ones transformed with pBIN-35S-CaMVter. Prior to germination and pH 5.7 adjustment, NaCl was added to a final concentration of 125 mM. Three petri dishes with a mean of 40-50 seeds per dish were used per treatment in every experiment. The complete experiment was repeated

15

20

25

30

twice. Seed germination at 22°C was followed. Seeds were considered to germinate after radical and green cotyledon emergency occurred.

On control medium (without 125 mM NaCl), germination of all transgenic lines was very similar to each other and to wild type plants. On medium supplemented with 125 mM NaCl, seeds from transgenic lines overexpressing At-DBF2 or At-c74 germinate significantly better than control transgenic lines. Less than 10 % of the seeds from transgenic lines transformed with pBIN-35S-CaMVter germinate under these conditions. In contrast, more than 70 % of the seeds from trangenic lines overexpressing At-DBF2 or At-c74 germinate on medium containing 125 mM NaCl (Figure 14).

Example 12. Southern hybridisation of At-DBF2 genes in other plants

To investigate whether *DBF2* homologues exist in other plant species, a Southern hybridisation analysis was performed using the full length *At-DBF2* as a probe. Genomic DNA was extracted from tobacco, tomato and rice according to Dellaporta et al. (1983) and further purified by phenol :chloroform extractions.

DNA (10 µg) was digested with restriction enzymes and separated on 1% (w/v) agarose gels using Lambda DNA digested with Hind III as molecular size standards. The DNA was transformed on to nylon membranes (Hybond N; Amersham, little Chalfont, UK) in 0.4 N NaOH. Filters were UV-cross-linked for 30 seconds, prehybridized for 3 hours at 56°C in hybridization solution (2x SSPE, 0.1%(w/v) SDS, 5x Denhardt solution) using 200

gm⁻³ denatured salmon sperm DNA, and hybridized overnight with radiolabelled probes. 1X SSPE was 0.15 M NaCl/ 0.01 M sodium dihydrogen phosphate/ 1 mM EDTA

Filters were washed at 56°C in 2x SSPE, 0.1% (w/v) SDS for 20 min, then 1x SSPE, 0.1% (w/v) SDS for 20 min, and finally in 0.1x SSPE, 0.1% (w/v) SDS for 20 min. Filters were exposed to X-ray film (Kodak X-AR; Kodak, NY, USA) in the presence of intensifying screens for 24 hours.

The results of the hybridisation experiments show that tobacco, tomato and rice have at least one homologue to At-DBF2.

Tabel 1

putative function in	Features of encoded protein	SEQ ID NO.	Growth on medium with1,2 M NaCl	growth on medium with 2,0 M sorbitol
signalling	Similar to a yeast DBF2 cell cycle protein	1	++++	++++
metabolism	HSP17.6A	3	++++	++++
unknown	C74	5	+++	+++
metabolism	Similar to ADH2	7	+	++++
metabolism	Similar to D. melanogaster catalase/catalase 3	9	++++	+
metabolism	Similar to the HSP90 heat shock protein family	11	++++	++++
metabolism	similar to phosphoenolpyruvate carboxylase	13	+	+++
metabolism	pathogen related proteins, class 10	15	+	++++
metabolism	Arabidopsis ascorbate peroxidase	17	++++	++++
metabolism	similar to phosphatase binding protein	19	++++	++++
metabolism	similar to phosphatase binding protein	21	++++	++++
metabolism	similar to retinol dehydrogenase	23	+++	++++
metabolism	similar to retinol dehydrogenase	25	++++	++++
metabolism	ribosomal protein	27	++++	++++
metabolism	ribosomal protein	29	++++	++++
metabolism	similar to a protein transporter (kinase homolog)	31	++++	++++
metabolism	similar to a peptide transporter	33	++++	+
metabolism	similar to a wheat low affinity cation transporter LCT1	35	++++	++++
metabolism	similar to yeast iso-1-cytochrome c (CYC-1)	37	++++	++++
metabolism	similar to yeast OSM1	39	++++	++++
metabolism	similar to yeast copper uptake gene (CUP1)	41	++++	+++
metabolism	similar to yeast UV-induced damage repair protein (RAD7)	43	++++	++++
metabolism	electron transporter, apocytochrome b	45	++++	++++
metabolism	similar to membrane lipoprotein LPPL1	47	++++	++++
metabolism	similar to tobacco auxin binding protein	49	+	++++
metabolism	similar to tobacco cytokinin binding protein CBP 57	51	+++	++++
signalling	similar to calcium binding protein yeast calcineurin B	53	+++	++++

signalling	similar to calcium binding protein glycine max calnexin		++++	+++
signalling	similar to calcium binding protein Dictyostelium discoideum calreticulin	57	++++	++++
signalling	similar to calcium binding protein calmodulin 1	59	++++	+
signalling	similar to calcium binding protein calmodulin 2	61	+	++++
signalling	MAP kinase kinase, homologous to Dyctyostelium mekA (DdMek1)	63	++++	+++
signalling	similar to human adenosine kinase	65	+	++++
signalling	similar to human tyrosine kinase	67	++++	++++
signalling	similar to common ice plant tyrosine kinase	69	++++	++++
signalling	similar to the yeast protein kinase C receptor	71	++++	++++
signalling	similar to tobacco and Arabidopsis HAT7 homeotic protein	73	++	++++
signalling	similar to E. coli sigma factor regulator (RSEB)	75	+	++++
signalling	similar to human protein phosphatase 2C	otein phosphatase 77 ++++		++++
metabolism	late embryogenesis abundant proteins, Arabidopsis LEA protein 10 & 14		++	++++
metabolism	late embryogenesis abundant proteins, Arabidopsis LEA protein 10 & 14	81	++	++++
metabolism	pathogen related proteins, class 10	83	++++	++++
metabolism	cell wall peroxidase	85	++++	+++
metabolism	ribosomal protein	87	+++	++++
metabolism	salt stress induced protein, SAS 1	89	++++	++++
metabolism	PR gene (AIG2)	91	++++	++++
metabolism	MT1c	93	++++	++++
metabolism	IPP2 (Isopentenyl diphosphate)	95	+++	++++
metabolism	chlorophyll a/b binding protein	97	+++	+++
metabolism	glutathione transferase	99	++	++++
signalling	cold- and ABA inducible, calcium dependent – kinase, Kin1	101	++++	++++
signalling	MAP kinase, Atmpk1	103	++	++++
signalling	Arabidopsis cell cycle protein histone H2A	105	++++	++++
unknown	chromosome 4 – sequence	107	111	++++
unknown	chromosome 4 – sequence	109	+	++++
unknown	chromosome 5 – sequence	111	++++	+++
unknown	chromosome 5 – sequence	113	++++	++
unknown	chromosome 5 – sequence	115	++++	++++
unknown	chromosome 5 – sequence	117	+	++++
unknown	chromosome 5 – sequence	119	+	++++

signalling	similar to calcium binding protein	121	++++	++++
	centrin (caltractin)			

TABLE 2
EXEMPLARY PLANT-EXPRESSIBLE PROMOTERS FOR USE IN THE PERFORMANCE OF
THE PRESENT INVENTION

	THE PRESENT INVENTION			
GENE SOURCE	EXPRESSION PATTERN	REFERENCE		
α-amylase (<i>Amy32b</i>)	Aleurone	Lanahan <i>et al</i> (1992); Skriver <i>et al.</i> (1991)		
cathepsin β-like gene	Aleurone	Cejudo et al. (1992)		
Agrobacterium rhizogenes rolB	Cambium	Nilsson <i>et al.</i> (1997)		
PRP genes	cell wall	http://salus.medium.edu/ mmg/tierney/html		
barley Itr1 promoter	Endosperm			
synthetic promoter	Endosperm	Vicente-Carbajosa et al.(1998)		
AtPRP4	Flowers	http://salus.medium.edu/ mmg/tierney/html		
chalene synthase (chsA)	Flowers	van der Meer et al. (1990)		
apetala-3	Flowers			
Chitinase	fruit (berries, grapes, etc)	Thomas et al. CSIRO Plant Industry, Urrbrae, South Australia, Australia; http://winetitles.com.au /gwrdc/csh95-1.html		
rbcs-3A	green tissue (eg leaf)	Lam et al. (1990); Tucker et al. (1992)		
leaf-specific genes	Leaf	Baszczynski et al. (1988)		
AtPRP4	Leaf	http://salus.medium.edu/mmg/tierney/html		
Pinus cab-6	Leaf	Yamamoto et al. (1994)		
SAM22	Senescent leaf	Crowell et al. (1992)		
R. japonicum nif gene	Nodule	United States Patent No. 4, 803, 165		
B. japonicum nifH gene	Nodule	United States Patent No. 5, 008, 194		

	<u> </u>
Nodule	Yang et al. (1993)
Nodule	Pathirana et al. (1992)
Nodule	Gordon et al. (1993)
Phloem	Bhattacharyya-Pakrasi et al. (1992)
plasma membrane	Grimes et al. (1992)
pollen; microspore	Albani et al. (1990); Albani et al. (1991)
Pollen	Hamilton et al. (1992)
Pollen	Baltz <i>et al.</i> (1992)
pollen;anther; tapetum	Arnoldo et al. (1992)
Roots	Tingey et al. (1987); An et al. (1988);
root tip	Van der Zaal <i>et al.</i> (1991)
Root	Oppenheimer et al. (1988)
Root	Conkling et al. (1990)
Root	United States Patent No. 5, 401, 836
Roots	Suzuki <i>et al.</i> (1993)
roots; root hairs	http://salus.medium.edu/mmg/tierney/html
root cortex	http://www2.cnsu.edu/ncsu/research
root vasculature	http://www2.cnsu.edu/ncsu/research
leaves; flowers; lateral root primordia	http://salus.medium.edu/mmg/tierney/html
Seed	Simon <i>et al.</i> (1985); Scofield <i>et al.</i> (1987); Baszczynski <i>et al.</i> (1990)
seed	Pearson <i>et al.</i> (1992)
Seed	Ellis et al. (1988)
Seed	Takaiwa et al. (1986);Takaiwa et al.
	Nodule Nodule Phloem plasma membrane pollen; microspore Pollen Pollen pollen;anther; tapetum Roots root tip Root Root Root Root roots; root hairs root cortex root vasculature leaves; flowers; lateral root primordia Seed Seed

		(1987)
Zein	Seed	Matzke <i>et al.</i> (1990)
NapA	Seed	Stalberg et al. (1996)
Sunflower oleosin	seed(embryo and dry seed)	Cummins <i>et al.</i> (1992)
LEAFY	shoot meristem	Weigel <i>et al.</i> (1992)
Arabidopsis thaliana knat1	shoot meristem	Accession number AJ131822
Malus domestica kn1	shoot meristem	Accession number Z71981
CLAVATA1	shoot meristem	Accession number AF049870
Stigma-specific genes	Stigma	Nasrallah et al. (1988); Trick et al. (1990)
Class I patatin gene	Tuber	Liu <i>et al.</i> (1991)
Blz2	Endosperm	EP99106056.7
PCNA rice	Meristem	Kosugi <i>et al</i> (1991); Kosugi and Ohashi (1997)

Table 3. Stress inducible promoters

Name	Stress	Reference
P5CS (delta(1)-pyrroline-5- carboxylate syntase)	salt, water	Zhang et al; Plant Science. Oct 28 1997; 129(1): 81-89
cor15a	Cold	Hajela et al., Plant Physiol. 93: 1246-1252 (1990)
cor15b	Cold	Wlihelm et al., Plant Mol Biol. 1993 Dec; 23(5):1073-7
cor15a (-305 to +78 nt)	cold, drought	Baker et al., Plant Mol Biol. 1994 Mar; 24(5): 701-13
rd29	salt, drought, cold	Kasuga et al., Nature Biotechnology, vol 18, 287- 291, 1999
heat shock proteins, including artificial promoters containing the heat shock element (HSE)	Heat	Barros et al., Plant Mol Biol, 19(4): 665-75, 1992. Marrs et al., Dev Genet.,14(1): 27- 41, 1993. Schoffl et al., Mol Gen Gent, 217(2-3): 246-53, 1989.
smHSP (small heat shock proteins)	heat	Waters et al, J Experimental Botany, vol 47, 296, 325- 338, 1996
wcs120	Cold	Ouellet et al., FEBS Lett. 423, 324-328 (1998)
ci7	Cold	Kirch et al., Plant Mol Biol, 33(5): 897-909, 1997 Mar
Adh	cold, drought, hypoxia	Dolferus et al., Plant Physiol, 105(4): 1075-87, 1994 Aug
pwsi18	water: salt and drought	Joshee et al., Plant Cell Physiol, 39(1): 64-72, 1998, Jan
ci21A	Cold	Schneider et al., Plant Physiol, 113(2): 335-45, 1997
Trg-31	Drought	Chaudhary et al., Plant Mol Biol, 30(6): 1247-57, 1996
Osmotin	Osmotic	Raghothama et al., Plant Mol Biol, 23(6): 1117-28, 1993

REFERENCES

Adams et al. (1983), J. Am. Chem. Soc. 105:661

Aerne et al. (1998). Molecular Biology of the Cell, vol 9, 945-956.

Bray et al. (1997), Plant responses to water deficit. Trends Plant Sci 2, 48-54

5 Carruthers et al. (1982), Cold Spring Harbor Symp. Quant. Biol. 47:411-418 Capecchi (1989), Science 244:1288-1292

Deblaere et al. (1985), Efficient octopine Ti plasmid-derived vectors for Agrobacterium-mediated gene transfer to plants, Nucl. Acids Res. 13, 4777-4788.

De Greve et al. (1982), J. Mol. Appl. Genet. 1(6):499-511

Dellaporta et al. (1983), A plant DNA minipreparation, version II. Plant Mol. Biol. Rep. 1, 19-22

Evans et al. (1983), Protoplasts Isolation and Culture, Handbook of Plant Cell Culture, pp. 124-176

Fowden et al. (1993), Plant Adaptation to Environmental Stress; ISBN: 0412490005

5 Fraley et al. (1983), Proc. Natl. Acad. Sci USA 80:4803

Fromm et al. (1985), Proc. Natl. Acad. Sci. USA 82:5824

Gietz and Schietsl, (1995) Methods in Molecular and Cellular Biology, 5, 255-269.

Grillo et al (1996), Physical Stresses in Plants: Genes and Their Products for Tolerance. Springer Verlag; ISBN: 3540613471

20 Hanks et al. (1988). Science, 241, 42-52.

Hansen et al. (1999), Trends in plant science reviews, Vol 4, No 6, 226-231

Haring et al. (1991), Plant Mol. Biol. 16:449-469

Haro et al. (1991). FEBS Lett, 291, 189-191.

Haseloff et al. (1988), Nature 334;585-591

25 Hemmerlin and Bach (1998). Plant Journal 14 (1) 65-74 Johnston et al. (1990). Mol and Cell Biol 10, no 4,1358-1366

Herrera - Estrella (1983), Nature 303:209-213

Holmberg & Bülow (1998), Improving stress tolerance in plants by gene transfer. Trends Plant Sci. 3, 61-66

30 Horsch et al., 1984), Science 233:496-498

Hull and Howell (1987), Virology 86:482-493

Ingram et al. (1996), The molecular basis of dehydration tolerance in plants. Ann. Rev.

Plant Physiol. Plant Mol. Biol. 47, 377-403

Innis et al. (1990), A guide to methods and applications, Academic Press, San Diego

Jones et al (1989), Plants Under Stress: Biochemistry, Physiology and Ecology and Their Application to Plant Improvement (Society for Experimental Biology Seminar Serie), Cambridge Univ. Pr. (Short); ISBN: 0521344239

Johnston et al. (1995)

5 Kasuga et al. (1999), Nature Biotechnology 17, 287-291

Klee et al. (1987), Ann. Rev. of Plant Phys. 38:467-486

Klein et al. (1987), Nature 327:70-73

Komamitsky et al. (1998). Mol and Cell Biol. 1 8, no.4, 2100-2107

Lee et al (1999). Proc. Nat. Acad. Sci. USA 1996, 5873-5877

10 Meyer et al. (1987), Nature 330:677

Millward et al. (1995). Proc. Nat. Acad. Sci. USA, 92, 5022-5026.

Nagata et al. (1992). Int. Rev. Cytol., 132, 1-30

Napoli et al. (1990), The Plant Cell 2:279-289

Needleman and Wunsch (1970), Mol. Biol. 48:443

Nilsen et al (1996), The Physiology of Plants Under Stress; Abiotic Factors. ISBN: 047131526

Odell et al. (1985), Nature 313:482-493

Paszkowski et al. (1984), EMBO j. 3:2717-2722

Pearson and Lipman (1988), Proc. Natl. Acad. Sci. (USA) 85:2444

20 Peassarakli et al, Handbook of Plant and Crop Stress. ISBN: 0824789873

Raton (1985), Binding, Regeneration of Plants, Plant Protoplasts, pp. 21-73, CRC Press

Reicheld et al. (1995). Plant Journal 7 (2) 245-252

Sambrook (1989), Molecular cloning, a laboratory manual, Cold Spring Harbor Press,

25 7.52.

Shaul et al. (1996). PNAS 93,4868-4872

Shinozaki et al. (1996), Molecular responses to drought and cold stress, Curr. Opin. Biotechnol. 7, 161-167

Shinozaki et al. (1997), Gene expression and signal transduction in water-stress response. Plant Physiol. 115, 327-334

Shinozaki et al. (1999), Drought, Salt, Cold and Heat Stress: Molecular Responses in Higher Plants (Biotechnology Intelligence Unit); ISBN: 1570595631

Schuller et al. (1994). Embo Journal, 13, 4382-4389.

Smith and Waterman (1981), Adv. Appl. Math. 2:482

Tomashow (1994), Arabidopsis (eds Meyrowitz, E & Somerville, C, 807-834 (Cold

Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1994)

Toyn and Johnston, (1994). Embo Journal, 13, 1103-1113.

Verbruggen et al. (1993). Plant Phys. 103, 771-781

Walbot (1992), Ann. Rev. Plant Mol. Biol. 43:49-82

Weising et al; (1988), Ann; Rev. Genet. 22;421-477

Stalker, Science 242 (1988), 419

Vaek, Plant Cell 5 (1987), 159-169

Powell, Science 232 (1986), 738-743

Pappu, World Journal of Microbiology & Biotechnology 11 (1995), 426-437

Lawson, Phytopathology 86 (1996) 56 suppl.

Van Camp, Biotech. 12 (1994), 165-168

Oeller, Science 254 (1991), 437-439

Stark, Science 242 (1992), 419

15 Visser, Mol. Gen. Genet. 225 (1991), 289-296

Voelker, Science 257 (1992), 72-74

Poirer, Science 256 (1992), 520-523

Meyer, Nature 330 (1987), 667-678

Duering, Molecular Breeding 2 (1996), 297-305

20 Strittmatter, Bio/Technology 13 (1995), 1085-1089

Estruch, Nature Biotechnology 15 (1997), 137-141

An, et al., Plant Physiol. 88: 547, 1998.

Albani, et al., Plant Mol. Biol. 15: 605, 1990.

Albani, et al., Plant Mol. Biol. 16: 501, 1991.

25 Arnoldo, et al., J. Cell. Biochem., Abstract No. Y101, 204, 1992.

Baltz, et al., The Plant J. 2: 713-721, 1992.

Baszczynski, et al., Nucl. Acid Res. 16: 4732, 1988.

Baszczynski, et al., Plant Mol. Biol. 14: 633, 1990.

Bhattacharyya-Pakrasi, et al, The Plant J. 4: 71-79, 1992.

Cejudo, F.J., et al. Plant Molecular Biology 20:849-856, 1992.

Conkling, et al., Plant Physiol. 93: 1203, 1990.

Crowell, et al., Plant Mol. Biol. 18: 459-466, 1992.

Cummins, et al., Plant Mol. Biol. 19: 873-876, 1992

Ellis, et al., Plant Mol. Biol. 10: 203-214, 1988.

35 Gordon, et al., J. Exp. Bot. 44: 1453-1465, 1993.

Grimes, et al., The Plant Cell 4:1561-1574, 1992.

Hamilton, et al., Plant Mol. Biol. 18: 211-218, 1992.

Kosugi *et al*, Upstream sequences of rice proliferating cell nuclear antigen (PCNA) gene mediate expression of PCNA-GUS chimeric gene in meristems of transgenic tobacco plants, *Nucleic Acids Research 19:*1571-1576, 1991.

Kosugi S. and Ohashi Y, PCF1 and PCF2 specifically bind to cis elements in the rice proliferating cell nuclear antigen gene, *Plant Cell 9*:1607-1619, 1997.

Lam, E. et al., The Plant Cell 2: 857-866, 1990.

Lanahan, M.B., et al., Plant Cell 4:203-211, 1992.

10 Liu et al., Plant Mol. Biol. 153:386-395, 1991.

Matzke et al Plant Mol Biol, 14(3):323-32 1990

Nasrallah, et al., Proc. Natl. Acad. Sci. USA 85: 5551, 1988.

Nilsson et al., Physiol. Plant. 100:456-462, 1997

Oppenheimer, et al., Gene 63: 87, 1988.

15 Pathirana, et al., Plant Mol. Biol. 20: 437-450, 1992.

Pearson, et al., Plant Mol. Biol. 18: 235-245, 1992.

Scofield, et al., J. Biol. Chem. 262: 12202, 1987.

Simon, et al., Plant Mol. Biol. 5: 191, 1985.

Stalberg, et al, Planta 199: 515-519, 1996.

20 Suzuki et al., Plant Mol. Biol. 21: 109-119, 1993.

Skriver, K., et al. Proc. Natl. Acad. Sci. (USA) 88: 7266-7270, 1991.

Takaiwa, et al., Mol. Gen. Genet. 208: 15-22, 1986.

Takaiwa, et al., FEBS Letts. 221: 43-47, 1987.

Tingey, et al., EMBO J. 6: 1, 1987.

25 Trick, et al., Plant Mol. Biol. 15: 203, 1990.

Tucker et al., Plant Physiol. 113: 1303-1308, 1992.

Van der Meer, et al., Plant Mol. Biol. 15, 95-109, 1990.

Van der Zaal, et al., Plant Mol. Biol. 16, 983, 1991.

Vicente-Carbajosa et al., Plant J. 13: 629-640, 1998.

30 Weigel et al., Cell 69:843-859, 1992.

Yamamoto et al., Plant Cell Physiol. 35:773-778, 1994.

Yang, et al., The Plant J. 3: 573-585.

Clarke et al. (1992), Plant Molecular Biology Reporter Volume 10(2), 178-189 Ausubel et al. (1994),

35 Zhu et al. (1997),

Zhang et al; Plant Science. Oct 28 1997; 129(1): 81-89

Hajela et al., Plant Physiol. 93: 1246-1252 (1990)

Wlihelm et al., Plant Mol Biol. 1993 Dec; 23(5):1073-7

Baker et al., Plant Mol Biol. 1994 Mar; 24(5): 701-13

Kasuga et al., Nature Biotechnology, vol 18, 287-291, 1999

Barros et al., Plant Mol Biol, 19(4): 665-75, 1992.

Marrs et al., Dev Genet.,14(1): 27-41, 1993.

Schoffl et al., Mol Gen Gent, 217(2-3): 246-53, 1989.

Waters et al, J Experimental Botany, vol 47, 296, 325-338, 1996

Ouellet et al., FEBS Lett. 423, 324-328 (1998)

Kirch et al., Plant Mol Biol, 33(5): 897-909, 1997

Dolferus et al., Plant Physiol, 105(4): 1075-87, 1994

Joshee et al., Plant Cell Physiol, 39(1): 64-72, 1998

Schneider et al., Plant Physiol, 113(2): 335-45, 1997

Chaudhary et al., Plant Mol Biol, 30(6): 1247-57, 1996

Raghothama et al., Plant Mol Biol, 23(6): 1117-28, 1993

Valvekens et al. (1988)

Porta et al. (1996), Mol Biol, 5(3):209-21

20

25

<u>Claims</u>

- A method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.
- 10 2. An isolated polynucleic acid obtainable by a method according to claim 1.
 - 3. The isolated polynucleic acid of claim 2 which encodes a polypeptide as listed in Table 1.
- 15 4. The isolated polynucleic acid of claim 3, which is chosen from:
 - (a) any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121, or the complementary strands thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
- 5. The isolated polynucleic acid of any of claim 2 to 4, which encodes a plant homolog of yeast DBF2 kinase.
 - 6. The isolated polynucleic acid of claim 5, which is chosen from:
 - (a) SEQ ID NO 1, or the complementary strands thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;

- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

- 7. Use of an isolated polynucleic acid of claims 2 to 3 which encodes an HSP 17.6A protein for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.
- 10 8. Use of an isolated polynucleic acid of claim 7 for expression of the protein encoded thereby in a plant cell, with said polynucleic acid being chosen from:
 - (a) SEQ ID NO 3, or the complementary strand thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

20

25

30

35

15

9. Use of an isolated polynucleic acid as defined above which is chosen from:

(a) any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or the complementary strand thereof;

(b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;

- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

10

20

25

- 10. The isolated polynucleic acid of any of claims 2 to 4, which encodes a c74 protein which is chosen from:
 - (a) SEQ ID NO 5, or the complementary strand thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
- 11. An isolated polypeptide encoded by a polynucleic acid according to or as defined in any of claims 2 to 10, or a functional fragment thereof.
 - 12. The isolated polypeptide of claim 11 having at least part of the sequence of any of SEQ ID NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120.
 - 13. A method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising transiently introducing into a plant cell a recombinant DNA comprising a polynucleic acid of or as defined in any of claims 2 to 10 which is expressed in an amount effective to confer enhanced tolerance or resistance to environmental stress.
 - 14. A method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising stably introducing into a plant cell a recombinant DNA comprising a polynucleic acid of or as defined in any of claims 2 to 10 which is expressed in an amount effective to confer enhanced tolerance or resistance to environmental stress.

15. The method of claims 13 or 14 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claims 5 or 6 encoding a plant DBF2 kinase.

5

- 16. The method of claim 16 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claims 7 or 8 encoding an HSP 17.6A protein.
- 17. The method of claim 13 to 14 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claim 10 encoding a c74 protein.
 - 18. The method of any of claims 13 to 17, comprising introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a polynucleic acid according to or as defined in any of claims 2 to 10, and,
 - a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.

20

25

15

19. A method for producing a plant with enhanced tolerance or resistance to environmental stress, comprising introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:

30

a DNA encoding a protein which when expressed in said plant cell at an effective amount indirectly increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or indirectly increases or induces the activity of a polypeptide of claims 11 or 12, and,

- a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.
- 20. A method of claim 19 wherein said DNA encodes a sense or antisense RNA molecule or a ribozyme capable of increasing or inducing the expression of said endogenous polynucleic acid sequence according to or as defined in any of claims 2 to 10.
- 21. A recombinant polynucleic acid comprising: a polynucleic acid according to or as defined in any of claims 2 to 10, and, a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.
- 15 22. A recombinant polynucleic acid comprising:
 - (a) a DNA encoding a protein which when expressed in said plant cell at an effective amount increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or increases or induces the activity of a polypeptide of claims 11 or 12, and,
- 20 (b) a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.
 - 23. The recombinant polynucleic acid of claim 22, wherein said DNA encodes an antisense RNA, a ribozyme or a sense RNA which when expressed in a cell of a plant increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or which induces or increases the activity of a protein of claim 11 or 12.
- 24. The recombinant polynucleic acid of claim 21 comprising at least part of the nucleotide sequence of any of SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 90, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, or part thereof.

- 25. The recombinant polynucleic acid of claim 21 to 24 comprising at least part of the coding sequence of a gene encoding a protein as listed in Table 1.
- 26. The recombinant polynucleic acid of any of claims 21 to 25 wherein said plantexpressible promoter is a constitutive promoter.
 - 27. The recombinant polynucleic acid of any of claims 21 to 25 wherein said plantexpressible promoter is a stress-inducible or organ- or tissue-specific promoter.
- 28. The recombinant polynucleic acid of any of claims 21 to 26 wherein said plantexpressible promoter is the 35S promoter of CaMV.
 - 29. A recombinant host cell transformed with at least one isolated polynucleic acid of or as defined in any of claims 2 to 10.
 - 30. A plant cell transformed with a recombinant polynucleic acid of any one of claims 21 to 28.
 - 31. A plant consisting essentially of plant cells of claim 30.

15

- 32. A callus consisting essentially of plant cells of claim 30.
- 33. A harvestable part, organ, tissue or propagation material of a plant of claim 31, comprising said recombinant DNA.

25

- 34. The use of a recombinant polynucleic acid of claim 21 to 28 to produce transgenic plants.
- 35. A probe which is part of the polynucleic acid sequence of or as defined in any of claims 2 to 10 and which hybridizes specifically with said polynucleic acid or the complement thereof.
 - 36. A primer which is part of the polynucleic acid sequence of or as defined in any of claims 2 to 10 and which specifically amplifies said polynucleic acid or the complement thereof.

37. A composition comprising a polynucleic acid sequence of or as defined in any of claims 2 to 10, a polypeptide of claim 11 or 12, a probe of claim 35 or a primer of claim 36.

100	189	300	356	456	
MLSKSEKNVDLLAGNMSNLSFDGHGTPGGTGLFPNQNLTKRRTRPAGINDSPSPVKCFFPYEDISNTSLKEVSQPTKYSSNSPPVSPAIFYERATSWCT	1 * * * * * * * * * * * * * * * * * * *	11	VIII VIII IX * * * * * * * * * * * * * * * * * * *	X XI * *CGMLFESLVGYTPFSGSSTNETŸAISRSWKGTLNRARHEDGRAAFYWRTWDLITRHRADLSTRTRSFEHEVKMSYFADILFKALRSI1PPFTPQLDSET	2 DAGYFODFWNEADIAKYADVFNSQCCRTALVDDSAVSSKLVGFTFRHRNGKQGSSGMLFNGLEHSDPFSTFY 528
At-DBF2 DBF2	At-DBF2 DBF2	At-DBF2 DBF2	At-DBF2 DBF2	At-DBF2 DBF2	At-08F2 .08F2
		FICHE	D 1 A		

FIGURE 1 A




FIGURE 1B




FIGURE 2




FIGURE 3

b





FIGURE 4








FIGURE 5

6/15




FIGURE 6

7/15




FIGURE 7

8/15




FIGURE 8




FIGURE 9




FIGURE 10



FIGURE 11




FIGURE 12A




FIGURE 12c






FIGURE 13




FIGURE 14

SEQUENCE LISTING

<110> VLAAMS INTERUNIVERSITAIR INSTITUUT VOOR BIOTECHNOLOGIE <120> Genes involved in tolerance to environmental stress <130> VIB-14-NV/OSMO <140> <141> <150> 98202634.6 <151> 1998-08-04 <160> 126 <170> PatentIn Ver. 2.1 <210> 1 <211> 1909 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (40)..(1626) <400> 1 eggtageetg actgetggat tggeetgetg etgacaatt atg geg ggt aac atg Met Ala Gly Asn Met tcg tgt tta agc acg gac gga cac ggg acc cct ggc ggt tca ggg cat 102 Ser Cys Leu Ser Thr Asp Gly His Gly Thr Pro Gly Gly Ser Gly His 10 20 ttc ccc aat cag aac cta acg aaa aga aga acg cgt cca gcg ggt atc Phe Pro Asn Gln Asn Leu Thr Lys Arg Arg Thr Arg Pro Ala Gly Ile 25 aac gac tcg cct tcg ccg gtg aaa tgc ttt ttt ttc ccc tat gaa gac Asn Asp Ser Pro Ser Pro Val Lys Cys Phe Phe Phe Pro Tyr Glu Asp 40 45 acc tcc aac acg tca tta aag gaa gtg tcc cag ccc acg aaa tac agt Thr Ser Asn Thr Ser Leu Lys Glu Val Ser Gln Pro Thr Lys Tyr Ser 60 tcc aat tcc cct cca gtc agc ccg gca att ttt tat gag agg gcg acg Ser Asn Ser Pro Pro Val Ser Pro Ala Ile Phe Tyr Glu Arg Ala Thr 75 tcg tgg tgc acg caa agg gtg gtg agt ggg agg gca atg tac ttt cta Ser Trp Cys Thr Gln Arg Val Val Ser Gly Arg Ala Met Tyr Phe Leu gaa tat tat tgc gat atg ttc gat tat gta att agc agg aga caa cgc

I

Glu	Tyr	Tyr	Cys 105	Asp	Met	Phe	Asp	Tyr 110	Val	Ile	Ser	Arg	Arg 115	Gln	Arg	
acg Thr	aaa Lys	cag Gln 120	gtc Val	cta Leu	gag Glu	tat Tyr	ctg Leu 125	cag Gln	cag Gln	caa Gln	agc Ser	caa Gln 130	ctt Leu	ccg Pro	aat Asn	438
tct Ser	gac Asp 135	cag Gln	atc Ile	aag Lys	ctc Leu	aac Asn 140	gaa Glu	gag Glu	tgg Trp	tcc Ser	tcc Ser 145	tat Tyr	tta Leu	cag Gln	aga Arg	486
gag Glu 150	cat His	cag Gln	gtt Val	ttg Leu	tcg Ser 155	aaa Lys	aga Arg	agg Arg	ttg Leu	aag Lys 160	cca Pro	aaa Lys	aac Asn	aga Arg	gac Asp 165	534
ttt Phe	gaa Glu	atg Met	att Ile	aca Thr 170	caa Gln	gta Val	ggt Gly	caa Gln	ggt Gly 175	ggt Gly	tat Tyr	G1A aaa	cat His	gtt Val 180	tat Tyr	582
tta Leu	gcc Ala	aga Arg	aag Lys 185	aaa Lys	gac Asp	aca Thr	aaa Lys	gag Glu 190	gtg Val	tgc Cys	gcc Ala	tta Leu	aaa Lys 195	att Ile	ttg Leu	630
aat Asn	aag Lys	aag Lys 200	cta Leu	ggt Gly	ttc Phe	aaa Lys	ctt Leu 205	aat Asn	ggt Gly	aca Thr	tgc Cys	cat His 210	gtt Val	ttg Leu	acc Thr	678
gag Glu	agg Arg 215	cag Gln	agt Ser	ctg Leu	act Thr	aca Thr 220	acg Thr	aga Arg	tcc Ser	gag Glu	acg Thr 225	atg Met	gtg Val	aag Lys	ctc Leu	726
cta Leu 230	agt Ser	Gly ggg	acg Thr	acc Thr	ccc Pro 235	gta Val	ggc Gly	agt Ser	agg Arg	ggg Gly 240	atg Met	gcg Ala	ata Ile	gaa Glu	agt Ser 245	774
gag Glu	cta Leu	ggc Gly	ggt Gly	gac Asp 250	ttc Phe	cgt Arg	aca Thr	gaa Glu	agt Ser 255	ata Ile	gga Gly	cgt Arg	aga Arg	tgc Cys 260	ttg Leu	822
aaa Lys	agt Ser	ggc Gly	cat His 265	gcg Ala	aga Arg	ttc Phe	tat Tyr	att Ile 270	agc Ser	gaa Glu	atg Met	ttc Phe	tgt Cys 275	gcc Ala	gtc Val	870
aac Asn	gag Glu	aaa Lys 280	cat His	ctt Leu	tta Leu	agt Ser	aaa Lys 285	acg Thr	gac Asp	agc Ser	aca Thr	atc Ile 290	tcc Ser	aac Asn	gaa Glu	918
gaa Glu	gat Asp 295	agt Ser	agc Ser	atc Ile	aac Asn	ata Ile 300	agg Arg	tta Leu	gaa Glu	aaa Lys	ttc Phe 305	aaa Lys	gac Asp	ctt Leu	ggg Gly	966
tac Tyr 310	cca Pro	gcg Ala	ttg Leu	agc Ser	gag Glu 315	aaa Lys	tct Ser	atc Ile	gag Glu	gac Asp 320	agg Arg	agg Arg	aag Lys	ttg Leu	tac Tyr 325	1014
acc Thr	tgt Cys	ccg Pro	aac Asn	tcc Ser	atg Met	gtt Val	ggg ggg	tct Ser	ccg Pro	gac Asp	tac Tyr	ata Ile	gcc Ala	tta Leu	gaa Glu	1062

330 335 340 gtc ttg aga gga aag agg tac gag tat acc gta gac tat tgg tcg ttg 1110 Val Leu Arg Gly Lys Arg Tyr Glu Tyr Thr Val Asp Tyr Trp Ser Leu 345 350 ggt tgt atg ctg ttt gag agc ttg gtc ggc tac acc ccc ttc agt ggc 1158 Gly Cys Met Leu Phe Glu Ser Leu Val Gly Tyr Thr Pro Phe Ser Gly 365 370 tcg tcg acc aac gaa acg tat gcg atc agt cgt agc tgg aaa cag acg 1206 Ser Ser Thr Asn Glu Thr Tyr Ala Ile Ser Arg Ser Trp Lys Gln Thr 380 ttg aat aga gcg aga cac gag gat ggg agg gcg ttt tac aat agg Leu Asn Arg Ala Arg His Glu Asp Gly Arg Ala Ala Phe Tyr Asn Arg 395 acg tgg gac ttg att acc aga cac agg gcc gac cta agc acg cgg acg 1302 Thr Trp Asp Leu Ile Thr Arg His Arg Ala Asp Leu Ser Thr Arg Thr 410 415 aga tee ttt gag cac gag gta aag atg age tae tte geg gae ate ttg 1350 Arg Ser Phe Glu His Glu Val Lys Met Ser Tyr Phe Ala Asp Ile Leu 425 430 ttt aag gcc tta aga tcg ata att cca cct ttc aca ccc caa cta gac Phe Lys Ala Leu Arg Ser Ile Ile Pro Pro Phe Thr Pro Gln Leu Asp 440 445 age gag ace gat gee ggt tat the gat gae the tgg aat gag get gae 1446 Ser Glu Thr Asp Ala Gly Tyr Phe Asp Asp Phe Trp Asn Glu Ala Asp 455 465 ata gcc aaa tac gct gac gtc ttt aat agt cag tgc tgc cgt acg gct 1494 Ile Ala Lys Tyr Ala Asp Val Phe Asn Ser Gln Cys Cys Arg Thr Ala 470 tta gtc gac gat tct gct gtt tct tct aaa ctt gtt ggg ttc acc ttc 1542 Leu Val Asp Asp Ser Ala Val Ser Ser Lys Leu Val Gly Phe Thr Phe 490 495 cga cac aga aat ggt aaa cag ggt tcc agt ggt atg tta ttc aac ggg 1590 Arg His Arg Asn Gly Lys Gln Gly Ser Ser Gly Met Leu Phe Asn Gly 505 510 cta gaa cac tca gac ccc ttc tca acc ttt tac tag taatcggcag 1636 Leu Glu His Ser Asp Pro Phe Ser Thr Phe Tyr 520 cctgcagect geccagetge cagectgeec tegectgaeg cetgeeceag gatgcetete 1696 ctttggataa catgccctgc tcccccatgc cttgctgcct cgcagcctga acgcctgcca 1756 gagetegeca geetgeecag cetttegece cageetgeca geetttttt aaacgetgaa 1816 aaacgcctaa aaaaatcgaa ctttaaacgc ttttaaaacg gctgcccata aaaaaaaagg 1876

ttttttaata aaaaatcgta aaaaaaaaa cgt

1909

<210> 2 <211> 528 <212> PRT <213> Arabidopsis thaliana <400> 2 Met Ala Gly Asn Met Ser Cys Leu Ser Thr Asp Gly His Gly Thr Pro Gly Gly Ser Gly His Phe Pro Asn Gln Asn Leu Thr Lys Arg Arg Thr Arg Pro Ala Gly Ile Asn Asp Ser Pro Ser Pro Val Lys Cys Phe Phe Phe Pro Tyr Glu Asp Thr Ser Asn Thr Ser Leu Lys Glu Val Ser Gln 55 Pro Thr Lys Tyr Ser Ser Asn Ser Pro Pro Val Ser Pro Ala Ile Phe Tyr Glu Arg Ala Thr Ser Trp Cys Thr Gln Arg Val Val Ser Gly Arg Ala Met Tyr Phe Leu Glu Tyr Tyr Cys Asp Met Phe Asp Tyr Val Ile Ser Arg Arg Gln Arg Thr Lys Gln Val Leu Glu Tyr Leu Gln Gln Gln 115 120 Ser Gln Leu Pro Asn Ser Asp Gln Ile Lys Leu Asn Glu Glu Trp Ser Ser Tyr Leu Gln Arg Glu His Gln Val Leu Ser Lys Arg Arg Leu Lys Pro Lys Asn Arg Asp Phe Glu Met Ile Thr Gln Val Gly Gln Gly Gly 170 Tyr Gly His Val Tyr Leu Ala Arg Lys Lys Asp Thr Lys Glu Val Cys 185 Ala Leu Lys Ile Leu Asn Lys Lys Leu Gly Phe Lys Leu Asn Gly Thr Cys His Val Leu Thr Glu Arg Gln Ser Leu Thr Thr Thr Arg Ser Glu Thr Met Val Lys Leu Leu Ser Gly Thr Thr Pro Val Gly Ser Arg Gly 225 230 Met Ala Ile Glu Ser Glu Leu Gly Gly Asp Phe Arg Thr Glu Ser Ile

250

Gly Arg Arg Cys Leu Lys Ser Gly His Ala Arg Phe Tyr Ile Ser Glu 260 265 270

Met Phe Cys Ala Val Asn Glu Lys His Leu Leu Ser Lys Thr Asp Ser

Thr Ile Ser Asn Glu Glu Asp Ser Ser Ile Asn Ile Arg Leu Glu Lys
290 295 300

Phe Lys Asp Leu Gly Tyr Pro Ala Leu Ser Glu Lys Ser Ile Glu Asp 305 310 315 320

Arg Arg Lys Leu Tyr Thr Cys Pro Asn Ser Met Val Gly Ser Pro Asp 325 330 335

Tyr Ile Ala Leu Glu Val Leu Arg Gly Lys Arg Tyr Glu Tyr Thr Val 340 345 350

Asp Tyr Trp Ser Leu Gly Cys Met Leu Phe Glu Ser Leu Val Gly Tyr 355 360 365

Thr Pro Phe Ser Gly Ser Ser Thr Asn Glu Thr Tyr Ala Ile Ser Arg 370 380

Ser Trp Lys Gln Thr Leu Asn Arg Ala Arg His Glu Asp Gly Arg Ala 385 390 395 400

Ala Phe Tyr Asn Arg Thr Trp Asp Leu Ile Thr Arg His Arg Ala Asp 405 410 415

Leu Ser Thr Arg Thr Arg Ser Phe Glu His Glu Val Lys Met Ser Tyr
420 425 430

Phe Ala Asp Ile Leu Phe Lys Ala Leu Arg Ser Ile Ile Pro Pro Phe 435 440 445

Thr Pro Gln Leu Asp Ser Glu Thr Asp Ala Gly Tyr Phe Asp Asp Phe 450 460

Trp Asn Glu Ala Asp Ile Ala Lys Tyr Ala Asp Val Phe Asn Ser Gln 465 470 475 480

Cys Cys Arg Thr Ala Leu Val Asp Asp Ser Ala Val Ser Ser Lys Leu
485 490 495

Val Gly Phe Thr Phe Arg His Arg Asn Gly Lys Gln Gly Ser Ser Gly 500 505 510

Met Leu Phe Asn Gly Leu Glu His Ser Asp Pro Phe Ser Thr Phe Tyr 515 520 525

<210> 3

<211> 695

<212> DNA

<213> Arabidopsis thaliana <220> <221> CDS <222> (94)..(564) <400> 3 tattaagett ggtaccgage teggatecae tagtaacgge egecagtgtg etggaatteg 60 gcacgagcaa gaaagttaac acaacagcta aga atg gat ttg gag ttt gga agg 114 Met Asp Leu Glu Phe Gly Arg 1 ttt cca ata ttt tca atc ctc gaa gac atg ctt gaa gcc cct gaa gaa 162 Phe Pro Ile Phe Ser Ile Leu Glu Asp Met Leu Glu Ala Pro Glu Glu 15 caa acc gag aag act cgt aac aac cct tca aga gct tac atg cga gac Gln Thr Glu Lys Thr Arg Asn Asn Pro Ser Arg Ala Tyr Met Arg Asp 30 gca aag gca atg gct gct aca cca gct gac gtt atc gag cac ccg gat Ala Lys Ala Met Ala Ala Thr Pro Ala Asp Val Ile Glu His Pro Asp 45 50 gcg tac gtt ttc gcc gtg gac atg cct gga atc aaa gga gat gag att 306 Ala Tyr Val Phe Ala Val Asp Met Pro Gly Ile Lys Gly Asp Glu Ile 60 cag gtc cag ata gag aac gag aac gtg ctt gtg gtg agt ggc aaa aga 354 Gln Val Gln Ile Glu Asn Glu Asn Val Leu Val Val Ser Gly Lys Arg 80 cag agg gac aac aag gag aat gaa ggt gtg aag ttt gtg agg atg gag 402 Gln Arg Asp Asn Lys Glu Asn Glu Gly Val Lys Phe Val Arg Met Glu agg agg atg ggg aag ttt atg agg aag ttt cag tta cct gat aat gca Arg Arg Met Gly Lys Phe Met Arg Lys Phe Gln Leu Pro Asp Asn Ala 110 115 gat ttg gag aag atc tct gcg gct tgt aat gac ggt gtg ttg aaa gtg 498 Asp Leu Glu Lys Ile Ser Ala Ala Cys Asn Asp Gly Val Leu Lys Val 125 130 act att ccg aaa ctt cct cct cct gag cca aag aaa cca aag act ata 546 Thr Ile Pro Lys Leu Pro Pro Pro Glu Pro Lys Lys Pro Lys Thr Ile caa gtt caa gtc gct tga gtttgtttgt gatccgtgtt tttgtgtttt 594 Gln Val Gln Val Ala 155 aatgaatgta atcgataagc aactacctct tggtgttcgt tgtaaaatga aataaaaata 654 gttttctctg ttcataaaaa aaaaaaaaa aaaactcgag c 695

<210> 4 <211> 156 <212> PRT <213> Arabidopsis thaliana <400> 4 Met Asp Leu Glu Phe Gly Arg Phe Pro Ile Phe Ser Ile Leu Glu Asp Met Leu Glu Ala Pro Glu Glu Gln Thr Glu Lys Thr Arg Asn Asn Pro Ser Arg Ala Tyr Met Arg Asp Ala Lys Ala Met Ala Ala Thr Pro Ala Asp Val Ile Glu His Pro Asp Ala Tyr Val Phe Ala Val Asp Met Pro Gly Ile Lys Gly Asp Glu Ile Gln Val Gln Ile Glu Asn Glu Asn Val Leu Val Val Ser Gly Lys Arg Gln Arg Asp Asn Lys Glu Asn Glu Gly Val Lys Phe Val Arg Met Glu Arg Arg Met Gly Lys Phe Met Arg Lys 100 105 Phe Gln Leu Pro Asp Asn Ala Asp Leu Glu Lys Ile Ser Ala Ala Cys Asn Asp Gly Val Leu Lys Val Thr Ile Pro Lys Leu Pro Pro Pro Glu Pro Lys Lys Pro Lys Thr Ile Gln Val Gln Val Ala 150 <210> 5 <211> 1311 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (133)..(1083) cggcacgagt ccacatgaaa ttcgattctc acatttcttc tatttaattc gaatttcaaa 60 ttgccatttc tcagattccg gggaaagaaa aaaaaaacct agaaaagtgt tttctccgtt 120 ttccaatcat cc atg agt ccg gac aat aaa ctg ctt ccg aag cgg atc atc 171 Met Ser Pro Asp Asn Lys Leu Leu Pro Lys Arg Ile Ile 5 10

ctt Leu	gta Val 15	cgg Arg	cac His	ggt Gly	gaa Glu	tcg Ser 20	gaa Glu	Gly ggg	aat Asn	ctc Leu	gac Asp 25	acg Thr	gcg Ala	gcg Ala	tat Tyr	219
aca Thr 30	acg Thr	acg Thr	ccg Pro	gat Asp	cat His 35	aag Lys	atc Ile	cag Gln	tta Leu	acg Thr 40	gat Asp	tcc Ser	ggt Gly	ttg Leu	ctt Leu 45	267
cag Gln	gcg Ala	cag Gln	gaa Glu	gcc Ala 50	gga Gly	gct Ala	cgt Arg	ctc Leu	cac His 55	gct Ala	ttg Leu	atc Ile	tct Ser	tct Ser 60	aat Asn	315
cct Pro	tct Ser	tca Ser	ccg Pro 65	gag Glu	tgg Trp	cgt Arg	gtg Val	tac Tyr 70	ttc Phe	tac Tyr	gtt Val	tcg Ser	ccg Pro 75	tac Tyr	gat Asp	363
cgg Arg	act Thr	cga Arg 80	tct Ser	acg Thr	ctc Leu	cgg Arg	gag Glu 85	atc Ile	gga Gly	cgg Arg	tcg Ser	ttc Phe 90	tcg Ser	cgt Arg	cgc Arg	411
cgt Arg	gtg Val 95	att Ile	ggt Gly	gtt Val	cgc Arg	gaa Glu 100	gaa Glu	tgt Cys	cgg Arg	att Ile	agg Arg 105	gaa Glu	cag Gln	gat Asp	ttt Phe	459
ggg Gly 110	aat Asn	ttt Phe	cag Gln	gtt Val	aaa Lys 115	gag Glu	cga Arg	atg Met	aga Arg	gca Ala 120	acg Thr	aaa Lys	aag Lys	gtc Val	aga Arg 125	507
gag Glu	aga Arg	ttt Phe	ggc Gly	cgc Arg 130	ttt Phe	ttt Phe	tac Tyr	cgg Arg	ttc Phe 135	ccg Pro	gag Glu	gga Gly	gaa Glu	tcc Ser 140	gcc Ala	555
gcc Ala	gat Asp	gtc Val	ttc Phe 145	gat Asp	cgc Arg	gtc Val	tcc Ser	agt Ser 150	ttt Phe	ctc Leu	gag Glu	tct Ser	cta Leu 155	tgg Trp	aga Arg	603
gac Asp	att Ile	gac Asp 160	atg Met	aac Asn	aga Arg	ctg Leu	cac His 165	atc Ile	aac Asn	ccg Pro	tct Ser	cat His 170	gag Glu	cta Leu	aac Asn	651
ttt Phe	gtg Val 175	Ile	gtc Val	tca Ser	cat His	ggc Gly 180	tta Leu	aca Thr	tcg Ser	cgt Arg	gtg Val 185	ttt Phe	ctg Leu	atg Met	aaa Lys	699
tgg Trp 190	ttt Phe	aag Lys	tgg Trp	tca Ser	gtg Val 195	gaa Glu	cag Gln	ttc Phe	gag Glu	gga Gly 200	cta Leu	aac Asn	aat Asn	cca Pro	ggg Gly 205	747
aac Asn	agt Ser	gag Glu	atc Ile	aga Arg 210	gtg Val	atg Met	gaa Glu	tta Leu	gga Gly 215	caa Gln	ggc Gly	ggt Gly	gat Asp	tac Tyr 220	agc Ser	795
ttg Leu	gcg Ala	att Ile	cat His 225	cac His	aca Thr	gag Glu	gaa Glu	gag Glu 230	tta Leu	gcc Ala	aca Thr	tgg Trp	gga Gly 235	ctg Leu	tca Ser	843
cca	gag	atg	att	gca	gat	caa	aag	tgg	cgg	gct	aac	gcg	cat	aaa	ggc	891

Pro Glu Met Ile Ala Asp Gln Lys Trp Arg Ala Asn Ala His Lys Gly 240 gaa tgg aaa gaa gat tgt aag tgg tat ttt ggt gat ttc ttc gac cat Glu Trp Lys Glu Asp Cys Lys Trp Tyr Phe Gly Asp Phe Phe Asp His 255 260 atg gca gat tcc gat aaa gag tgc gag act gag gcc act gaa gat aga 987 Met Ala Asp Ser Asp Lys Glu Cys Glu Thr Glu Ala Thr Glu Asp Arg 270 275 280 gaa gaa gaa gaa gaa gag ggg aaa agg gta aat ctg cta acg agt 1035 Glu Glu Glu Glu Glu Glu Gly Lys Arg Val Asn Leu Leu Thr Ser 290 295 tca gaa tat agc aat gag cca gag tta tac aat gga caa tgc tgc tga Ser Glu Tyr Ser Asn Glu Pro Glu Leu Tyr Asn Gly Gln Cys Cys 305 310 tactatttta cagaacaaaa gcatacatga gaagaaacgt ttaactaaag aattcagaag 1143 atttgatttt gataaaaact tgtaccaatt tactgattaa gctttctggt gtcttagttt 1203 gtagcttttg gtttgtggaa aagtgttgta cacatcgtta taacaccagg aaacattaca 1263 ggaaatttga aagattcatt ttattgtgac aaaaaaaaa aaaaaaaa <210> 6 <211> 316 <212> PRT <213> Arabidopsis thaliana <400> 6 Met Ser Pro Asp Asn Lys Leu Leu Pro Lys Arg Ile Ile Leu Val Arg His Gly Glu Ser Glu Gly Asn Leu Asp Thr Ala Ala Tyr Thr Thr Pro Asp His Lys Ile Gln Leu Thr Asp Ser Gly Leu Leu Gln Ala Gln 40 Glu Ala Gly Ala Arg Leu His Ala Leu Ile Ser Ser Asn Pro Ser Ser Pro Glu Trp Arg Val Tyr Phe Tyr Val Ser Pro Tyr Asp Arg Thr Arg 65 Ser Thr Leu Arg Glu Ile Gly Arg Ser Phe Ser Arg Arg Arg Val Ile Gly Val Arg Glu Glu Cys Arg Ile Arg Glu Gln Asp Phe Gly Asn Phe 105 Gln Val Lys Glu Arg Met Arg Ala Thr Lys Lys Val Arg Glu Arg Phe 120 125

Gly Arg Phe Phe Tyr Arg Phe Pro Glu Gly Glu Ser Ala Ala Asp Val 135 Phe Asp Arg Val Ser Ser Phe Leu Glu Ser Leu Trp Arg Asp Ile Asp 150 155 Met Asn Arg Leu His Ile Asn Pro Ser His Glu Leu Asn Phe Val Ile Val Ser His Gly Leu Thr Ser Arg Val Phe Leu Met Lys Trp Phe Lys 185 Trp Ser Val Glu Gln Phe Glu Gly Leu Asn Asn Pro Gly Asn Ser Glu 200 Ile Arg Val Met Glu Leu Gly Gln Gly Gly Asp Tyr Ser Leu Ala Ile 215 220 His His Thr Glu Glu Glu Leu Ala Thr Trp Gly Leu Ser Pro Glu Met 230 Ile Ala Asp Gln Lys Trp Arg Ala Asn Ala His Lys Gly Glu Trp Lys Glu Asp Cys Lys Trp Tyr Phe Gly Asp Phe Phe Asp His Met Ala Asp 265 Ser Asp Lys Glu Cys Glu Thr Glu Ala Thr Glu Asp Arg Glu Glu Glu Glu Glu Glu Gly Lys Arg Val Asn Leu Leu Thr Ser Ser Glu Tyr 295 Ser Asn Glu Pro Glu Leu Tyr Asn Gly Gln Cys Cys 305 310 <210> 7 <211> 863 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (19)..(837) agagacagta aacctaaa atg gcg aac tca gac aaa aga tta ttc gag aag Met Ala Asn Ser Asp Lys Arg Leu Phe Glu Lys gta gct ata ata acc gga gga gca aga ggg ata gga gcg gcc acg gcg 99 Val Ala Ile Ile Thr Gly Gly Ala Arg Gly Ile Gly Ala Ala Thr Ala

20

aga Arg	ttg Leu	ttc Phe 30	aca Thr	gag Glu	aat Asn	ggc Gly	gcg Ala 35	tat Tyr	gtg Val	ata Ile	gtc Val	gcg Ala 40	gat Asp	atc Ile	ctt Leu	147
gat Asp	aat Asn 45	gaa Glu	ggc Gly	atc Ile	ctt Leu	gtg Val 50	gcg Ala	gaa Glu	tcg Ser	atc Ile	ggt Gly 55	Gly aaa	tgt Cys	tac Tyr	gtt Val	195
cat His 60	tgt Cys	gac Asp	gta Val	tcg Ser	aag Lys 65	gag Glu	gct Ala	gat Asp	gtt Val	gag Glu 70	gcg Ala	gca Ala	gtg Val	gag Glu	cta Leu 75	243
gca Ala	atg Met	aga Arg	cgt Arg	aaa Lys 80	ggt Gly	aga Arg	cta Leu	gat Asp	gtg Val 85	atg Met	ttc Phe	aac Asn	aat Asn	gcc Ala 90	GJÀ āāā	291
Met	Ser	Leu	Asn 95	gaa Glu	Gly	Ser	Ile	Met 100	Gly	Met	Asp	Val	Asp 105	Met	Val	339
Asn	Lys	Leu 110	Val.	tcg Ser	Val	Asn	Val 115	Asn	Gly	Val	Leu	His 120	Gly	Ile	Lys	387
His	Ala 125	Ala	Lys	gcc Ala	Met	11e 130	Lys	Gly	Gly	Arg	Gly 135	Gly	Ser	Ile	Ile	435
Cys 140	Thr	Ser	Ser	tca Ser	Ser 145	Gly	Leu	Met	Gly	Gly 150	Leu	Gly	Gly	His	Ala 155	483
Tyr	Thr	Leu	Ser	aaa Lys 160	Gly	Gly	Ile	Asn	Gly 165	Val	Val	Arg	Thr	Thr 170	Glu	531
Cys	Glu	Leu	Gly 175	tct Ser	His	Gly	Ile	Arg 180	Val	Asn	Ser	Ile	Ser 185	Pro	His	579
Gly	Val	Pro 190	Thr	gac Asp	Ile	Leu	Val 195	Asn	Ala	Tyr	Arg	Lys 200	Phe	Leu	Asn	627
aat Asn	gac Asp 205	aaa Lys	ctc Leu	aac Asn	gtc Val	gct Ala 210	gag Glu	gtc Val	acc Thr	gac Asp	att Ile 215	att Ile	gct Ala	gag Glu	aaa Lys	675
ggg Gly 220	agt Ser	ttg Leu	ctg Leu	acc Thr	gga Gly 225	aga Arg	gcc Ala	ggt Gly	act Thr	gtg Val 230	gag Glu	gac Asp	gta Val	gct Ala	caa Gln 235	723
gca Ala	gct Ala	ttg Leu	ttt Phe	ctt Leu 240	gca Ala	agc Ser	caa Gln	gaa Glu	tcg Ser 245	tcg Ser	Gly	ttc Phe	att Ile	acc Thr 250	gga Gly	771
cat	aac	ttg	gtt	gtt	gat	ggt	ggt	tac	aca	tct	gcc	act	agt	act	atg	819

His Asn Leu Val Val Asp Gly Gly Tyr Thr Ser Ala Thr Ser Thr Met 255 260 265

aga ttt atc tac aac tag ttttcgtttg gtggtgtttc cttttc 863
Arg Phe Ile Tyr Asn
270

<210> 8

<211> 272

<212> PRT

<213> Arabidopsis thaliana

<400× 8

Met Ala Asn Ser Asp Lys Arg Leu Phe Glu Lys Val Ala Ile Ile Thr 1 5 10

Gly Gly Ala Arg Gly Ile Gly Ala Ala Thr Ala Arg Leu Phe Thr Glu 20 25 30

Asn Gly Ala Tyr Val Ile Val Ala Asp Ile Leu Asp Asn Glu Gly Ile 35 40 45

Leu Val Ala Glu Ser Ile Gly Gly Cys Tyr Val His Cys Asp Val Ser 50 60

Lys Glu Ala Asp Val Glu Ala Ala Val Glu Leu Ala Met Arg Arg Lys 65 70 75 80

Gly Arg Leu Asp Val Met Phe Asn Asn Ala Gly Met Ser Leu Asn Glu 85 90

Gly Ser Ile Met Gly Met Asp Val Asp Met Val Asn Lys Leu Val Ser 100 105 110

Val Asn Val Asn Gly Val Leu His Gly Ile Lys His Ala Ala Lys Ala 115 120 125

Ser Gly Leu Met Gly Gly Leu Gly Gly His Ala Tyr Thr Leu Ser Lys 145 150 155 160

Gly Gly Ile Asn Gly Val Val Arg Thr Thr Glu Cys Glu Leu Gly Ser 165 170 175

His Gly Ile Arg Val Asn Ser Ile Ser Pro His Gly Val Pro Thr Asp 180 185 190

Ile Leu Val Asn Ala Tyr Arg Lys Phe Leu Asn Asn Asp Lys Leu Asn 195 200 205

Val Ala Glu Val Thr Asp Ile Ile Ala Glu Lys Gly Ser Leu Leu Thr 210 215 220

Gly Arg Ala Gly Thr Val Glu Asp Val Ala Gln Ala Ala Leu Phe Leu

```
225
                   230
                                     235
                                                        240
Ala Ser Gln Glu Ser Ser Gly Phe Ile Thr Gly His Asn Leu Val Val
               245
Asp Gly Gly Tyr Thr Ser Ala Thr Ser Thr Met Arg Phe Ile Tyr Asn
                              265
<210> 9
<211> 3107
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (20)..(34)
<220>
<221> CDS
<222> (958)..(1054)
<220>
<221> CDS
<222> (1209)..(1486)
<220>
<221> CDS
<222> (1578)..(2354)
<220>
<221> CDS
<222> (2440)..(2529)
<220>
<221> CDS
<222> (2629)..(2790)
<220>
<221> CDS
<222> (2884)..(2943)
<400> 9
tcaaccttct atcatcacc atg gat cct tac aag gtatcttcga tcatattctt
                    Met Asp Pro Tyr Lys
cttacttttt ctttgttttt gtgtggtgta tgtgtatctt aattagaatt aggttcaact 114
atatatgctc gttttctaaa ctattttta attggattga tgttcttaaa tcttaagggt 174
caaaatactt tttatgctca aaaacttact taaattctgt gatcgcttga acctaagtgg 234
atgatgtgga tttcctgttt tggctgccta tctttaagta aaacgtttaa cccactgcgt 294
```

ttgttgtttt ttttttata gtatgacaca catgtgttct aaaaatcgga cgttcaaatg 414 atataatcga ttgtttagac gtccgaccgt atattatttt agtgatatca gccaaatcag 474 attaagtaat catcaacaaa atgattgatc agatctatca atacaagtgt attttttt 534 cacatacaaa aaaattatct caccgacgaa aaaaaaataa aaaattatta tgtagatcca 594 tcgaacaaaa ggcttgaata tcggaagtca cttaaaagtg taataatcga ataaatatta 654 gtggataaaa tgaaatttat ctacaaccct actctccgac atgttactgt ttgcgtcatc 714 aaatctaaag cctttttggc aaataatggt cggaagacta ctcgtgtcgg gatggaccac 774 ccggatccga tcaggaaacg ggttttgata tgtttcgggt tacgacaaaa aattagggct 834 ttttatcaaa tcaatcagtt ggtagtaaaa ttttgtggat tgttcttgtc gattccgttt 894 gattgttgac caaatttctt cctaggattt tgttgataat cgatcgtata atggtgattg 954 cag tat cgt cct tca age geg tac aac gee cca tte tac ace aca aac Tyr Arg Pro Ser Ser Ala Tyr Asn Ala Pro Phe Tyr Thr Thr Asn 10 ggt ggt gct cca gtc tcc aac atc tct tcc ctc acc atc gga gaa 1050 Gly Gly Ala Pro Val Ser Asn Asn Ile Ser Ser Leu Thr Ile Gly Glu aga g gtatcgtaac cctgaatttc aagagtctat caataagaat cggaacttgt 1104 Arg G tggatttatg aaagagataa aactgagata tagagtctaa gctgagatct gttcgtgaag 1164 cgtgatgtga ttatttttaa catgtgttac ttcgtaatgg gcag gt ccg gtt ctt 1219 ly Pro Val Leu 40 ctt gag gat tat cat ttg atc gag aag gtt gct aat ttc acc aga gag 1267 Leu Glu Asp Tyr His Leu Ile Glu Lys Val Ala Asn Phe Thr Arg Glu agg atc cct gag aga gtg gtt cat gct aga gga atc agt gct aag ggt 1315 Arg Ile Pro Glu Arg Val Val His Ala Arg Gly Ile Ser Ala Lys Gly 60 65 ttc ttt gaa gtc acc cat gac att tca aac ctc act tgt gct gat ttt Phe Phe Glu Val Thr His Asp Ile Ser Asn Leu Thr Cys Ala Asp Phe 80 ctc aga gcc cct ggt gtt caa act ccg gtt att gtc cgt ttc tca acg 1411 Leu Arg Ala Pro Gly Val Gln Thr Pro Val Ile Val Arg Phe Ser Thr 90 gtt gtt cac gga cgt gcc agt cct gaa acc atg agg gat att cgt ggt 1459 Val Val His Gly Arg Ala Ser Pro Glu Thr Met Arg Asp Ile Arg Gly 110 115

ttt gct gtc aag ttt tac acc aga gag gtataagaaa gattcaaagt Phe Ala Val Lys Phe Tyr Thr Arg Glu 125 130	1506
ttccattttt aatcgtcttt tagcttcttt agaatcagga ctgatttttg tcttgttact	1566
gttatgatca g gga aac ttt gat ctt gtt ggg aac aac act ccg gtg ttc Gly Asn Phe Asp Leu Val Gly Asn Asn Thr Pro Val Phe 135	1616
ttc atc cgt gat ggg att cag ttc ccg gat gtt gtc cac gcg ttg aaa Phe Ile Arg Asp Gly Ile Gln Phe Pro Asp Val Val His Ala Leu Lys 145 150 155	1664
cct aac cga aaa aca aac atc caa gag tac tgg agg att ctg gac tac Pro Asn Arg Lys Thr Asn Ile Gln Glu Tyr Trp Arg Ile Leu Asp Tyr 160 175	1712
atg tcc cac ttg cct gag agt ttg ctc aca tgg tgc tgg atg ttt gat Met Ser His Leu Pro Glu Ser Leu Leu Thr Trp Cys Trp Met Phe Asp 180 185 190	1760
gat gtt ggt att cca caa gat tac agg cat atg gag ggt ttc ggt gtc Asp Val Gly Ile Pro Gln Asp Tyr Arg His Met Glu Gly Phe Gly Val 195 200 205	1808
cac acc tac act ctt att gcc aaa tct gga aaa gtt ctc ttt gtg aag His Thr Tyr Thr Leu Ile Ala Lys Ser Gly Lys Val Leu Phe Val Lys 210 215 220	1856
ttc cac tgg aaa cca act tgt ggg atc aag aat ctg act gat gaa gag Phe His Trp Lys Pro Thr Cys Gly Ile Lys Asn Leu Thr Asp Glu Glu 225 230 235	1904
gcc aag gtt gtt gga gga gcc aat cac agc cac gcc act aag gat ctc Ala Lys Val Val Gly Gly Ala Asn His Ser His Ala Thr Lys Asp Leu 240 245 250 255	1952
cac gat gcc att gca tct ggc aac tac ccc gag tgg aaa ctt ttc atc His Asp Ala Ile Ala Ser Gly Asn Tyr Pro Glu Trp Lys Leu Phe Ile 260 265 270	2000
cag acc atg gat cct gca gat gag gat aag ttt gac ttt gac cca ctt Gln Thr Met Asp Pro Ala Asp Glu Asp Lys Phe Asp Phe Asp Pro Leu 275 280 285	2048
gat gtg acc aag atc tgg cct gag gat att ttg cct ctg caa ccg gtt Asp Val Thr Lys Ile Trp Pro Glu Asp Ile Leu Pro Leu Gln Pro Val 290 295 300	2096
ggt cgc ttg gtt ctg aac agg acc att gac aac ttc ttc aat gaa act Gly Arg Leu Val Leu Asn Arg Thr Ile Asp Asn Phe Phe Asn Glu Thr 305 310 315	2144
gag cag ctt gcg ttc aac ccg ggt ctt gtg gtt cct gga atc tac tac Glu Gln Leu Ala Phe Asn Pro Gly Leu Val Val Pro Gly Ile Tyr Tyr	2192

320	325	330 335	
tca gac gac aag ctg Ser Asp Asp Lys Leu 340	ctc cag tgt agg atc Leu Gln Cys Arg Ile 345	ttt gct tat ggt gac act Phe Ala Tyr Gly Asp Thr 350	2240
cag aga cat cgc ctt Gln Arg His Arg Leu 355	gga ccg aat tat ttg Gly Pro Asn Tyr Leu 360	cag ctt cca gtc aat gct Gln Leu Pro Val Asn Ala 365	2288
ccc aaa tgt gct cac Pro Lys Cys Ala His 370	cac aac aat cac cat His Asn Asn His His 375	gaa ggt ttt atg aac ttc Glu Gly Phe Met Asn Phe 380	2336
atg cac aga gat gag Met His Arg Asp Glu 385	gag gtacgtctta gtaca Glu	accact tgagctacca	2384
ttgttagtct ttttactt	gg aatcaaaatt ctcatt!	iggt ttgtactttt tacag at Il 39	e
aat tac tac ccc tca Asn Tyr Tyr Pro Ser 395	Lys Phe Asp Pro Val	cgc tgc gct gag aaa gtt Arg Cys Ala Glu Lys Val 405	2490
ccc acc cct aca aac Pro Thr Pro Thr Asn 410	tcc tac act gga att Ser Tyr Thr Gly Ile 415	cga aca aag gtccgattcc Arg Thr Lys	2539
tgccatgcct tctctaaa	tc ttcaaatcct aaactca	aagt ttattagaat attggtgo	ta 2599
agaaaacctt ttaattgo		atc aag aaa gag aac aac Ile Lys Lys Glu Asn Asn 425	
ttc aaa cag gct gga Phe Lys Gln Ala Gly 430	gac agg tac aga tca Asp Arg Tyr Arg Ser 435	tgg gca cca gac agg caa Trp Ala Pro Asp Arg Gln 440	2700
gac agg ttt gtt aag Asp Arg Phe Val Lys 445	aga tgg gtg gag att Arg Trp Val Glu Ile 450	cta tcg gag cca cgt ctc Leu Ser Glu Pro Arg Leu 455	2748
acc cac gag atc cgc Thr His Glu Ile Arg 460	ggc atc tgg acc tct Gly Ile Trp Thr Ser 465	tac tgg ctc aag Tyr Trp Leu Lys 470	2790
gtcagaacca aaaaaaca	ct cggtcaaatt tctacg	tcct ttttaccaag tttcagca	aa 2850
ctaaaacatt atttatct		t gat cga tcc ttg gga ca a Asp Arg Ser Leu Gly Gl 475 48	n
aaa ctc gca agc cgt Lys Leu Ala Ser Arg 485	Leu Asn Val Arg Pro	agc atc tag aggccaatct Ser Ile	2953

ccatataagc tcagtctatg tgaggtacaa tcaatctcat cgatctatca tcgcttggtc 3013 gttaaatccg tcaaaaagat aatcacatgt gttgttgttt cttgtctata taataataat 3073 gcttgtaatc ccaaaaactc atgtttcctt cctt 3107

<210> 10

<211> 492

<212> PRT

<213> Arabidopsis thaliana

<400> 10

Met Asp Pro Tyr Lys Tyr Arg Pro Ser Ser Ala Tyr Asn Ala Pro 1 5 10

Phe Tyr Thr Thr Asn Gly Gly Ala Pro Val Ser Asn Asn Ile Ser Ser 20 25 30

Leu Thr Ile Gly Glu Arg Gly Pro Val Leu Leu Glu Asp Tyr His Leu 35 40 45

Ile Glu Lys Val Ala Asn Phe Thr Arg Glu Arg Ile Pro Glu Arg Val
50 55 60

Val His Ala Arg Gly Ile Ser Ala Lys Gly Phe Phe Glu Val Thr His 65 70 75 8

Asp Ile Ser Asn Leu Thr Cys Ala Asp Phe Leu Arg Ala Pro Gly Val 85 90 95

Gln Thr Pro Val Ile Val Arg Phe Ser Thr Val Val His Gly Arg Ala 100 105 110

Ser Pro Glu Thr Met Arg Asp Ile Arg Gly Phe Ala Val Lys Phe Tyr 115 120 125

Thr Arg Glu Gly Asn Phe Asp Leu Val Gly Asn Asn Thr Pro Val Phe 130 140

Phe Ile Arg Asp Gly Ile Gln Phe Pro Asp Val Val His Ala Leu Lys 145 150 155 16

Pro Asn Arg Lys Thr Asn Ile Gln Glu Tyr Trp Arg Ile Leu Asp Tyr 165 170 175

Met Ser His Leu Pro Glu Ser Leu Leu Thr Trp Cys Trp Met Phe Asp 180 185 190

Asp Val Gly Ile Pro Gln Asp Tyr Arg His Met Glu Gly Phe Gly Val 195 200 205

His Thr Tyr Thr Leu Ile Ala Lys Ser Gly Lys Val Leu Phe Val Lys 210 215 220

Phe His Trp Lys Pro Thr Cys Gly Ile Lys Asn Leu Thr Asp Glu Glu

225 230 235 24

Ala Lys Val Val Gly Gly Ala Asn His Ser His Ala Thr Lys Asp Leu 245 250 255

- His Asp Ala Ile Ala Ser Gly Asn Tyr Pro Glu Trp Lys Leu Phe Ile 260 265 270
- Gln Thr Met Asp Pro Ala Asp Glu Asp Lys Phe Asp Phe Asp Pro Leu 275 280 285
- Asp Val Thr Lys Ile Trp Pro Glu Asp Ile Leu Pro Leu Gln Pro Val 290 295 300
- Gly Arg Leu Val Leu Asn Arg Thr Ile Asp Asn Phe Phe Asn Glu Thr 305 310 315 32
- Glu Gln Leu Ala Phe Asn Pro Gly Leu Val Val Pro Gly Ile Tyr Tyr 325 330 335
- Ser Asp Asp Lys Leu Leu Gln Cys Arg Ile Phe Ala Tyr Gly Asp Thr $340 \hspace{1cm} 345 \hspace{1cm} 350$
- Gln Arg His Arg Leu Gly Pro Asn Tyr Leu Gln Leu Pro Val Asn Ala 355 360 365
- Pro Lys Cys Ala His His Asn Asn His His Glu Gly Phe Met Asn Phe 370 375 380
- Met His Arg Asp Glu Glu Ile Asn Tyr Tyr Pro Ser Lys Phe Asp Pro 385 390 395 40
- Val Arg Cys Ala Glu Lys Val Pro Thr Pro Thr Asn Ser Tyr Thr Gly
 405 410 415
- Ile Arg Thr Lys Cys Val Ile Lys Lys Glu Asn Asn Phe Lys Gln Ala
 420 425 430
- Gly Asp Arg Tyr Arg Ser Trp Ala Pro Asp Arg Gln Asp Arg Phe Val 435 440 445
- Lys Arg Trp Val Glu Ile Leu Ser Glu Pro Arg Leu Thr His Glu Ile 450 455 460
- Arg Gly Ile Trp Thr Ser Tyr Trp Leu Lys Ala Asp Arg Ser Leu Gly 465 470 475 48
- Gln Lys Leu Ala Ser Arg Leu Asn Val Arg Pro Ser Ile 485 490

<210> 11

<211> 2687

<212> DNA

<213> Arabidopsis thaliana

<220> <221> CDS <222> (67)(204)	
<220> <221> CDS <222> (521)(661)	
<220> <221> CDS <222> (745)(1026)	
<220> <221> CDS <222> (1114)(2667)	
<400> 11 aagttccaaa ttttctctta gcattctctt tcgtttctcg ttttcgttga atcaaagttc	60
gttgcg atg gcg gat gtt cag atg gct gat gca gaa act ttt gct ttc Met Ala Asp Val Gln Met Ala Asp Ala Glu Thr Phe Ala Phe 1 5 10	108
caa gct gag att aac cag ctt ctt agc ttg atc atc aac acg ttc tac Gln Ala Glu Ile Asn Gln Leu Leu Ser Leu Ile Ile Asn Thr Phe Tyr 15 20 25 30	156
agc aac aaa gaa atc ttc ctc cgt gag ctc atc agt aac tct tct gat Ser Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ser Ser Asp 35 40 45	204
gtaagtttcc cttcaaatct ctctctgact cggtgtgact cgtccgcttc ctatttctt	264
gactgttgtt tgttctttaa ttcctggatt cgttgatagc gttggattcg taggtttagc	324
gttgtgattg cttattcaaa taaatcgtga tttggcttgt gcatcacgtt aagtttagaa	384
ttcttagctt gtgctcgatc ttcatgtgtt gtagttacat atatagaacg gttcttgctt	444
cgatgtagtt tttgatttac cctagaggat tgagtaaagc ttctgattat ctttgtttat	504
atgaacggtt ttgtag gct ctt gac aag att cga ttt gag agc tta acg gat Ala Leu Asp Lys Ile Arg Phe Glu Ser Leu Thr Asp 50 55	556
aag agc aag ctc gat gga cag cct gaa ctc ttc att aga ttg gtt cct Lys Ser Lys Leu Asp Gly Gln Pro Glu Leu Phe Ile Arg Leu Val Pro 60 65 70	604
gac aag cct aat aag acg ctc tca att att gac agt ggt att ggc atg Asp Lys Pro Asn Lys Thr Leu Ser Ile Ile Asp Ser Gly Ile Gly Met 75 80 85 90	652
acc aaa gca ggtaacgaat caatgcctaa taatctctcg ttggtgagat Thr Lys Ala	701
gtttagtgta tgtgctgtgg ttatgactct ctattatttt tca gat ttg gtg aac	756

			Asp	Leu Val A	Asn
aac ttg gga ac Asn Leu Gly Tl 100	cc att gcg age ar Ile Ala Are	g tct gga aca g Ser Gly Thr 105	aaa gag ttt Lys Glu Phe 110	atg gag g Met Glu A	gcg 804 Ala
ctt caa gct gg Leu Gln Ala G 115	ga gct gat gt ly Ala Asp Va 12	l Ser Met Ile	gga caa ttt Gly Gln Phe 125	ggt gtt g Gly Val (ggt 852 Gly
ttc tac tct go Phe Tyr Ser Al 130	ct tat ctt gt la Tyr Leu Va 135	gca gag aag Ala Glu Lys	gtt gtt gtc Val Val Val 140	Thr Thr I	aag 900 Lys 145
cac aat gat ga His Asn Asp As	at gaa caa ta sp Glu Gln Ty: 150	gtt tgg gag Val Trp Glu 155	Ser Gln Ala	ggt ggt t Gly Gly S 160	cc 948 Ser
ttc act gtc ac Phe Thr Val Th	et agg gat gt nr Arg Asp Va 55	g gat ggg gaa l Asp Gly Glu 170	cca ctt ggt Pro Leu Gly	aga gga a Arg Gly 1	act 996 Thr
aag atc agc co Lys Ile Ser Le 180	cc ttc ctt aag eu Phe Leu Ly:	g gac gat cag Asp Asp Gln 185	gtaaggaatc	gtagctttga	a 1046
gtgttttggg gga	atgttett ttet	ttggt gttttc	tgtg ttcttac	aag tgtgtt	tatt 1106
catgcag ctt ga Leu Gl	aa tac ttg gag lu Tyr Leu Gli 190	g gag agg aga Glu Arg Arg 195	Leu Lys Asp	ttg gtg a Leu Val I 200	aag 1155 Lys
aag cac tct ga Lys His Ser Gl 20	lu Phe Ile Se	tac cct atc Tyr Pro Ile 210	tac ctt tgg Tyr Leu Trp	acc gag a Thr Glu I 215	aaa 1203 Lys
acc acc gag as Thr Thr Glu Ly 220	ag gag atc ag /s Glu Ile Se	gac gat gag Asp Asp Glu 225	gat gaa gat Asp Glu Asp 230	gaa cca a Glu Pro I	aag 1251 Lys
aaa gaa aac ga Lys Glu Asn Gl 235	aa ggt gag gt Lu Gly Glu Vai 240	. Glu Glu Val	gat gag aag Asp Glu Lys 245	aag gag a Lys Glu I	aaa 1299 Lys
gat ggt aaa aa Asp Gly Lys Ly 250	ag aag aag aa /s Lys Lys Lys 255	atc aag gaa : Ile Lys Glu	gtc tct cac Val Ser His 260	Glu Trp G	gaa 1347 Slu 265
ctc atc aac aa Leu Ile Asn Ly	ag cag aaa cco /s Gln Lys Pro 270	atc tgg ttg Ile Trp Leu 275	Arg Lys Pro	gaa gag a Glu Glu I 280	atc 1395 Tle
act aag gaa ga Thr Lys Glu Gl 28	lu Tyr Ala Ala	ttc tac aag Phe Tyr Lys 290	agc ttg acc Ser Leu Thr	aat gac t Asn Asp T 295	gg 1443 Trp

gaa Glu	gat Asp	cac His 300	tta Leu	gcc Ala	gtg Val	aaa Lys	cac His 305	ttc Phe	tca Ser	gtg Val	gag Glu	ggt Gly 310	cag Gln	cta Leu	gaa Glu	1491
ttc Phe	aag Lys 315	gcc Ala	att Ile	ctc Leu	ttt Phe	gta Val 320	cca Pro	aag Lys	aga Arg	gct Ala	ccg Pro 325	ttt Phe	gat Asp	ctc Leu	ttt Phe	1539
gac Asp 330	acg Thr	agg Arg	aag Lys	aag Lys	ttg Leu 335	aat Asn	aac Asn	atc Ile	aag Lys	ctt Leu 340	tat Tyr	gtc Val	agg Arg	agg Arg	gtg Val 345	1587
ttc Phe	att Ile	atg Met	gac Asp	aac Asn 350	tgt Cys	gaa Glu	gag Glu	cta Leu	atc Ile 355	cca Pro	gag Glu	tac Tyr	ctc Leu	agc Ser 360	ttt Phe	1635
gtg Val	aaa Lys	ggt Gly	gtt Val 365	gtt Val	gac Asp	tct Ser	gat Asp	gac Asp 370	ttg Leu	cca Pro	ctc Leu	aac Asn	atc Ile 375	tct Ser	cgt Arg	1683
gag Glu	acg Thr	ctt Leu 380	caa Gln	cag Gln	aac Asn	aag Lys	atc Ile 385	ctt Leu	aag Lys	gtg Val	atc Ile	agg Arg 390	aag Lys	aat Asn	cta Leu	1731
gtg Val	aag Lys 395	aag Lys	tgc Cys	att Ile	gag Glu	atg Met 400	ttc Phe	aac Asn	gag Glu	att Ile	gct Ala 405	gag Glu	aac Asn	aaa Lys	gag Glu	1779
gac Asp 410	tac Tyr	acc Thr	aaa Lys	ttc Phe	tat Tyr 415	gag Glu	gct Ala	ttc Phe	tcc Ser	aag Lys 420	aat Asn	ctc Leu	aaa Lys	ttg Leu	ggt Gly 425	1827
atc Ile	cat His	gaa Glu	gac Asp	agt Ser 430	cag Gln	aac Asn	agg Arg	gga Gly	aag Lys 435	att Ile	gct Ala	gat Asp	ctt Leu	cta Leu 440	cgg Arg	1875
tac Tyr	cac His	tcc Ser	aca Thr 445	aag Lys	agt Ser	ggt Gly	gat Asp	gaa Glu 450	atg Met	acg Thr	agc Ser	ttc Phe	aaa Lys 455	gat Asp	tac Tyr	1923
gtc Val	aca Thr	agg Arg 460	atg Met	aag Lys	gaa Glu	ggt Gly	caa Gln 465	aag Lys	gac Asp	att Ile	ttc Phe	tac Tyr 470	atc Ile	act Thr	ggt Gly	1971
gaa Glu	agc Ser 475	aaa Lys	aag Lys	gcg Ala	gtg Val	gag Glu 480	aat Asn	tcc Ser	ttc Phe	ttg Leu	gag Glu 485	agg Arg	ctg Leu	aag Lys	aag Lys	2019
aga Arg 490	ggc Gly	tac Tyr	gag Glu	gta Val	ctt Leu 495	tac Tyr	atg Met	gtg Val	gat Asp	gcg Ala 500	att Ile	gac Asp	gaa Glu	tac Tyr	gct Ala 505	2067
gtt Val	gga Gly	caa Gln	ttg Leu	aag Lys 510	gag Glu	tat Tyr	gac Asp	ggt Gly	aag Lys 515	aaa Lys	ctt Leu	gtt Val	tct Ser	gcg Ala 520	act Thr	2115
aaa	gaa	ggc	ctc	aaa	ctt	gaa	gat	gag	acc	gaa	gaa	gag	aag	aaa	aag	2163

agg gaa gag aag aag aag tcc ttc gag aat ctc tgc aag acg att aag Arg Glu Glu Lys Lys Lys Ser Phe Glu Asn Leu Cys Lys Thr Ile Lys 540 545 550 gaa att ctc ggg gac aag gtt gag aag gtt gtg gtc tca gac agg att Glu Ile Leu Gly Asp Lys Val Glu Lys Val Val Val Ser Asp Arg Ile 555 560 565
Glu Ile Leu Gly Asp Lys Val Glu Lys Val Val Val Ser Asp Arg Ile 555 560 565
ata and tot and tag tag ato ato and and the second
gtg gac tet eec tge tgt eta gta act ggt gaa tat gga tgg act gca 230° Val Asp Ser Pro Cys Cys Leu Val Thr Gly Glu Tyr Gly Trp Thr Ala 570 585
aat atg gag agg att atg aag gca cag gcc ttg aga gat agc atg 2359 Asn Met Glu Arg Ile Met Lys Ala Gln Ala Leu Arg Asp Ser Ser Met 590 595 600
agt ggt tac atg tcg agc aag aaa aca atg gag atc aac ccc gac aac 240: Ser Gly Tyr Met Ser Ser Lys Lys Thr Met Glu Ile Asn Pro Asp Asn 605 610 615
ggt ata atg gag gac ctc agg aag aga gct gaa gca gac aag aat gac 245. Gly Ile Met Glu Asp Leu Arg Lys Arg Ala Glu Ala Asp Lys Asn Asp 620 625 630
aag tot gtt aaa gat ott gto atg ttg otg tat gag aca got ttg ttg 2499 Lys Ser Val Lys Asp Leu Val Met Leu Leu Tyr Glu Thr Ala Leu Leu 635 640 645
acg tct gga ttt agt ctt gat gaa ccg aac act ttt gct gct agg att 254° Thr Ser Gly Phe Ser Leu Asp Glu Pro Asn Thr Phe Ala Ala Arg Ile 650 665
cac agg atg ttg aag ttg ggt ctg agt att gat gag gat gag aac gtt 2599 His Arg Met Leu Lys Leu Gly Leu Ser Ile Asp Glu Asp Glu Asn Val 670 675 680
gag gaa gat ggt gat atg cct gag ttg gag gag gac gct gct gaa gag 264: Glu Glu Asp Gly Asp Met Pro Glu Leu Glu Glu Asp Ala Ala Glu Glu 685 690 695
agc aag atg gag gaa gtc gac taa gagatgaaga aattgctctt 268° Ser Lys Met Glu Glu Val Asp 700 705
<210> 12 <211> 704 <212> PRT <213> Arabidopsis thaliana
<400> 12 Met Ala Asp Val Gln Met Ala Asp Ala Glu Thr Phe Ala Phe Gln Ala 1 5 10 15

Glu Ile Asn Gln Leu Leu Ser Leu Ile Ile Asn Thr Phe Tyr Ser Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ser Ser Asp Ala Leu Asp Lys Ile Arg Phe Glu Ser Leu Thr Asp Lys Ser Lys Leu Asp Gly Gln Pro Glu Leu Phe Ile Arg Leu Val Pro Asp Lys Pro Asn Lys Thr Leu Ser Ile Ile Asp Ser Gly Ile Gly Met Thr Lys Ala Asp Leu Val Asn Asn Leu Gly Thr Ile Ala Arg Ser Gly Thr Lys Glu Phe Met Glu Ala Leu Gln Ala Gly Ala Asp Val Ser Met Ile Gly Gln Phe Gly Val . 120 Gly Phe Tyr Ser Ala Tyr Leu Val Ala Glu Lys Val Val Val Thr Thr Lys His Asn Asp Asp Glu Gln Tyr Val Trp Glu Ser Gln Ala Gly Gly Ser Phe Thr Val Thr Arg Asp Val Asp Gly Glu Pro Leu Gly Arg Gly 165 170 Thr Lys Ile Ser Leu Phe Leu Lys Asp Asp Gln Leu Glu Tyr Leu Glu Glu Arg Arg Leu Lys Asp Leu Val Lys Lys His Ser Glu Phe Ile Ser 200 Tyr Pro Ile Tyr Leu Trp Thr Glu Lys Thr Thr Glu Lys Glu Ile Ser 215 Asp Asp Glu Asp Glu Pro Lys Lys Glu Asn Glu Gly Glu Val Glu Glu Val Asp Glu Lys Lys Glu Lys Asp Gly Lys Lys Lys Lys Ile Lys Glu Val Ser His Glu Trp Glu Leu Ile Asn Lys Gln Lys Pro Ile Trp Leu Arg Lys Pro Glu Glu Ile Thr Lys Glu Glu Tyr Ala Ala 280

Phe Tyr Lys Ser Leu Thr Asn Asp Trp Glu Asp His Leu Ala Val Lys

His Phe Ser Val Glu Gly Gln Leu Glu Phe Lys Ala Ile Leu Phe Val

315

Pro Lys Arg Ala Pro Phe Asp Leu Phe Asp Thr Arg Lys Lys Leu Asn 330 Asn Ile Lys Leu Tyr Val Arg Arg Val Phe Ile Met Asp Asn Cys Glu Glu Leu Ile Pro Glu Tyr Leu Ser Phe Val Lys Gly Val Val Asp Ser 360 Asp Asp Leu Pro Leu Asn Ile Ser Arg Glu Thr Leu Gln Gln Asn Lys 375 Ile Leu Lys Val Ile Arg Lys Asn Leu Val Lys Lys Cys Ile Glu Met 390 395 Phe Asn Glu Ile Ala Glu Asn Lys Glu Asp Tyr Thr Lys Phe Tyr Glu 405 Ala Phe Ser Lys Asn Leu Lys Leu Gly Ile His Glu Asp Ser Gln Asn 425 Arg Gly Lys Ile Ala Asp Leu Leu Arg Tyr His Ser Thr Lys Ser Gly Asp Glu Met Thr Ser Phe Lys Asp Tyr Val Thr Arg Met Lys Glu Gly Gln Lys Asp Ile Phe Tyr Ile Thr Gly Glu Ser Lys Lys Ala Val Glu 470 475 Asn Ser Phe Leu Glu Arg Leu Lys Lys Arg Gly Tyr Glu Val Leu Tyr Met Val Asp Ala Ile Asp Glu Tyr Ala Val Gly Gln Leu Lys Glu Tyr Asp Gly Lys Lys Leu Val Ser Ala Thr Lys Glu Gly Leu Lys Leu Glu 520 Asp Glu Thr Glu Glu Glu Lys Lys Lys Arg Glu Glu Lys Lys Lys Ser Phe Glu Asn Leu Cys Lys Thr Ile Lys Glu Ile Leu Gly Asp Lys Val Glu Lys Val Val Val Ser Asp Arg Ile Val Asp Ser Pro Cys Cys Leu Val Thr Gly Glu Tyr Gly Trp Thr Ala Asn Met Glu Arg Ile Met Lys 585 Ala Gln Ala Leu Arg Asp Ser Ser Met Ser Gly Tyr Met Ser Ser Lys 600 Lys Thr Met Glu Ile Asn Pro Asp Asn Gly Ile Met Glu Asp Leu Arg 610 615

Lys Arg Ala Glu Ala Asp Lys Asn Asp Lys Ser Val Lys Asp Leu Val 625 630 Met Leu Leu Tyr Glu Thr Ala Leu Leu Thr Ser Gly Phe Ser Leu Asp Glu Pro Asn Thr Phe Ala Ala Arg Ile His Arg Met Leu Lys Leu Gly 660 665 Leu Ser Ile Asp Glu Asp Glu Asn Val Glu Glu Asp Gly Asp Met Pro 680 Glu Leu Glu Glu Asp Ala Ala Glu Glu Ser Lys Met Glu Glu Val Asp 695 <210> 13 <211> 2932 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(2924) <400> 13 ttgattgatc ggcgata atg gcg ggt cgg aac ata gag aag atg gca tct 50 Met Ala Gly Arg Asn Ile Glu Lys Met Ala Ser 1 5 att gat gct cag ctt cgg caa ctc gtt cct gct aaa gtc agt gaa gac Ile Asp Ala Gln Leu Arg Gln Leu Val Pro Ala Lys Val Ser Glu Asp gat aag ctt gtt gag tac gat gct ctt ctc ctt gat cgc ttt ctc gac Asp Lys Leu Val Glu Tyr Asp Ala Leu Leu Leu Asp Arg Phe Leu Asp 35 att etc cag gat tta cae gge gag gat etc egt gaa aeg gtt caa gag 194 Ile Leu Gln Asp Leu His Gly Glu Asp Leu Arg Glu Thr Val Gln Glu 50 tta tac gag ctt tct gct gag tat gaa ggg aag cgt gag cct agc aag 242 Leu Tyr Glu Leu Ser Ala Glu Tyr Glu Gly Lys Arg Glu Pro Ser Lys ctt gag gag cta ggg agt gtc cta acg agt ttg gat cct ggt gac tca 290 Leu Glu Glu Leu Gly Ser Val Leu Thr Ser Leu Asp Pro Gly Asp Ser 80 att gtt atc tcc aag gct ttc tct cac atg ctt aac tta gcc aat ttg 338 Ile Val Ile Ser Lys Ala Phe Ser His Met Leu Asn Leu Ala Asn Leu 100 105 gct gag gag gtg cag att gct cac cgt cgc agg atc aag aag ctg aag Ala Glu Glu Val Gln Ile Ala His Arg Arg Arg Ile Lys Lys Leu Lys

		110					115					120				
aaa Lys	ggt Gly 125	gat Asp	ttc Phe	gtt Val	gat Asp	gag Glu 130	agt Ser	tct Ser	gca Ala	act Thr	act Thr 135	gaa Glu	tcc Ser	gat Asp	att Ile	434
												aag Lys				482
gag Glu	atc Ile	ttt Phe	gat Asp	gcc Ala 160	ttg Leu	aag Lys	aat Asn	cag Gln	act Thr 165	gtg Val	gat Asp	ctg Leu	gtt Val	ttg Leu 170	act Thr	530
gct Ala	cat His	cct Pro	act Thr 175	cag Gln	tct Ser	gtg Val	cgt Arg	aga Arg 180	tca Ser	ttg Leu	ctt Leu	cag Gln	aag Lys 185	cat His	Gly ggg	578
agg Arg	ata Ile	agg Arg 190	gac Asp	tgt Cys	ctt Leu	gct Ala	caa Gln 195	ctc Leu	tat Tyr	gca Ala	aag Lys	gac Asp 200	att Ile	act Thr	cct Pro	626
gat Asp	gac Asp 205	aag Lys	cag Gln	gag Glu	cta Leu	gat Asp 210	gag Glu	tct Ser	ctg Leu	caa Gln	aga Arg 215	gag Glu	att Ile	caa Gln	gct Ala	674
gca Ala 220	ttc Phe	cga Arg	aca Thr	gat Asp	gag Glu 225	att Ile	aga Arg	aga Arg	aca Thr	cct Pro 230	cca Pro	acc Thr	cca Pro	caa Gln	gat Asp 235	722
gaa Glu	atg Met	aga Arg	gct Ala	gga Gly 240	atg Met	agt Ser	tat Tyr	ttc Phe	cac His 245	gag Glu	aca Thr	atc Ile	tgg Trp	aaa Lys 250	ggt Gly	770
												aaa Lys				818
att Ile	gat Asp	gaa Glu 270	cgt Arg	gtt Val	cct Pro	tac Tyr	aat Asn 275	gcc Ala	cca Pro	ttg Leu	att Ile	caa Gln 280	ttc Phe	tct Ser	tcg Ser	866
												aca Thr				914
act Thr 300	aga Arg	gat Asp	gtg Val	tgc Cys	ttg Leu 305	ttg Leu	gct Ala	aga Arg	atg Met	atg Met 310	gct Ala	gcc Ala	aat Asn	ctc Leu	tac Tyr 315	962
tat Tyr	aac Asn	caa Gln	atc Ile	gag Glu 320	aat Asn	ctg Leu	atg Met	ttt Phe	gag Glu 325	tta Leu	tct Ser	atg Met	tgg Trp	cgt Arg 330	tgc Cys	1010
act Thr	gat Asp	gaa Glu	ttc Phe 335	cgt Arg	gtg Val	cgg Arg	gcg Ala	gat Asp 340	gaa Glu	ctg Leu	cac His	agg Arg	aac Asn 345	tca Ser	agg Arg	1058

aaa Lys	gat Asp	gct Ala 350	gca Ala	aaa Lys	cat His	tac Tyr	ata Ile 355	gaa Glu	ttc Phe	tgg Trp	aag Lys	aca Thr 360	att Ile	cct Pro	cca Pro	1106
act Thr	gag Glu 365	cca Pro	tac Tyr	cgt Arg	gtg Val	att Ile 370	ctt Leu	ggt Gly	gat Asp	gtg Val	agg Arg 375	gat Asp	aag Lys	ctg Leu	tat Tyr	1154
cac His 380	aca Thr	cgt Arg	gag Glu	cgt Arg	tcc Ser 385	cgc Arg	caa Gln	ttg Leu	ctg Leu	agt Ser 390	aat Asn	gga Gly	atc Ile	tcg Ser	gat Asp 395	1202
att Ile	cct Pro	gaa Glu	gaa Glu	gct Ala 400	acc Thr	ttc Phe	act Thr	aat Asn	gtg Val 405	gaa Glu	cag Gln	ttc Phe	ttg Leu	gag Glu 410	cct Pro	1250
ctt Leu	gag Glu	ctc Leu	tgt Cys 415	tac Tyr	cga Arg	tca Ser	cta Leu	tgt Cys 420	tca Ser	tgt Cys	ggt Gly	gac Asp	agc Ser 425	ccg Pro	ata Ile	1298
gct Ala	gat Asp	gga Gly 430	agc Ser	ctt Leu	ctt Leu	gat Asp	ttc Phe 435	ttg Leu	agg Arg	caa Gln	gtc Val	tct Ser 440	acc Thr	ttt Phe	gga Gly	1346
ctc Leu	tcc Ser 445	ctt Leu	gtg Val	aga Arg	ctt Leu	gac Asp 450	atc Ile	agg Arg	caa Gln	gag Glu	tct Ser 455	gaa Glu	cgc Arg	cac His	aca Thr	1394
gat Asp 460	gtc Val	ttg Leu	gat Asp	gct Ala	atc Ile 465	acc Thr	aag Lys	cac His	ttg Leu	gac Asp 470	atc Ile	ggt Gly	tcc Ser	tcc Ser	tat Tyr 475	1442
aga Arg	gac Asp	tgg Trp	tct Ser	gaa Glu 480	gaa Glu	ggc Gly	cga Arg	cag Gln	gaa Glu 485	tgg Trp	ctt Leu	ctt Leu	gct Ala	gaa Glu 490	cta Leu	1490
agc Ser	ggc Gly	aaa Lys	cgt Arg 495	cca Pro	ctt Leu	ttc Phe	gga Gly	cct Pro 500	gat Asp	ctt Leu	ccc Pro	aaa Lys	acc Thr 505	gaa Glu	gaa Glu	1538
att Ile	tct Ser	gat Asp 510	gtc Val	ctg Leu	gac Asp	aca Thr	ttc Phe 515	aaa Lys	gtc Val	ata Ile	tct Ser	gag Glu 520	ctg Leu	cct Pro	tca Ser	1586
gat Asp	tgt Cys 525	ttt Phe	gga Gly	gct Ala	tat Tyr	att Ile 530	atc Ile	tct Ser	atg Met	gca Ala	act Thr 535	tca Ser	cct Pro	agt Ser	gat Asp	1634
gtg Val 540	ctt Leu	gcg Ala	gtt Val	gag Glu	ctt Leu 545	tta Leu	cag Gln	cgc Arg	gaa Glu	tgc Cys 550	cat His	gtg Val	aaa Lys	aat Asn	cca Pro 555	1682
ctt Leu	aga Arg	gtt Val	gtt Val	cca Pro 560	ctc Leu	ttt Phe	gag Glu	aag Lys	cta Leu 565	gct Ala	gat Asp	ctt Leu	gaa Glu	gca Ala 570	gct Ala	1730

														aac Asn		1778
														Gly ggg		1826
														caa Gln		1874
gag Glu 620	ctt Leu	gtg Val	aag Lys	gtt Val	gct Ala 625	aag Lys	aaa Lys	tat Tyr	gga Gly	gtg Val 630	aag Lys	cta Leu	act Thr	atg Met	ttc Phe 635	1922
cat His	ggc Gly	cgt Arg	ggt Gly	ggc Gly 640	aca Thr	gtc Val	gga Gly	aga Arg	gga Gly 645	ggt Gly	ggt Gly	cct Pro	act Thr	cat His 650	ctt Leu	1970
gct Ala	ata Ile	ttg Leu	tct Ser 655	cag Gln	cca Pro	cca Pro	gat Asp	aca Thr 660	gtt Val	aat Asn	ggc Gly	tct Ser	ctt Leu 665	cga Arg	gtc Val	2018
acg Thr	gtt Val	cag Gln 670	ggt Gly	gaa Glu	gtc Val	att Ile	gag Glu 675	caa Gln	tca Ser	ttt Phe	GJA aaa	gag Glu 680	gca Ala	cac His	tta Leu	2066
tgc Cys	ttt Phe 685	aga Arg	aca Thr	ctt Leu	caa Gln	cgt Arg 690	ttc Phe	aca Thr	gca Ala	gct Ala	act Thr 695	cta Leu	gag Glu	cac His	gga Gly	2114
														ctt Leu		2162
gaa Glu	atg Met	gcg Ala	gtt Val	gtt Val 720	gca Ala	act Thr	gag Glu	gaa Glu	tac Tyr 725	cga Arg	tct Ser	gtc Val	gtt Val	ttc Phe 730	caa Gln	2210
gaa Glu	cct Pro	cga Arg	ttc Phe 735	gtc Val	gag Glu	tat Tyr	ttc Phe	cgc Arg 740	ctc Leu	gct Ala	act Thr	ccg Pro	gag Glu 745	ctg Leu	gag Glu	2258
tat Tyr	gga Gly	cgt Arg 750	atg Met	aat Asn	att Ile	gga Gly	agt Ser 755	aga Arg	cct Pro	tca Ser	aag Lys	cga Arg 760	aaa Lys	cca Pro	agc Ser	2306
ggt Gly	ggg Gly 765	atc Ile	gaa Glu	tct Ser	ctc Leu	cgt Arg 770	gca Ala	atc Ile	cca Pro	tgg Trp	atc Ile 775	ttt Phe	gct Ala	tgg Trp	acg Thr	2354
caa Gln 780	aca Thr	aga Arg	ttc Phe	cat His	ctt Leu 785	cct Pro	gta Val	tgg Trp	tta Leu	ggt Gly 790	ttc Phe	gga Gly	gca Ala	gca Ala	ttt Phe 795	2402
agg	tat	gcg	atc	aag	aag	gat	gtg	aga	aac	ctt	cac	atg	ctg	caa	gat	2450

Arg	Tyr	Ala	Ile	Lys 800	Lys	Asp	Val	Arg	Asn 805	Leu	His	Met	Leu	Gln 810	Asp	
								_	_			-	cta Leu 825		_	2498
													tac Tyr			2546
ctt Leu	ctt Leu 845	gtc Val	tca Ser	gaa Glu	gat Asp	tta Leu 850	tgg Trp	gct Ala	ttt Phe	gga Gly	gag Glu 855	aaa Lys	ctc Leu	aga Arg	gcc Ala	2594
aac Asn 860	ttt Phe	gat Asp	gaa Glu	acc Thr	aag Lys 865	aac Asn	ctc Leu	gtc Val	ctc Leu	cag Gln 870	act Thr	gct Ala	gga Gly	cat His	aaa Lys 875	2642
													agg Arg			2690
													aca Thr 905			2738
													cac His			2786
													gtc Val			2834
aac Asn 940	ccc Pro	acg Thr	agt Ser	gaa Glu	tac Tyr 945	gcg Ala	cct Pro	gga Gly	ctt Leu	gag Glu 950	gac Asp	aca Thr	ctt Leu	atc Ile	tta Leu 955	2882
acc Thr	atg Met	aag Lys	ggt Gly	att Ile 960	gct Ala	gca Ala	gga Gly	ttg Leu	caa Gln 965	aac Asn	acc Thr	ggt Gly	taa	gtga	agtca	2932

<210> 14

<211> 968

<212> PRT

<213> Arabidopsis thaliana

<400> 14

Met Ala Gly Arg Asn Ile Glu Lys Met Ala Ser Ile Asp Ala Gln Leu

1 5 10 15

Arg Gln Leu Val Pro Ala Lys Val Ser Glu Asp Asp Lys Leu Val Glu 20 25 30

Tyr Asp Ala Leu Leu Asp Arg Phe Leu Asp Ile Leu Gln Asp Leu

45

40

35

His Gly Glu Asp Leu Arg Glu Thr Val Gln Glu Leu Tyr Glu Leu Ser 50 60

Ala Glu Tyr Glu Gly Lys Arg Glu Pro Ser Lys Leu Glu Glu Leu Gly 65 70 75 80

Ser Val Leu Thr Ser Leu Asp Pro Gly Asp Ser Ile Val Ile Ser Lys 85 90 95

Ala Phe Ser His Met Leu Asn Leu Ala Asn Leu Ala Glu Glu Val Gln
100 105 110

Ile Ala His Arg Arg Arg Ile Lys Lys Leu Lys Lys Gly Asp Phe Val 115 120 125

Asp Glu Ser Ser Ala Thr Thr Glu Ser Asp Ile Glu Glu Thr Phe Lys 130 135 140

Leu Lys Asn Gln Thr Val Asp Leu Val Leu Thr Ala His Pro Thr Gln 165 170 175

Ser Val Arg Arg Ser Leu Leu Gln Lys His Gly Arg Ile Arg Asp Cys 180 185 190

Leu Ala Gln Leu Tyr Ala Lys Asp Ile Thr Pro Asp Asp Lys Gln Glu 195 200 205

Leu Asp Glu Ser Leu Gln Arg Glu Ile Gln Ala Ala Phe Arg Thr Asp 210 215 220

Glu Ile Arg Arg Thr Pro Pro Thr Pro Gln Asp Glu Met Arg Ala Gly 225 230 235 240

Met Ser Tyr Phe His Glu Thr Ile Trp Lys Gly Val Pro Lys Phe Leu 245 250 255

Arg Arg Val Asp Thr Ala Leu Lys Asn Ile Gly Ile Asp Glu Arg Val 260 265 270

Pro Tyr Asn Ala Pro Leu Ile Gln Phe Ser Ser Trp Met Gly Gly Asp 275 280 285

Arg Asp Gly Asn Pro Arg Val Thr Pro Glu Val Thr Arg Asp Val Cys 290 295 300

Leu Leu Ala Arg Met Met Ala Ala Asn Leu Tyr Tyr Asn Gln Ile Glu 305 310 315 320

Asn Leu Met Phe Glu Leu Ser Met Trp Arg Cys Thr Asp Glu Phe Arg 325 330 335

Val Arg Ala Asp Glu Leu His Arg Asn Ser Arg Lys Asp Ala Ala Lys

340 345 350 His Tyr Ile Glu Phe Trp Lys Thr Ile Pro Pro Thr Glu Pro Tyr Arg Val Ile Leu Gly Asp Val Arg Asp Lys Leu Tyr His Thr Arg Glu Arg Ser Arg Gln Leu Leu Ser Asn Gly Ile Ser Asp Ile Pro Glu Glu Ala Thr Phe Thr Asn Val Glu Gln Phe Leu Glu Pro Leu Glu Leu Cys Tyr 410 Arg Ser Leu Cys Ser Cys Gly Asp Ser Pro Ile Ala Asp Gly Ser Leu Leu Asp Phe Leu Arg Gln Val Ser Thr Phe Gly Leu Ser Leu Val Arg 440 Leu Asp Ile Arg Gln Glu Ser Glu Arg His Thr Asp Val Leu Asp Ala Ile Thr Lys His Leu Asp Ile Gly Ser Ser Tyr Arg Asp Trp Ser Glu 470 475 Glu Gly Arg Gln Glu Trp Leu Leu Ala Glu Leu Ser Gly Lys Arg Pro 490 Leu Phe Gly Pro Asp Leu Pro Lys Thr Glu Glu Ile Ser Asp Val Leu 505 Asp Thr Phe Lys Val Ile Ser Glu Leu Pro Ser Asp Cys Phe Gly Ala 520 Tyr Ile Ile Ser Met Ala Thr Ser Pro Ser Asp Val Leu Ala Val Glu 530 Leu Leu Gln Arg Glu Cys His Val Lys Asn Pro Leu Arg Val Val Pro Leu Phe Glu Lys Leu Ala Asp Leu Glu Ala Ala Pro Ala Ala Val Ala 565 Arg Leu Phe Ser Ile Asp Trp Tyr Lys Asn Arg Ile Asn Gly Lys Gln 585 Glu Val Met Ile Gly Tyr Ser Asp Ser Gly Lys Asp Ala Gly Arg Leu Ser Ala Ala Trp Glu Leu Tyr Lys Ala Gln Glu Glu Leu Val Lys Val Ala Lys Lys Tyr Gly Val Lys Leu Thr Met Phe His Gly Arg Gly Gly 635 Thr Val Gly Arg Gly Gly Gly Pro Thr His Leu Ala Ile Leu Ser Gln

645 650 655 Pro Pro Asp Thr Val Asn Gly Ser Leu Arg Val Thr Val Gln Gly Glu 665 Val Ile Glu Gln Ser Phe Gly Glu Ala His Leu Cys Phe Arg Thr Leu Gln Arg Phe Thr Ala Ala Thr Leu Glu His Gly Met Asn Pro Pro Ile 695 Ser Pro Lys Pro Glu Trp Arg Ala Leu Leu Asp Glu Met Ala Val Val Ala Thr Glu Glu Tyr Arg Ser Val Val Phe Gln Glu Pro Arg Phe Val Glu Tyr Phe Arg Leu Ala Thr Pro Glu Leu Glu Tyr Gly Arg Met Asn 745 Ile Gly Ser Arg Pro Ser Lys Arg Lys Pro Ser Gly Gly Ile Glu Ser Leu Arg Ala Ile Pro Trp Ile Phe Ala Trp Thr Gln Thr Arg Phe His Leu Pro Val Trp Leu Gly Phe Gly Ala Ala Phe Arg Tyr Ala Ile Lys 795 Lys Asp Val Arg Asn Leu His Met Leu Gln Asp Met Tyr Lys Gln Trp 805 Pro Phe Phe Arg Val Thr Ile Asp Leu Ile Glu Met Val Phe Ala Lys 825 Gly Asp Pro Gly Ile Ala Ala Leu Tyr Asp Lys Leu Leu Val Ser Glu 840 Asp Leu Trp Ala Phe Gly Glu Lys Leu Arg Ala Asn Phe Asp Glu Thr Lys Asn Leu Val Leu Gln Thr Ala Gly His Lys Asp Leu Leu Glu Gly Asp Pro Tyr Leu Lys Gln Arg Leu Arg Leu Arg Asp Ser Tyr Ile Thr 885 Thr Leu Asn Val Cys Gln Ala Tyr Thr Leu Lys Arg Ile Arg Asp Ala 905 Asn Tyr Asn Val Thr Leu Arg Pro His Ile Ser Lys Glu Ile Met Gln Ser Ser Lys Ser Ala Gln Glu Leu Val Lys Leu Asn Pro Thr Ser Glu 935 Tyr Ala Pro Gly Leu Glu Asp Thr Leu Ile Leu Thr Met Lys Gly Ile

945 950 955 960 Ala Ala Gly Leu Gln Asn Thr Gly 965 <210> 15 <211> 271 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (17)..(259) <400> 15 togattcagg ttaagg atg tcg aga gct aca tac att atc ggt gcc ctt gcg 52 Met Ser Arg Ala Thr Tyr Ile Ile Gly Ala Leu Ala gga tct gcg gta gta gct tac gtg tgt gac aaa gtt att tct gat gat Gly Ser Ala Val Val Ala Tyr Val Cys Asp Lys Val Ile Ser Asp Asp aag ctt ttt gga ggt act aca cca gga act att act aac aag gaa tgg Lys Leu Phe Gly Gly Thr Thr Pro Gly Thr Ile Thr Asn Lys Glu Trp 35 ggt gct gcg act gaa gag aga tta caa gca tgg cca aga gtt gct ggt 196 Gly Ala Ala Thr Glu Glu Arg Leu Gln Ala Trp Pro Arg Val Ala Gly 50 55 . cct ccc gtc gtc atg aac cct atc agt cgc cag aat ttc atc gtc aag 244 Pro Pro Val Val Met Asn Pro Ile Ser Arg Gln Asn Phe Ile Val Lys 65 70 tca cgt cct gaa taa cttttgatgc ct 271 Ser Arg Pro Glu <210> 16 <211> 80 <212> PRT <213> Arabidopsis thaliana <400> 16 Met Ser Arg Ala Thr Tyr Ile Ile Gly Ala Leu Ala Gly Ser Ala Val Val Ala Tyr Val Cys Asp Lys Val Ile Ser Asp Asp Lys Leu Phe Gly Gly Thr Thr Pro Gly Thr Ile Thr Asn Lys Glu Trp Gly Ala Ala Thr 40

Glu Glu Arg Leu Gln Ala Trp Pro Arg Val Ala Gly Pro Pro Val Val

50

```
Met Asn Pro Ile Ser Arg Gln Asn Phe Ile Val Lys Ser Arg Pro Glu
                      70
 <210> 17
 <211> 2580
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (30)..(143)
 <220>
 <221> CDS
 <222> (295)..(417)
 <220>
 <221> CDS
 <222> (582)..(632)
 <220>
 <221> CDS
 <222> (1179)..(1245)
 <220>
 <221> CDS
 <222> (1334)..(1383)
<220>
 <221> CDS
 <222> (1497)..(1577)
 <220>
 <221> CDS
 <222> (1661)..(1740)
 <220>
 <221> CDS
 <222> (1882)..(1984)
 <220>
 <221> CDS
 <222> (2370)..(2564)
 <400> 17
 tcttcacaaa tcctaaacga gtaggagct atg gct gca ccg att gtt gat gcg
                                 Met Ala Ala Pro Ile Val Asp Ala
 gag tac ttg aaa gag atc act aag gct cgc cgt gag ctc cgt tct ctc
                                                                    101
 Glu Tyr Leu Lys Glu Ile Thr Lys Ala Arg Arg Glu Leu Arg Ser Leu
      10
                          15
```

Ile Ala Asn Lys Asn Cys Ala Pro Ile Met Leu Arg Leu Ala 25 30 35	143
taagttttcg atttccttgg tttttcgtcg agttgactgt tacagatttc gtttattcat	203
gtggagatcg ttcgattgta gttaggctgt agaatcgatt ttgtttgttt ttgaatgttg	263
aaatgtttgt atcatctggt ttttatgaag a tgg cac gat gct gga acc tat ${ m Trp}$ His Asp Ala Gly Thr Tyr ${ m 40}$ 45	315
gat gct caa tcg aag acc ggt gga cct aat ggc tct atc agg aac gaa Asp Ala Gln Ser Lys Thr Gly Gly Pro Asn Gly Ser Ile Arg Asn Glu 50 55 60	363
gaa gag cac act cat ggt gcc aac agt ggt ttg aag atc gct ctc gat Glu Glu His Thr His Gly Ala Asn Ser Gly Leu Lys Ile Ala Leu Asp 65 70 75	411
ctc tgt ggtaggattt tgatttagtt tttgtagatt cactttctgg ataatttcat Leu Cys	467
gcgatgtatc cgttttatgt tgtggtttaa gaacactgtt caaaataatt acattatgct	527
tttggaaatg gactttgtat cgcttaatta tgagatccta tctttgatgt ttca gag Glu 80	584
ggc gtg aaa gct aag cat ccc aaa atc aca tac gca gac ctg tat cag Gly Val Lys Ala Lys His Pro Lys Ile Thr Tyr Ala Asp Leu Tyr Gln 85 90 95	632
gtgagttaag gctgtgagag aaatctttt gatgtccttg ttgctttttc tgcacatttg	692
tttttcaaag ttcgctggaa ctgtattcgg cttgtgtcat tacctcgtcc caggtttgag	752
cttgttgttt aggagactta gttgatagtt gagcagctgt gtaaatatgg tttcagttgt	812
aatttgtttc aggagatgtt actgattgtg atttggttta caaaaatcat agattgacta	872
tgttgttcaa ctagaacttt tatctcttgc agtaatagct aaattcaagt aaaatataca	932
ctgaatgaat tcaaacgacc aagaaggaaa ctgtaatgta atgtcaatct gtttccatcc	992
taagtcacat gtctgtcgtc tgtacctata acctgtctct acgactgttt gtattgccgt	105
ttctccattt tatatttggt cttacaaggt cgaggcttta tttatgaatt cccaatagaa	1112
gtgtaccagt ttaatggcaa ttaagttttg ggtatgaatt atttactttt aagtgttttg	1172
tttcag ctt gct ggt gtg gta gca gtt gag gtt act ggt gga cct gac Leu Ala Gly Val Val Ala Val Glu Val Thr Gly Gly Pro Asp 100 105 110	122
atc gtg ttc gtt ccc ggg aga aag g tatactttct carctcttga	126

Ile Val Phe Val Pro Gly Arg Lys A 115	
gacattataa cagcttatca gtttaacact aaagcaaaca taattactgt atgtttcttc	1325
ttgatagg at tca aat gtc tgc ccc aag gaa gga aga ctt cct gat gcc sp Ser Asn Val Cys Pro Lys Glu Gly Arg Leu Pro Asp Ala 120 125 130	1374
aaa caa ggt acactaaatt cttgtatcaa ttataacaaa cttttcatgt Lys Gln Gly 135	1423
tttctactga taatcttgtt ttggaattgg aagatttttt ctatgaattc acattgttta	1483
tatctctgta ggt ttc caa cat ctc aga gat gtc ttc tac cgc atg gga Phe Gln His Leu Arg Asp Val Phe Tyr Arg Met Gly 140	1532
cta tct gat aag gat att gtg gca ctc tca ggg ggt cat act ctg Leu Ser Asp Lys Asp Ile Val Ala Leu Ser Gly Gly His Thr Leu 150 155 160	1577
gtaaattcat tggtcactta cttaacttcc gttgtttttg aacaaatatg cttgttgtgc	1637
ttatgaccac attgggtgtt tag gga agg gct cac ccg gag agg tca ggc ttt Gly Arg Ala His Pro Glu Arg Ser Gly Phe 165 170	1690
gat gga cca tgg acc caa gag ccg ctg aat ttt gac aac tcc tac ttc Asp Gly Pro Trp Thr Gln Glu Pro Leu Asn Phe Asp Asn Ser Tyr Phe 175 180 185	1738
gt gtaattttca tttctttatc ctcagagatt ttctttgtgc atttttttaa Va	1790
tetttetgt ttgtgtetee aagaaataaa ageageaaae agataetttt ttacatgate	1850
ggttatccat gattatttac tgttttggta c c agg gaa ctg ctg aaa gga gaa l Arg Glu Leu Leu Lys Gly Glu 190	1903
tca gag ggc ttg ttg aaa ctt cca act gac aag acc tta ttg gaa gac Ser Glu Gly Leu Leu Lys Leu Pro Thr Asp Lys Thr Leu Leu Glu Asp 200 205 210	1951
ccg gag ttc cgt cgt ctt gtt gag ctt tat gca aaggtataat atactggaga Pro Glu Phe Arg Arg Leu Val Glu Leu Tyr Ala 215 220	2004
tettetetge etetttgeea tttgtttett gegttgetat aataaceatt ggaacataac	2064
tcgatttcct ttattggttt cacattttca ctgaatccac aagcacacac actgaatcac	2124
aaaccaaatt atctagggtt ttgttctaga gaaccccacg gatccttatc gcctttatag	2184
ttgctgatgt tgcaaaatga taaaatgaac actcttacta ctatcagtga gaactgtaat	2244

attagctttt tgttagaacc gtaaacagaa attcctatgg ttctttatga tttccttgct 2304 taattaagtt tcaataagat aagaaagtgt tgttatgtgt tgacaagttc agtttgtggt 2364 ggcag gat gaa gat gca ttc ttc aga gac tac gcg gaa tcg cac aag aaa 2414 Asp Glu Asp Ala Phe Phe Arg Asp Tyr Ala Glu Ser His Lys Lys 225 230 235 ctc tct gag ctt ggt ttc aac cca aac tcc tca gca ggc aaa gca gtt 2462 Leu Ser Glu Leu Gly Phe Asn Pro Asn Ser Ser Ala Gly Lys Ala Val 240 245 250 gca gac agc acg att ctg gca cag agt gcg ttc ggg gtt gca gtt gct Ala Asp Ser Thr Ile Leu Ala Gln Ser Ala Phe Gly Val Ala Val Ala 255 260 get geg gtt gtg gea ttt ggt tac ttt tac gag atc egg aag agg atg Ala Ala Val Val Ala Phe Gly Tyr Phe Tyr Glu Ile Arg Lys Arg Met 280 aag taa acgaaatagg aagtaa 2580 Lys <210> 18 <211> 287 <212> PRT <213> Arabidopsis thaliana <400> 18 Met Ala Ala Pro Ile Val Asp Ala Glu Tyr Leu Lys Glu Ile Thr Lys Ala Arg Arg Glu Leu Arg Ser Leu Ile Ala Asn Lys Asn Cys Ala Pro Ile Met Leu Arg Leu Ala Trp His Asp Ala Gly Thr Tyr Asp Ala Gln 40 Ser Lys Thr Gly Gly Pro Asn Gly Ser Ile Arg Asn Glu Glu Glu His Thr His Gly Ala Asn Ser Gly Leu Lys Ile Ala Leu Asp Leu Cys Glu Gly Val Lys Ala Lys His Pro Lys Ile Thr Tyr Ala Asp Leu Tyr Gln 85 Leu Ala Gly Val Val Ala Val Glu Val Thr Gly Gly Pro Asp Ile Val 105 Phe Val Pro Gly Arg Lys Asp Ser Asn Val Cys Pro Lys Glu Gly Arg Leu Pro Asp Ala Lys Gln Gly Phe Gln His Leu Arg Asp Val Phe Tyr 135 140

Arg Met Gly Leu Ser Asp Lys Asp Ile Val Ala Leu Ser Gly Gly His 150 Thr Leu Gly Arg Ala His Pro Glu Arg Ser Gly Phe Asp Gly Pro Trp 165 170 Thr Gln Glu Pro Leu Asn Phe Asp Asn Ser Tyr Phe Val Arg Glu Leu Leu Lys Gly Glu Ser Glu Gly Leu Leu Lys Leu Pro Thr Asp Lys Thr 200 Leu Leu Glu Asp Pro Glu Phe Arg Arg Leu Val Glu Leu Tyr Ala Asp 215 Glu Asp Ala Phe Phe Arg Asp Tyr Ala Glu Ser His Lys Lys Leu Ser 230 235 Glu Leu Gly Phe Asn Pro Asn Ser Ser Ala Gly Lys Ala Val Ala Asp Ser Thr Ile Leu Ala Glm Ser Ala Phe Gly Val Ala Val Ala Ala Ala Val Val Ala Phe Gly Tyr Phe Tyr Glu Ile Arg Lys Arg Met Lys 275 280 <210> 19 <211> 1861 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (26)..(284) <220> <221> CDS <222> (541)..(917) <220> <221> CDS <222> (1257)..(1493) <220> <221> CDS <222> (1584)..(1853) <400> 19 atagaaaaac cctaagtagg ttgtg atg ttg cga gct tta gca cgg cct ctc Met Leu Arg Ala Leu Ala Arg Pro Leu

gaa cgg tgt ttg gga agc aga gct agt ggt gat ggt tta ctc tgg caa

10	Arg	Cys	Leu	Gly	Ser 15	Arg	Ala	Ser	Gly	Asp 20	Gly	Leu	Leu	Trp	Gln 25	
tcg Ser	gaa Glu	ttg Leu	aga Arg	cct Pro 30	cac His	gct Ala	ggc Gly	ggt Gly	gat Asp 35	tat Tyr	tcg Ser	atc Ile	gcg Ala	gtg Val 40	gtt Val	148
caa Gln	gcc Ala	aat Asn	tcc Ser 45	agg Arg	ctt Leu	gaa Glu	gat Asp	cag Gln 50	agt Ser	cag Gln	gtt Val	ttc Phe	aca Thr 55	tct Ser	tct Ser	196
tct Ser	gct Ala	act Thr 60	tac Tyr	gtc Val	ggt Gly	gta Val	tac Tyr 65	gat Asp	ggt Gly	cat His	ggt Gly	gga Gly 70	cct Pro	gaa Glu	gct Ala	244
tct Ser	aga Arg 75	ttc Phe	gtt Val	aac Asn	aga Arg	cat His 80	ctc Leu	ttt Phe	cct Pro	tat Tyr	atg Met 85	cac His	a gi	taagi	ttata	294
atco	cact	ct t	cctt	ccct	ca aa	actto	gttt	agg	gatto	ettt	ctto	ettti	tga (ctcti	ttgact	354
acgt	tttt	ga t	ggto	caaaa	ac tt	atga	agato	tc1	atta	accc	tgat	cati	ttc a	aatai	ttaaaa	414
gatt	cgaa	att t	tgct	atga	aa gt	ttt	ggtct	ttg	gtgaa	acat	gtto	caggt	ttt 9	gtaaa	attgcc	474
tett	gaat	tg a	attt	gtag	gt ca	atgti	ctto	g tta	agtga	aaat	ttac	cagga	att (ggtti	ttatga	534
ttg	cag a	aa tt /s Pl	tt go	ca aç	ga ga	aa ca	at go	g gg	ga ti	ta to	ct gi	ta ga	at g	tt ai	tc aaa	584
	-				90	Lu n	.5 0.	Ly G.		eu 56 95	er Va	al As	sp va		le Lys 00	
aag Lys	gca	ttc	aaa	gaa	eo aca	gaa	gaa	gag	ttt	95 tgt	ggt	atg	gtt		00 cga	632
Lys tcc	gca Ala ctt	ttc Phe ccc	aaa Lys 105 atg	gaa Glu aaa	aca Thr	gaa Glu caa	gaa Glu atg	gag Glu 110 gct	ttt Phe	tgt Cys gta	ggt Gly gga	atg Met	gtt Val 115	10 aaa	cga Arg	632 680
tcc Ser	gca Ala ctt Leu	ttc Phe ccc Pro 120	aaa Lys 105 atg Met	gaa Glu aaa Lys	aca Thr ccg Pro	gaa Glu caa Gln	gaa Glu atg Met 125	gag Glu 110 gct Ala	ttt Phe act Thr	tgt Cys gta Val	ggt Gly gga Gly	atg Met tct Ser 130	gtt Val 115 tgc Cys	aaa Lys	cga Arg ctt Leu	
tcc Ser gtt Val	gca Ala ctt Leu ggt Gly 135	ttc Phe ccc Pro 120 gca Ala	aaa Lys 105 atg Met atc Ile	gaa Glu aaa Lys tct Ser	aca Thr ccg Pro aat Asn	gaa Glu caa Gln gac Asp 140	gaa Glu atg Met 125 aca Thr	gag Glu 110 gct Ala ctg Leu	ttt Phe act Thr tat Tyr	tgt Cys gta Val gtt Val	ggt Gly gga Gly gct Ala 145	atg Met tct Ser 130 aat Asn	gtt Val 115 tgc Cys ctt Leu	aaa Lys tgt Cys	cga Arg ctt Leu gac Asp	680
tcc Ser gtt Val tcg Ser 150	gca Ala ctt Leu ggt Gly 135 aga Arg	ttc Phe ccc Pro 120 gca Ala gcc Ala	aaa Lys 105 atg Met atc Ile gtt Val	gaa Glu aaa Lys tct Ser ctt Leu gaa	aca Thr ccg Pro aat Asn gga Gly 155	gaa Glu caa Gln gac Asp 140 agc Ser	gaa Glu atg Met 125 aca Thr	gag Glu 110 gct Ala ctg Leu gtt Val	ttt Phe act Thr tat Tyr	tgt Cys gta Val gtt Val ggg Gly 160 cat	ggt Gly gga Gly gct Ala 145 gtt Val	atg Met tct Ser 130 aat Asn gat	gtt Val 115 tgc Cys ctt Leu agt Ser	aaa Lys tgt Cys ggg Gly	cga Arg ctt Leu gac Asp aaa Lys 165	680 728
tcc Ser gtt Val tcg Ser 150 ggt Gly	gca Ala Ctt Leu ggt Gly 135 aga Arg	ttc Phe ccc Pro 120 gca Ala gcc Ala gta Val	aaa Lys 105 atg Met atc Ile gtt Val gct Ala	gaa Glu aaa Lys tct Ser ctt Leu gaa Glu 170	aca Thr ccg Pro aat Asn gga Gly 155 cgg Arg	gaa Glu caa Gln gac Asp 140 agc Ser tta Leu	gaa Glu atg Met 125 aca Thr gtt Val tct Ser	gag Glu 110 gct Ala ctg Leu gtt Val	ttt Phe act Thr tat Tyr tca Ser gat Asp 175	tgt Cys gta Val gtt Val ggg Gly 160 cat His	ggt Gly gga Gly gct Ala 145 gtt Val aat Asn	atg Met tct Ser 130 aat Asn gat Asp	gtt Val 115 tgc Cys ctt Leu agt Ser gct Ala	aaa Lys tgt Cys ggg Gly aat Asn	cga Arg ctt Leu gac Asp aaa Lys 165 gaa Glu	680 728 776

200 205 210 gtataactta gttttgcttg cctgcttgtt aaattgcgtg tgattacata gcatctgtga 977 atataaatgg gggcttgcaa tgttccagga atccgtcaca cgggctcctg caacgtttct 1097 tccccagtgg attttgtgct tttctaagaa ttcccggtag tcagagctat acataataat 1157 gaagatacat gctttttagt tgcttgtgac ctttccgtga atgtttgagc tcgttgtata 1217 ttagttagct aaatcgtttt catatacgct tctttatag gta tcg aga tca att Val Ser Arg Ser Ile 215 ggg gat gta tac ttg aaa aaa ccg gag tat tac agg gac ccg att ttc 1319 Gly Asp Val Tyr Leu Lys Lys Pro Glu Tyr Tyr Arg Asp Pro Ile Phe 225 cag cga cat gga aat ccc att cct ttg agg aga ccc gcg atg aca gcc 1367 Gln Arg His Gly Asn Pro Ile Pro Leu Arg Arg Pro Ala Met Thr Ala 235 240 gaa ccc tcc att ata gta agg aag ctt aag cca cag gac ttg ttt ctg Glu Pro Ser Ile Ile Val Arg Lys Leu Lys Pro Gln Asp Leu Phe Leu 250 255 ata ttt gca tca gat ggt ctc tgg gaa cat ctt agt gat gaa aca gcc Ile Phe Ala Ser Asp Gly Leu Trp Glu His Leu Ser Asp Glu Thr Ala 270 275 280 gta gaa atc gtc ctc aaa cac cca aga act gtaagttttc cctaaactca 1513 Val Glu Ile Val Leu Lys His Pro Arg Thr 285 agtttgcttt gtatcttcac atttatgtta gctacttagt ttatttattt attaactctg 1573 tgttctacag ggt att gcc cga aga ctt gta aga gct gct ctg gaa gaa Gly Ile Ala Arg Arg Leu Val Arg Ala Ala Leu Glu Glu 295 300 gcg gca aag aag aga gaa atg aga tat gga gat ata aag aaa ata gcc 1670 Ala Ala Lys Lys Arg Glu Met Arg Tyr Gly Asp Ile Lys Lys Ile Ala 310 aaa gga att cga cga cat ttc cat gac gac ata agc gtt att gta gtt 1718 Lys Gly Ile Arg Arg His Phe His Asp Asp Ile Ser Val Ile Val Val 325 330 tat cta gat caa aac aaa acc agt tca tcg aat agt aaa ttg gtg aag Tyr Leu Asp Gln Asn Lys Thr Ser Ser Ser Asn Ser Lys Leu Val Lys caa gga ggt atc acc gct cca ccg gat atc tac tca tta cac tct qat Gln Gly Gly Ile Thr Ala Pro Pro Asp Ile Tyr Ser Leu His Ser Asp 360 365

gaa gca gag caa cga cgg tta ctc aat gtg tta tac tga ctgtttga 1861 Glu Ala Glu Gln Arg Arg Leu Leu Asn Val Leu Tyr 370 375 380

<210> 20

<211> 380

<212> PRT

<213> Arabidopsis thaliana

<400> 20

Met Leu Arg Ala Leu Ala Arg Pro Leu Glu Arg Cys Leu Gly Ser Arg

1 5 10 15

Ala Ser Gly Asp Gly Leu Leu Trp Gln Ser Glu Leu Arg Pro His Ala 20 25 30

Gly Gly Asp Tyr Ser Ile Ala Val Val Gln Ala Asn Ser Arg Leu Glu 35 40 45

Asp Gln Ser Gln Val Phe Thr Ser Ser Ser Ala Thr Tyr Val Gly Val 50 60

Tyr Asp Gly His Gly Gly Pro Glu Ala Ser Arg Phe Val Asn Arg His 65 70 75 80

Leu Phe Pro Tyr Met His Lys Phe Ala Arg Glu His Gly Gly Leu Ser 85 90 95

Val Asp Val Ile Lys Lys Ala Phe Lys Glu Thr Glu Glu Glu Phe Cys 100 105 110

Gly Met Val Lys Arg Ser Leu Pro Met Lys Pro Gln Met Ala Thr Val 115 120 125

Gly Ser Cys Cys Leu Val Gly Ala Ile Ser Asn Asp Thr Leu Tyr Val 130 140

Ala Asn Leu Gly Asp Ser Arg Ala Val Leu Gly Ser Val Val Ser Gly 145 150 155 160

Val Asp Ser Asn Lys Gly Ala Val Ala Glu Arg Leu Ser Thr Asp His 165 170 175

Asn Val Ala Val Glu Glu Val Arg Lys Glu Val Lys Ala Leu Asn Pro 180 185 190

Asp Asp Ser Gln Ile Val Leu Tyr Thr Arg Gly Val Trp Arg Ile Lys 195 200 205

Gly Ile Ile Gln Val Ser Arg Ser Ile Gly Asp Val Tyr Leu Lys Lys 210 215 220

Pro Glu Tyr Tyr Arg Asp Pro Ile Phe Gln Arg His Gly Asn Pro Ile 225 230 235 240

Pro Leu Arg Arg Pro Ala Met Thr Ala Glu Pro Ser Ile Ile Val Arg 245 250 Lys Leu Lys Pro Gln Asp Leu Phe Leu Ile Phe Ala Ser Asp Gly Leu 265 Trp Glu His Leu Ser Asp Glu Thr Ala Val Glu Ile Val Leu Lys His Pro Arg Thr Gly Ile Ala Arg Arg Leu Val Arg Ala Ala Leu Glu Glu 295 Ala Ala Lys Lys Arg Glu Met Arg Tyr Gly Asp Ile Lys Lys Ile Ala 310 Lys Gly Ile Arg Arg His Phe His Asp Asp Ile Ser Val Ile Val Val 325 · 330 Tyr Leu Asp Gln Asn Lys Thr Ser Ser Ser Asn Ser Lys Leu Val Lys 345 Gln Gly Gly Ile Thr Ala Pro Pro Asp Ile Tyr Ser Leu His Ser Asp Glu Ala Glu Gln Arg Arg Leu Leu Asn Val Leu Tyr 370 375 <210> 21 <211> 3633 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(356) <220> <221> CDS <222> (811)..(956)

<220>

<221> CDS

<222> (1076)..(1389)

<220>

<221> CDS

<222> (1544)..(1592)

<220>

<221> CDS

<222> (1925)..(2010)

<220>

<221> CDS

<222> (2037)..(2120)

```
<220>
<221> CDS
<222> (2399)..(2501)
<220>
<221> CDS
<222> (2621)..(2718)
<220>
<221> CDS
<222> (2802)..(2924)
<220>
<221> CDS
<222> (3071)..(3185)
<220>
<221> CDS
<222> (3324)..(3431)
<220>
<221> CDS
<222> (3518)..(3619)
<400> 21
ggcgattgag cgaagaagaa accttcgttc tctctcggaa atg acg aag agg aag
                                             Met Thr Lys Arg Lys
                                               1
aag gaa gta ata gat gtc gat tgc tcc gag aag aaa gat ttt gtg att
Lys Glu Val Ile Asp Val Asp Cys Ser Glu Lys Lys Asp Phe Val Ile
                 10
gat tgg tct tcc gct atg gat aag gaa gac gaa gtt ccc gag ctc gag
                                                                    151
Asp Trp Ser Ser Ala Met Asp Lys Glu Asp Glu Val Pro Glu Leu Glu
             25
                                 30
att gtt aat acc acc aaa cct act cct ccg cca ccg cca acg ttt ttc
                                                                    199
Ile Val Asn Thr Thr Lys Pro Thr Pro Pro Pro Pro Pro Thr Phe Phe
         40
                             45
                                                  50
tcc gac gat caa acc gat tct ccg aaa ctc cta acc gat cgt gac ctc
Ser Asp Asp Gln Thr Asp Ser Pro Lys Leu Leu Thr Asp Arg Asp Leu
gac gag cag cta gag cgt aaa aaa gcg atc ctg aca tta ggt ccg ggc
                                                                    295
Asp Glu Gln Leu Glu Arg Lys Lys Ala Ile Leu Thr Leu Gly Pro Gly
 70
                                          80
tta ccc gac aag ggt gag aaa att cga ctc aaa atc gct gat ctc gaa
                                                                    343
Leu Pro Asp Lys Gly Glu Lys Ile Arg Leu Lys Ile Ala Asp Leu Glu
gag gag aag cag c gtagagtttt agaaggctcg aaaatggttc gcattctgat
Glu Glu Lys Gln A
            105
```

tcaattgcat gcttagttcg tttgattttc ttagatatgt tactgtttta ggttggggtt 456 ttcaagttta tgctaaagtt tggctttttt tgagtacatt tatgtgtatc tttactggtc 516 ttacctcata gtccaagcta gattcgagct catttatgtg tatgatctat agtcacagaa 576 catctatgtg ttcgagctca tttatgtgtt tgaatatgaa tatgatgcta caaaagactt 636 ttttggcagg aggtggacag aagttctaag gtcgtgtctt cgactagctc aggtattctt 696 ggtggataat gttaaagttg tttgcttcta acatagtggt tcatttttct gtatggtttt 756 tcgatttatc tttcattttt tggacttaag tttgatgagc catgtttcat gtag gt tca gat gtt tta ccg caa gga aat gca gtt tca aaa gat acc tct aga 860 Ser Asp Val Leu Pro Gln Gly Asn Ala Val Ser Lys Asp Thr Ser Arg 110 115 ggg aat gca gac tca aaa gac acc tct aga caa ggg aat gca gat tca Gly Asn Ala Asp Ser Lys Asp Thr Ser Arg Gln Gly Asn Ala Asp Ser 125 aaa gaa gtc tca cgg tca aca ttt tct gcg gtt ttc agt aaa cca aaa Lys Glu Val Ser Arg Ser Thr Phe Ser Ala Val Phe Ser Lys Pro Lys 140 gtatggagca tcgtttttt ttttttgttc aacgtatgga gcctctatat tttgcaattt 1016 taaaactgtt ttggatgggt acttcttcat gatacgattt tgtaatctgt gttcaacag 1075 acg gat tot cag toa aag aaa goo ttt ggt aaa gaa ota gaa gat otg 1123 Thr Asp Ser Gln Ser Lys Lys Ala Phe Gly Lys Glu Leu Glu Asp Leu 155 165 gga tgt gaa agg agg aaa cac aag gct ggt aga aag cct gta aca agg 1171 Gly Cys Glu Arg Arg Lys His Lys Ala Gly Arg Lys Pro Val Thr Arg 175 ctg agc aac ggg tgg cgg ttg ttg cca gat gta ggg aaa gct gag cac Leu Ser Asn Gly Trp Arg Leu Leu Pro Asp Val Gly Lys Ala Glu His 190 195 agt gca aag cag ttt gat tct gga ctt aaa gaa tca aaa ggg aat aag 1267 Ser Ala Lys Gln Phe Asp Ser Gly Leu Lys Glu Ser Lys Gly Asn Lys 210 aaa tee aag gaa eet tat gga aag aaa agg eee atg gaa tet teg act 1315 Lys Ser Lys Glu Pro Tyr Gly Lys Lys Arg Pro Met Glu Ser Ser Thr 225 1363 240 gac acc agt ggc cat gaa act cct ag gttcgtttcc aactgtttct 1409

Asp Thr Ser Gly His Glu Thr Pro Ar

255 gctactagtt tgttgttttc tctaagggtt ctcaagttta ccactgctgg ttactgcaat 1469 tttgttgtga catgacaatc tggtacataa tagaatgaga tgtattgtaa ttgctcaact 1529 tetttetete atag g gag tgg tet tgg gaa aaa tet eea tea caa agt tea 1580 g Glu Trp Ser Trp Glu Lys Ser Pro Ser Gln Ser Ser 265 agg cgc cgt aag gtattettge ttacteeege tactgtatat ettgeaattg 1632 Arg Arg Arg Lys 275 cagtttttac gtagtcatta tagtccttaa gaaatttaca ccagcagaag catgactcat 1692 tttctaaacc ttcttgttat ctcccaacag aaaattttat gaattcctta aaaagacttc 1752 agttttcgaa cgtttgattc ctctctagat gaactgcagg atttatactt gccaggaaaa 1812 cttcctactt gactatatca tttatttggc ttctttaata ttgtctttac tccaactcat 1872 ttgttatgtt gtttttctta cttattgatg atattcccta aaaaaactat ag aaa tca 1930 gag gac aca gtg ata aat gtg gat gaa gaa gaa gct cag cct tca aca 1978 Glu Asp Thr Val Ile Asn Val Asp Glu Glu Glu Ala Gln Pro Ser Thr 280 285 gtg gcg gag caa gcg gct gaa ctg cct gaa gg gtaaatgtga cctattttct 2030 Val Ala Glu Gln Ala Ala Glu Leu Pro Glu Gl 295 300 ctttag c ctc att aag tta caa ctg gct ata tat aaa cta ata gtt gat 2079 y Leu Ile Lys Leu Gln Leu Ala Ile Tyr Lys Leu Ile Val Asp 305 310 aaa aca tgc agc tta cag gaa gat ata tgc tac cca aca ag gtaaatctat 2130 Lys Thr Cys Ser Leu Gln Glu Asp Ile Cys Tyr Pro Thr ArSe 320 325 330 ctcaagactg atctaggcta acttcctgta aatttgtaac cctcaaaaga tttaatgctt 2190 ggtgattcag ggatgatcct cactttgttc aagtttgtct taaagatctt gaatgccttg 2250 cacctcgaga atatctgaca tcgccggtta tgaatttcta catgaggtat tttttggagt 2310 gatagacttg ccatatatgt catcttatat tatgctagcg ctatttgcat gttatttata 2370 taactattgt cctgttttct tttggtag g ttc ttg cag cag cag ata tca tca 2423 g Phe Leu Gln Gln Gln Ile Ser S h 335 340 tcg aat caa atc tct gct gat tgt cac ttc ttt aat acc tat ttc tac 2471 r Ser Asn Gln Ile Ser Ala Asp Cys His Phe Phe Asn Thr Tyr Phe T 345 350

aag aag ctc agt gac gct gtt acg tac aag gtgattagaa aaatgtgatc 2 r Lys Lys Leu Ser Asp Ala Val Thr Tyr Lys 360 365	2521
ctttaaaaat aattatctgt tggcattctt gcgattcaaa tttttatcat tgttatttat 2	?581
gttaactggt ctatttatct tgtcctttca atgaaatag ggg aat gac aag gat 2 Gly Asn Asp Lys A 370	2 63 5
gcc ttc ttt gtg agg ttc agg cgg tgg tgg aag ggt att gat cta ttt 2 p Ala Phe Phe Val Arg Phe Arg Arg Trp Trp Lys Gly Ile Asp Leu P 375 380 385	2683
cgt aag gct tat att ttc ata cca ata cat gaa ga gtaagtatct 2 e Arg Lys Ala Tyr Ile Phe Ile Pro Ile His Glu 390 395	2728
ttccttttag cactctactt tcgatttttt cgcaagagtt ctcaagaatt cagattcttg 2	2788
taccatgttt cag t ctc cac tgg agc ctt gtg ata gtt tgc atc cct gat 2 r Leu His Trp Ser Leu Val Ile Val Cys Ile Pro Asp e 400s 405 410	838
aag aaa gat gaa tog ggg ttg act ata ott cao ott gat tot ota gga 2 Lys Lys Asp Glu Ser Gly Leu Thr Ile Leu His Leu Asp Ser Leu Gly 415 420 425	2886
ctt cac tcg aga aaa tca att gtt gaa aat gta aaa ag gtgagatgct 2 Leu His Ser Arg Lys Ser Ile Val Glu Asn Val Lys Ar 430 435	2934
aggggcttta cccgtgactt tatgttctca catgcttgac gttgtatgca tatggtttca 2	994
gttcataaaa ggaaaaatta ttacactggc ttgaaaatgt acgacattta ctagtttcta 3	054
tgtcaatttg ttgtag g ttt cta aaa gac gaa tgg aat tat ttg aat caa 3 g Phe Leu Lys Asp Glu Trp Asn Tyr Leu Asn Gln 440 445 450	3104
gat gac tat tee ttg gat etg eet ate tea gaa aaa gta tgg aaa aac 3 Asp Asp Tyr Ser Leu Asp Leu Pro Ile Ser Glu Lys Val Trp Lys Asn 455 460 465	3152
ctc cct cgt agg atc agc gaa gct gtt gtt cag gtcagtcttt taccttctta 3 Leu Pro Arg Arg Ile Ser Glu Ala Val Val Gln 470 475	205
atcccatgat tcaaggaact ttgtttatac ggtttcttcg gaaatatgat tatattcaga 3	265
cactagaacc acaggaagtt caattcgtct tatgatatta ttctctttgt gcaaccag 3	323
gtt ccg cag cag aaa aac gat ttt gat tgt ggt ccg ttt gtg ctc ttc 3 Val Pro Gln Gln Lys Asn Asp Phe Asp Cys Gly Pro Phe Val Leu Phe 480 485 490	371

ttc att aaa cgg ttc att gaa gag gcg cct caa agg ctg aaa agg aaa Phe Ile Lys Arg Phe Ile Glu Glu Ala Pro Gln Arg Leu Lys Arg Lys 495 500 505	3419
gac ctg gga atg gtgagtaatc tcaaactctt ttcctgatac cgaatcacat Asp Leu Gly Met 510	3471
atottottot tactottgto taaacttgtg tootcaatgt atocag tto gac aag Phe Asp Lys 515	3526
aag tgg ttt aga ccc gat gaa gcc tct gct ctg aga atc aaa atc cga Lys Trp Phe Arg Pro Asp Glu Ala Ser Ala Leu Arg Ile Lys Ile Arg 520 525 530	3574
aac acg ctc atc gag cta ttc cgt gtc agt gac cag aca gag taa Asn Thr Leu Ile Glu Leu Phe Arg Val Ser Asp Gln Thr Glu 535 540 545	3619
accagtacag atta	3633
<210> 22 <211> 546 <212> PRT <213> Arabidopsis thaliana	
<400> 22	
Met Thr Lys Arg Lys Lys Glu Val Ile Asp Val Asp Cys Ser Glu Lys 1 10 15	
Lys Asp Phe Val Ile Asp Trp Ser Ser Ala Met Asp Lys Glu Asp Glu 20 25 30	
Val Pro Glu Leu Glu Ile Val Asn Thr Thr Lys Pro Thr Pro Pro Pro 35 40 45	
Pro Pro Thr Phe Phe Ser Asp Asp Gln Thr Asp Ser Pro Lys Leu Leu 50 55 60	
Thr Asp Arg Asp Leu Asp Glu Gln Leu Glu Arg Lys Lys Ala Ile Leu 65 70 75 80	
Thr Leu Gly Pro Gly Leu Pro Asp Lys Gly Glu Lys Ile Arg Leu Lys 85 90 95	
Ile Ala Asp Leu Glu Glu Glu Lys Gln Arg Ser Asp Val Leu Pro Gln 100 105 110	
Gly Asn Ala Val Ser Lys Asp Thr Ser Arg Gly Asn Ala Asp Ser Lys 115 120 125	
Asp Thr Ser Arg Gln Gly Asn Ala Asp Ser Lys Glu Val Ser Arg Ser 130 135 140	
Thr Phe Ser Ala Val Phe Ser Lys Pro Lys Thr Asp Ser Gln Ser Lys	

145 150 155 Lys Ala Phe Gly Lys Glu Leu Glu Asp Leu Gly Cys Glu Arg Arg Lys 165 170 His Lys Ala Gly Arg Lys Pro Val Thr Arg Leu Ser Asn Gly Trp Arg 185 Leu Leu Pro Asp Val Gly Lys Ala Glu His Ser Ala Lys Gln Phe Asp Ser Gly Leu Lys Glu Ser Lys Gly Asn Lys Lys Ser Lys Glu Pro Tyr 215 Gly Lys Lys Arg Pro Met Glu Ser Ser Thr Tyr Ser Leu Ile Asp Asp 230 245 250 Thr Pro Arg Glu Trp Ser Trp Glu Lys Ser Pro Ser Gln Ser Ser Arg Arg Arg Lys Lys Ser Glu Asp Thr Val Ile Asn Val Asp Glu Glu Glu Ala Gln Pro Ser Thr Val Ala Glu Gln Ala Ala Glu Leu Pro Glu Gly 295 Leu Ile Lys Leu Gln Leu Ala Ile Tyr Lys Leu Ile Val Asp Lys Thr 315 Cys Ser Leu Gln Glu Asp Ile Cys Tyr Pro Thr ArSeg Phe Leu Gln 330 Gln Gln Ile Ser Sr Ser Asn Gln Ile Ser Ala Asp Cys His Phe Phe 340e Asn Thr Tyr Phe Tr Lys Lys Leu Ser Asp Ala Val Thr Tyr Lys Gly 360 Asn Asp Lys Ap Ala Phe Phe Val Arg Phe Arg Arg Trp Trp Lys Gly Ile Asp Leu Pe Arg Lys Ala Tyr Ile Phe Ile Pro Ile His Glu r Leu His Trp Ser Leu Val Ile Val Cys Ile Pro Asp Lys Lys Asp Glu 405 Ser Gly Leu Thr Ile Leu His Leu Asp Ser Leu Gly Leu His Ser Arg 420 425 Lys Ser Ile Val Glu Asn Val Lys Arg Phe Leu Lys Asp Glu Trp Asn 435 Tyr Leu Asn Gln Asp Asp Tyr Ser Leu Asp Leu Pro Ile Ser Glu Lys

445 450 455 460 Val Trp Lys Asn Leu Pro Arg Arg Ile Ser Glu Ala Val Val Gln Val 465 Pro Gln Gln Lys Asn Asp Phe Asp Cys Gly Pro Phe Val Leu Phe Phe 485 Ile Lys Arg Phe Ile Glu Glu Ala Pro Gln Arg Leu Lys Arg Lys Asp 505 Leu Gly Met Phe Asp Lys Lys Trp Phe Arg Pro Asp Glu Ala Ser Ala 515 Leu Arg Ile Lys Ile Arg Asn Thr Leu Ile Glu Leu Phe Arg Val Ser 530 Asp Gln Thr Glu <210> 23 <211> 1108 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (22)..(1107) <400> 23 aggagttaga gcatcatcaa g atg aag gca ctc att ctt gtt gga ggc ttc Met Lys Ala Leu Ile Leu Val Gly Gly Phe ggc act cgc ttg aga cca ttg act ctc agt ttc cca aag ccc ctt gtt 99 Gly Thr Arg Leu Arg Pro Leu Thr Leu Ser Phe Pro Lys Pro Leu Val 15 gat ttt gct aat aaa ccc atg atc ctt cat cag ata gag gct ctt aag Asp Phe Ala Asn Lys Pro Met Ile Leu His Gln Ile Glu Ala Leu Lys 30 gca gtt gga gtt gat gaa gtg gtt ttg gcc atc aat tat cag cca gag Ala Val Gly Val Asp Glu Val Val Leu Ala Ile Asn Tyr Gln Pro Glu 45 gtg atg ctg aac ttc ttg aag gac ttt gag acc aag ctg gaa atc aaa 243 Val Met Leu Asn Phe Leu Lys Asp Phe Glu Thr Lys Leu Glu Ile Lys 60 65 atc act tgc tca caa gag acc gag cca cta ggt acc gct ggt cct ctg Ile Thr Cys Ser Gln Glu Thr Glu Pro Leu Gly Thr Ala Gly Pro Leu 75 80 gct cta gcg aga gac aaa ttg ctt gat gga tct gga gag ccc ttc ttt Ala Leu Ala Arg Asp Lys Leu Leu Asp Gly Ser Gly Glu Pro Phe Phe

				95					100					105		
gtt Val	ctt Leu	aac Asn	agt Ser 110	gat Asp	gtg Val	att Ile	agt Ser	gag Glu 115	tac Tyr	cct Pro	ctt Leu	aaa Lys	gaa Glu 120	atg Met	ctt Leu	387
gag Glu	ttt Phe	cac His 125	aaa Lys	tct Ser	cac His	ggt Gly	ggg Gly 130	gaa Glu	gcc Ala	tcc Ser	ata Ile	atg Met 135	gta Val	aca Thr	aag Lys	435
gtg Val	gat Asp 140	gaa Glu	ccg Pro	tcg Ser	aaa Lys	tat Tyr 145	gga Gly	gtg Val	gtt Val	gtt Val	atg Met 150	gaa Glu	gaa Glu	agc Ser	act Thr	483
gga Gly 155	aga Arg	gtg Val	gag Glu	aag Lys	ttt Phe 160	gtg Val	gaa Glu	aag Lys	cca Pro	aaa Lys 165	ctg Leu	tat Tyr	gta Val	ggt Gly	aac Asn 170	531
aag Lys	atc Ile	aac Asn	gct Ala	ggg Gly 175	att Ile	tat Tyr	ctt Leu	ctg Leu	aac Asn 180	cca Pro	tct Ser	gtt Val	ctt Leu	gat Asp 185	aag Lys	579
att Ile	gag Glu	cta Leu	aga Arg 190	ccg Pro	act Thr	tca Ser	atc Ile	gaa Glu 195	aaa Lys	gag Glu	act Thr	ttc Phe	cct Pro 200	aag Lys	att Ile	627
gca Ala	gca Ala	gcg Ala 205	caa Gln	Gly aaa	ctc Leu	tat Tyr	gct Ala 210	atg Met	gtg Val	cta Leu	cca Pro	ggg Gly 215	ttt Phe	tgg Trp	atg Met	675
gac Asp	att Ile 220	ggg Gly	caa Gln	ccc Pro	cgt Arg	gac Asp 225	tac Tyr	ata Ile	acg Thr	ggt Gly	ttg Leu 230	aga Arg	ctc Leu	tac Tyr	tta Leu	723
gac Asp 235	tcc Ser	ctt Leu	agg Arg	aag Lys	Lys	tct Ser	cct Pro	gcc Ala	aaa Lys	tta Leu 245	acc Thr	agt Ser	Gly ggg	cca Pro	cac His 250	771
ata Ile	gtt Val	ggg Gly	aat Asn	gtt Val 255	ctt Leu	gtt Val	gac Asp	gaa Glu	acc Thr 260	gct Ala	aca Thr	att Ile	GJA GGG	gaa Glu 265	gga Gly	819
tgt Cys	ttg Leu	att Ile	gga Gly 270	cca Pro	gac Asp	gtt Val	gcc Ala	att Ile 275	ggt Gly	cca Pro	ggc Gly	tgc Cys	att Ile 280	gtt Val	gag Glu	867
tca Ser	gga Gly	gtc Val 285	aga Arg	ctc Leu	tcc Ser	cga Arg	tgc Cys 290	acg Thr	gtc Val	atg Met	cgt Arg	gga Gly 295	gtc Val	cgc Arg	atc Ile	915
aag Lys	aag Lys 300	cat His	gcg Ala	tgt Cys	atc Ile	tcg Ser 305	agc Ser	agt Ser	atc Ile	atc Ile	ggg Gly 310	tgg Trp	cac His	tca Ser	acg Thr	963
gtt Val 315	ggt Gly	caa Gln	tgg Trp	gcc Ala	agg Arg 320	atc Ile	gag Glu	aac Asn	atg Met	acg Thr 325	atc Ile	ctc Leu	ggt Gly	gag Glu	gat Asp 330	1011

gtt cat gtg agc gat gag atc tat agc aat gga gga gtt gtt ttg cca

Val His Val Ser Asp Glu Ile Tyr Ser Asp Gly Gly Val Val Leu Pro 335 cac aag gag atc aaa tca aac atc ttg aag cca gag ata gtg atg tga 1107 His Lys Glu Ile Lys Ser Asn Ile Leu Lys Pro Glu Ile Val Met 350 355 aa 1109 <210> 24 <211> 361 <212> PRT <213> Arabidopsis thaliana Met Lys Ala Leu Ile Leu Val Gly Gly Phe Gly Thr Arg Leu Arg Pro Leu Thr Leu Ser Phe Pro Lys Pro Leu Val Asp Phe Ala Asn Lys Pro 25 Met Ile Leu His Gln Ile Glu Ala Leu Lys Ala Val Gly Val Asp Glu Val Val Leu Ala Ile Asn Tyr Gln Pro Glu Val Met Leu Asn Phe Leu Lys Asp Phe Glu Thr Lys Leu Glu Ile Lys Ile Thr Cys Ser Gln Glu Thr Glu Pro Leu Gly Thr Ala Gly Pro Leu Ala Leu Ala Arg Asp Lys Leu Leu Asp Gly Ser Gly Glu Pro Phe Phe Val Leu Asn Ser Asp Val 105 Ile Ser Glu Tyr Pro Leu Lys Glu Met Leu Glu Phe His Lys Ser His 120 Gly Glu Ala Ser Ile Met Val Thr Lys Val Asp Glu Pro Ser Lys 135 140 Tyr Gly Val Val Wal Met Glu Glu Ser Thr Gly Arg Val Glu Lys Phe Val Glu Lys Pro Lys Leu Tyr Val Gly Asn Lys Ile Asn Ala Gly Ile Tyr Leu Leu Asn Pro Ser Val Leu Asp Lys Ile Glu Leu Arg Pro Thr 185 Ser Ile Glu Lys Glu Thr Phe Pro Lys Ile Ala Ala Ala Gln Gly Leu 200 205

Tyr Ala Met Val Leu Pro Gly Phe Trp Met Asp Ile Gly Gln Pro Arg 210 215 Asp Tyr Ile Thr Gly Leu Arg Leu Tyr Leu Asp Ser Leu Arg Lys Lys 230 Ser Pro Ala Lys Leu Thr Ser Gly Pro His Ile Val Gly Asn Val Leu Val Asp Glu Thr Ala Thr Ile Gly Glu Gly Cys Leu Ile Gly Pro Asp 265 Val Ala Ile Gly Pro Gly Cys Ile Val Glu Ser Gly Val Arg Leu Ser 280 Arg Cys Thr Val Met Arg Gly Val Arg Ile Lys Lys His Ala Cys Ile 295 Ser Ser Ser Ile Ile Gly Trp His Ser Thr Val Gly Gln Trp Ala Arg 310 Ile Glu Asn Met Thr Ile Leu Gly Glu Asp Val His Val Ser Asp Glu Ile Tyr Ser Asn Gly Gly Val Val Leu Pro His Lys Glu Ile Lys Ser 345 Asn Ile Leu Lys Pro Glu Ile Val Met <210> 25 <211> 1071 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (9)..(1055) <400> 25 tecaataa atg aaa gea act eta gea gea eee tet tet ete aca age ete 50 Met Lys Ala Thr Leu Ala Ala Pro Ser Ser Leu Thr Ser Leu cct tat cga acc aac tct tct ttc ggc tca aag tca tcg ctt ctc ttt Pro Tyr Arg Thr Asn Ser Ser Phe Gly Ser Lys Ser Ser Leu Leu Phe 20 25 cgg tct cca tcc tcc tcc tcc tca gtc tct atg acg aca acg cgt gga 146 Arg Ser Pro Ser Ser Ser Ser Ser Val Ser Met Thr Thr Arg Gly 35 aac gtg gct gtg gcg gct gct aca tcc act gag gcg cta aga aaa Asn Val Ala Val Ala Ala Ala Thr Ser Thr Glu Ala Leu Arg Lys 50 55

						aat Asn										242
tgg Trp	gga Gly 80	gat Asp	cat His	atg Met	cat His	cat His 85	ggc	ttt Phe	tat Tyr	gac Asp	cct Pro 90	gat Asp	tct Ser	tct Ser	gtt Val	290
caa Gln 95	ctt Leu	tct Ser	gat Asp	tct Ser	ggt Gly 100	cac His	aag Lys	gaa Glu	gct Ala	cag Gln 105	atc Ile	cgt Arg	atg Met	att Ile	gaa Glu 110	338
gag Glu	tct Ser	ctc Leu	cgt Arg	ttc Phe 115	gcc Ala	ggt Gly	gtt Val	act Thr	gat Asp 120	gaa Glu	gag Glu	gag Glu	gag Glu	aaa Lys 125	aag Lys	386
ata Ile	aag Lys	aaa Lys	gta Val 130	gtg Val	gat Asp	gtt Val	Gly ggg	tgt Cys 135	Gly ggg	att Ile	gga Gly	gga Gly	agc Ser 140	tca Ser	aga Arg	434
tat Tyr	ctt Leu	gcc Ala 145	tct Ser	aaa Lys	ttt Phe	gga Gly	gct Ala 150	gaa Glu	tgc Cys	att Ile	ggc Gly	att Ile 155	act Thr	ctc Leu	agc Ser	482
						gcc Ala 165										530
Ser 175	His	Lys	Ala	Ser	Phe 180	caa Gln	Val	Ala	Asp	Ala 185	Leu	Asp	Gln	Pro	Phe 190	578
Glu	Asp	Gly	Lys	Phe 195	Asp	cta Leu	Val	Trp	Ser 200	Met	Glu	Ser	Gly	Glu 205	His	626
atg Met	cct Pro	gac Asp	aag Lys 210	gcc Ala	aag Lys	ttt Phe	gta Val	aaa Lys 215	gag Glu	ttg Leu	gta Val	cgt Arg	Val	gcg Ala	gct Ala	674
								213					220			
Pro	Gly	Gly 225	Arg	Ile	Ile	ata Ile	Val 230	aca Thr	Trp	Cya	His	Arg 235	aat Asn	Leu	Ser	722
Pro gcg	ggg	Gly 225 gag	Arg	Ile gct	Ile ttg		Val 230 ccg	aca Thr	Trp	Суя	His aac	Arg 235 atc	aat Asn ttg	Leu	Ser	722
gcg Ala	ggg Gly 240	Gly 225 gag Glu aag	Arg gaa Glu acg	Ile gct Ala ttc	Ile ttg Leu	Ile cag Gln	Val 230 ccg Pro	aca Thr tgg Trp	Trp gag Glu tgg	Cys caa Gln tgc	His aac Asn 250	Arg 235 atc Ile	aat Asn ttg Leu	Leu gac Asp	Ser aaa Lys tat	

tgg tca gag aac gta gct cct ttc tgg cct gcg gtt ata cgg act gca Trp Ser Glu Asn Val Ala Pro Phe Trp Pro Ala Val Ile Arg Thr Ala 295 tta aca tgg aag ggc ctt gtg tct ctg ctt cgt agt ggt atg aaa agt 962 Leu Thr Trp Lys Gly Leu Val Ser Leu Leu Arg Ser Gly Met Lys Ser 310 att aaa gga gca ttg aca atg cca ttg atg att gaa ggt tac aag aaa 1010 Ile Lys Gly Ala Leu Thr Met Pro Leu Met Ile Glu Gly Tyr Lys Lys ggt gtc att aag ttt ggt atc atc act tgc cag aag cca ctc taa 1055 Gly Val Ile Lys Phe Gly Ile Ile Thr Cys Gln Lys Pro Leu 340 gtctaaagct atacta 1071 <210> 26 <211> 348 <212> PRT <213> Arabidopsis thaliana <400> 26 Met Lys Ala Thr Leu Ala Ala Pro Ser Ser Leu Thr Ser Leu Pro Tyr Arg Thr Asn Ser Ser Phe Gly Ser Lys Ser Ser Leu Leu Phe Arg Ser Pro Ser Ser Ser Ser Val Ser Met Thr Thr Arg Gly Asn Val Ala Val Ala Ala Ala Thr Ser Thr Glu Ala Leu Arg Lys Gly Ile Ala Glu Phe Tyr Asn Glu Thr Ser Gly Leu Trp Glu Glu Ile Trp Gly 70 Asp His Met His His Gly Phe Tyr Asp Pro Asp Ser Ser Val Gln Leu 90 Ser Asp Ser Gly His Lys Glu Ala Gln Ile Arg Met Ile Glu Glu Ser Leu Arg Phe Ala Gly Val Thr Asp Glu Glu Glu Lys Lys Ile Lys Lys Val Val Asp Val Gly Cys Gly Ile Gly Gly Ser Ser Arg Tyr Leu Ala Ser Lys Phe Gly Ala Glu Cys Ile Gly Ile Thr Leu Ser Pro Val 145 155 Gln Ala Lys Arg Ala Asn Asp Leu Ala Ala Ala Gln Ser Leu Ser His 165

Lys	Ala	Ser	Phe 180	Gln	Val	Ala	Asp	Ala 185	Leu	Asp	Gln	Pro	Phe 190	Ģlu	qeA	
Gly	Lys	Phe 195	Asp	Leu	Val	Trp	Ser 200	Met	Glu	Ser	Gly	Glu 205	His	Met	Pro	
Asp	Lys 210	Ala	Lys	Phe	Val	Lys 215	Glu	Leu	Val	Arg	Val 220	Ala	Ala	Pro	Gly	
Gly 225	Arg	Ile	Ile	Ile	Val 230	Thr	Trp	Cys	His	Arg 235	Asn	Leu	Ser	Ala	Gly 240	
Glu	Glu	Ala	Leu	Gln 245	Pro	Trp	Glu	Gln	Asn 250	Ile	Leu	Asp	Lys	11e 255	Суѕ	
Lys	Thr	Phe	Tyr 260	Leu	Pro	Ala	Trp	Cys 265	Ser	Thr	Asp	Asp	Tyr 270	Val	Asn	
Leu	Leu	Gln 275	Ser	His	Ser	Leu	Gln 280	Asp	Ile	Lys	Cys	Ala 285	Asp	Trp	Ser	
Glu	Asn 290	Val	Ala	Pro	Phe	Trp 295	Pro	Ala	Val	Ile	Arg 300	Thr	Ala	Leu	Thr	
Trp 305	Lys	Gly	Leu	Val	Ser 310	Leu	Leu	Arg	Ser	Gly 315	Met	Lys	Ser	Ile	Lys 320	
Gly	Ala	Leu	Thr	Met 325	Pro	Leu	Met	Ile	Glu 330	Gly	Tyr	Lys	Lys	Gly 335	Val	
Ile	Lys	Phe	Gly 340	Ile	Ile	Thr	Сув	Gln 345	Lys	Pro	Leu					
<21:	0> 2' 1> 7(2> DI 3> A:	8 8 AV	dops:	is tl	nalia	ana										
	0> 1> Cl 2> ()		(752)												
ag a	0> 2 atg a Met 1	aag	ttc a	aac (Asn '	gtt (Val ;	gcg a	aat (Asn)	cca a Pro '	act a	act (Thr (gga (Gly (tgc (Cys (cag a	aag a Lys 1	aag Lys 15	47
ctc Leu	gag Glu	atc Ile	gac Asp	gat Asp 20	gac Asp	cag Gln	aaa Lys	cta Leu	cgt Arg 25	gcg Ala	ttt Phe	tac Tyr	gac Asp	aag Lys 30	aga Arg	95
atc Ile	tct Ser	caa Gln	gaa Glu 35	gtc Val	agt Ser	gga Gly	gat Asp	gct Ala 40	ttg Leu	ggc Gly	gag Glu	gag Glu	ttc Phe 45	aaa Lys	gga Gly	143

tac Tyr	gtt Val	ttc Phe 50	aag Lys	atc Ile	aag Lys	ggt Gly	ggt Gly 55	tgc Cys	gat Asp	aag Lys	caa Gln	ggt Gly 60	ttc Phe	cca Pro	atg Met	191
aag Lys	cag Gln 65	gga Gly	gtt Val	ttg Leu	act Thr	cca Pro 70	ggc Gly	cgt Arg	gtt Val	cgc Arg	ctt Leu 75	ttg Leu	ctt Leu	cac His	cga Arg	239
gga Gly 80	act Thr	cct Pro	tgc Cys	ttc Phe	aga Arg 85	gga Gly	cat His	gga Gly	agg Arg	aga Arg 90	act Thr	ggt Gly	gag Glu	agg Arg	aga Arg 95	287
aga Arg	aag Lys	tct Ser	gtt Val	cgt Arg 100	ggt Gly	tgc Cys	att Ile	gtg Val	agc Ser 105	cct Pro	gat Asp	ctc Leu	tct Ser	gtt Val 110	ctg Leu	335
aac Asn	ctt Leu	gtc Val	att Ile 115	gtg Val	aag Lys	aag Lys	ggt Gly	gag Glu 120	aac Asn	gat Asp	ctt Leu	cct Pro	ggg Gly 125	ctt Leu	acc Thr	383
gat Asp	cat His	gag Glu 130	agc Ser	aag Lys	atg Met	aga Arg	gga Gly 135	cca Pro	aag Lys	aga Arg	gcc Ala	tcc Ser 140	aag Lys	atc Ile	cgt Arg	431
aaa Lys	ctg Leu 145	ttt Phe	aac Asn	ctc Leu	aag Lys	aag Lys 150	gaa Glu	gat Asp	gat Asp	gtc Val	agg Arg 155	acc Thr	tat Tyr	gtc Val	aac Asn	479
act Thr 160	tac Tyr	cgc Arg	cgc Arg	aag Lys	ttc Phe 165	aca Thr	aac Asn	aag Lys	aag Lys	ggc Gly 170	aag Lys	gaa Glu	gtt Val	agc Ser	aaa Lys 175	527
gcc Ala	cct Pro	aag Lys	atc Ile	cag Gln 180	agg Arg	ctt Leu	gtg Val	acc Thr	cca Pro 185	ttg Leu	act Thr	ctt Leu	cag Gln	agg Arg 190	aag Lys	575
aga Arg	gct Ala	aga Arg	att Ile 195	gct Ala	gac Asp	aag Lys	aag Lys	aag Lys 200	aaa Lys	att Ile	gct Ala	aag Lys	gct Ala 205	aat Asn	tct Ser	623
gat Asp	gct Ala	gct Ala 210	gat Asp	tac Tyr	cag Gln	aag Lys	ctt Leu 215	ctc Leu	gcc Ala	tcg Ser	agg Arg	ttg Leu 220	aag Lys	gaa Glu	cag Gln	671
cgt Arg	gac Asp 225	agg Arg	agg Arg	agt Ser	gag Glu	agt Ser 230	ttg Leu	gca Ala	aaa Lys	gag Glu	agg Arg 235	tcg Ser	aga Arg	ctc Leu	tct Ser	719
tct Ser 240	gct Ala	gct Ala	gcc Ala	aag Lys	ccc Pro 245	tct Ser	gtc Val	aca Thr	gct Ala	taa 250	aaaa	agctt	ga (gatto	ca	768

<210> 28 <211> 249 <212> PRT

<213> Arabidopsis thaliana

<400> 28

Met Lys Phe Asn Val Ala Asn Pro Thr Thr Gly Cys Gln Lys Lys Leu 1 5 10

Glu Ile Asp Asp Gln Lys Leu Arg Ala Phe Tyr Asp Lys Arg Ile $20 \hspace{1cm} 25 \hspace{1cm} 30$

Ser Gln Glu Val Ser Gly Asp Ala Leu Gly Glu Glu Phe Lys Gly Tyr 35 40 45

Val Phe Lys Ile Lys Gly Gly Cys Asp Lys Gln Gly Phe Pro Met Lys 50 60

Gln Gly Val Leu Thr Pro Gly Arg Val Arg Leu Leu Leu His Arg Gly 65 70 75 80

Thr Pro Cys Phe Arg Gly His Gly Arg Arg Thr Gly Glu Arg Arg 85 90 95

Lys Ser Val Arg Gly Cys Ile Val Ser Pro Asp Leu Ser Val Leu Asn 100 105 110

Leu Val Ile Val Lys Lys Gly Glu Asn Asp Leu Pro Gly Leu Thr Asp 115 120 125

His Glu Ser Lys Met Arg Gly Pro Lys Arg Ala Ser Lys Ile Arg Lys 130 135 140

Leu Phe Asn Leu Lys Lys Glu Asp Asp Val Arg Thr Tyr Val Asn Thr 145 150 155 160

Tyr Arg Arg Lys Phe Thr Asn Lys Lys Gly Lys Glu Val Ser Lys Ala 165 170 175

Pro Lys Ile Gln Arg Leu Val Thr Pro Leu Thr Leu Gln Arg Lys Arg 180 185 190

Ala Arg Ile Ala Asp Lys Lys Lys Ile Ala Lys Ala Asn Ser Asp 195 200 205

Ala Ala Asp Tyr Gln Lys Leu Leu Ala Ser Arg Leu Lys Glu Gln Arg 210 215 220

Asp Arg Arg Ser Glu Ser Leu Ala Lys Glu Arg Ser Arg Leu Ser Ser 225 230 235 240

Ala Ala Ala Lys Pro Ser Val Thr Ala 245

<210> 29

<211> 1201

<212> DNA

<213> Arabidopsis thaliana

```
<220>
<221> CDS
<222> (24)..(35)
<220>
<221> CDS
<222> (147) .. (187)
<220>
<221> CDS
<222> (283)..(383)
<220>
<221> CDS
<222> (689)..(833)
<220>
<221> CDS
<222> (916)..(1005)
<220>
<221> CDS
<222> (1103)..(1196)
<400> 29
cacgegggag ctcaacatca gcc atg gcg gaa cag gttactegat etgttetete
                                                                   55
                          Met Ala Glu Gln
                            1
ctctaagctt atcctcgttt tatgatctat tgatccttat tcactcaaat gattctaata 115
ctcttctctt ttctctgtca ctaattttca g act gag aaa gct ttt ctt aag
                                   Thr Glu Lys Ala Phe Leu Lys
                                                         10
cag cct aag gtc ttc ctt ag gtaattttgc gattcgattt ctctctgttc
                                                                   217
Gln Pro Lys Val Phe Leu Se
             15
tctattgttt cattgtattt aagttccaag ttgtttatat tgttcattgt ttctgattta 277
tcaag c tcg aag aaa tct gga aag gga aag aga cct gga aaa ggt gga
      r Ser Lys Lys Ser Gly Lys Gly Lys Arg Pro Gly Lys Gly Gly
                                 25
aac cgt ttc tgg aag aac att ggt ttg ggc ttc aag act cct cgt gaa
                                                                   373
Asn Arg Phe Trp Lys Asn Ile Gly Leu Gly Phe Lys Thr Pro Arg Glu
                             40
gcc att gat g gtatgtttaa gcttttaact cgttataata gataaggaac
                                                                   423
Ala Ile Asp G
     50
tcttggattg tgttgttcat atagtcgata gatttcaaat gctattttgt cttgtagaat 483
cttaagcttt ggtttagtga gttctgattc ttcagcttta tctggatcta cattactgtt 543
```


tcagt	gatgc	aaatg	ttat	c aç	taga	attt	ga	attaç	gtag	gat	gtcad	tg	attt	gaatat	603
gtgat	caagc	ttcat	agaa	a co	tgca	atcat	te	tctat	tata	cctt	taaq	gtc	agatt	ctcag	663
gttat	tgtgt (atttg	rtgtg	g aa	cag								tgc o Cys I		714
ttc a	ct gga hr Gly	act Thr	gtt Val 65	tcc Ser	att Ile	aga Arg	ggt Gly	cgt Arg 70	atc Ile	tta Leu	gct Ala	ggt Gly	act Thr 75	tgc Cys	762
cac a His S	gt gcg er Ala	aaa Lys 80	atg Met	cag Gln	agg Arg	acc Thr	att Ile 85	atc Ile	gtg Val	cga Arg	agg Arg	gat Asp 90	tac Tyr	ctt Leu	810
cac t	tt gtg he Val 95	aag Lys	aag Lys	tat Tyr	cag Gln	ag g Ar	gtaaa	attca	at ac	catto	ctcat	ac	ttcti	tcc	863
ataga	gtett a	acaca	ittga	it gt	ttaa	agaaa	a gta	aatat	cct	ttt	gtto	ett .		tat .Tyr	919
gag a Glu L	ag agg ys Arg	cat His 105	tca Ser	aac Asn	att Ile	ccg Pro	gct Ala 110	cat His	gtc Val	tca Ser	cca Pro	tgc Cys 115	ttc Phe	cgt Arg	967
gtt a Val L	ag gaa ys Glu 120	gga Gly	gac Asp	cat His	atc Ile	atc Ile 125	att Ile	ggc Gly	caa Gln	tgc Cys	ag q Ar	gtta	tgato	et	1015
gattc	aaacc	tacaa	atto	t ct	ccat	tgat	te	tgatt	atc	gtga	aattt	gt	tttga	tcttt	1075
ttgtt	tgtta a	atgat	tgat	a at	ttca	ag g g 130	cca Pro	ttg Leu	tcg Ser	aag Lys	aca Thr 135	gtg Val	agg Arg	ttc Phe	1127
Asn V	tg ttg al Leu 40	aag Lys	gtg Val	ata Ile	cca Pro 145	gct Ala	Gly ggg	tct Ser	tct Ser	tct Ser 150	tca Ser	ttt Phe	gga Gly	aag Lys	1175
aag g Lys A 155	ca ttc la Phe	act Thr	Gly	atg Met 160	taa	gctg	jc								1201
<210><211><212><213>	160	dopsi	s th	nalia	ına										
<400>															
Met A	la Glu	Gln	Thr 5		Lys	Ala	a Phe	Leu 10		Glr	n Pro	Ly:	s Va]		

Phe Leu Ser Ser Lys Lys Ser Gly Lys Gly Lys Arg Pro Gly Lys Gly Gly Asn Arg Phe Trp Lys Asn Ile Gly Leu Gly Phe Lys Thr Pro Arg Glu Ala Ile Asp Gly Ala Tyr Val Asp Lys Lys Cys Pro Phe Thr Gly Thr Val Ser Ile Arg Gly Arg Ile Leu Ala Gly Thr Cys His Ser Ala Lys Met Gln Arg Thr Ile Ile Val Arg Arg Asp Tyr Leu His Phe Val 90 Lys Lys Tyr Gln Arg Tyr Glu Lys Arg His Ser Asn Ile Pro Ala His 105 Val Ser Pro Cys Phe Arg Val Lys Glu Gly Asp His Ile Ile Gly Gln Cys Arg Pro Leu Ser Lys Thr Val Arg Phe Asn Val Leu Lys Val 135 Ile Pro Ala Gly Ser Ser Ser Phe Gly Lys Lys Ala Phe Thr Gly Met <210> 31 <211> 1790 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (23)..(1780) <400> 31 tgtgagtaat ttagcgaaaa cg atg ggt tcc atc gaa gaa gaa gca aga cct Met Gly Ser Ile Glu Glu Glu Ala Arg Pro ctc atc gaa gaa ggt tta att tta cag gaa gtg aaa ttg tat gct gaa 100 Leu Ile Glu Glu Gly Leu Ile Leu Gln Glu Val Lys Leu Tyr Ala Glu 15 gat ggt tca gtg gac ttt aat gga aac cca cca ttg aag gag aaa aca Asp Gly Ser Val Asp Phe Asn Gly Asn Pro Pro Leu Lys Glu Lys Thr gga aac tgg aaa gct tgt cct ttt att ctt ggt aat gaa tgt tgt gag Gly Asn Trp Lys Ala Cys Pro Phe Ile Leu Gly Asn Glu Cys Cys Glu

50

45

agg Arg	cta Leu 60	gct Ala	tac Tyr	tat Tyr	ggt Gly	att Ile 65	gct Ala	GJA aaa	aat Asn	tta Leu	atc Ile 70	act Thr	tac Tyr	ctc Leu	acc Thr	244
act Thr 75	aag Lys	ctt Leu	cac His	caa Gln	gga Gly 80	aat Asn	gtt Val	tct Ser	gct Ala	gct Ala 85	aca Thr	aac Asn	gtt Val	acc Thr	aca Thr 90	292
tgg Trp	caa Gln	Gly aaa	act Thr	tgt Cys 95	tat Tyr	ctc Leu	act Thr	cct Pro	ctc Leu 100	att Ile	gga Gly	gct Ala	gtt Val	ctg Leu 105	gct Ala	340
gat Asp	gct Ala	tac Tyr	tgg Trp 110	gga Gly	cgt Arg	tac Tyr	tgg Trp	acc Thr 115	atc Ile	gct Ala	tgt Cys	ttc Phe	tcc Ser 120	Gly ggg	att Ile	388
tat Tyr	ttc Phe	atc Ile 125	G]A aaa	atg Met	tct Ser	gcg Ala	tta Leu 130	act Thr	ctt Leu	tca Ser	gct Ala	tca Ser 135	gtt Val	ccg Pro	gca Ala	436
Leu	Lys 140	Pro	Ala	Glu	Cys	11e 145	Gly	Asp	Phe	Cys	Pro 150	Ser	Ala	acg Thr	Pro	484
Ala 155	Gln	Tyr	Ala	Met	Phe 160	Phe	Gly	Gly	Leu	Tyr 165	Leu	Ile	Ala	ctt Leu	Gly 170	532
Thr	Gly	Gly	Ile	Lys 175	Pro	Cys	Val	Ser	Ser 180	Phe	Gly	Ala	Asp	cag Gln 185	Phe	580
Asp	Asp	Thr	Asp 190	Ser	Arg	Glu	Arg	Val 195	Arg	Lys	Ala	Ser	Phe 200	ttt Phe	Asn	628
tgg Trp	ttt Phe	tac Tyr 205	ttc Phe	tcc Ser	atc Ile	aat Asn	att Ile 210	gga Gly	gca Ala	ctt Leu	gtg Val	tca Ser 215	tct Ser	agt Ser	ctt Leu	676
Leu	Val 220	Trp	Ile	Gln	Glu	Asn 225	Arg	Gly	Trp	Gly	Leu 230	Gly	Phe	ggg Gly	Ile	724
cca Pro 235	aca Thr	gtg Val	ttc Phe	atg Met	gga Gly 240	cta Leu	gcc Ala	att Ile	gca Ala	agt Ser 245	ttc Phe	ttc Phe	ttt Phe	ggc Gly	aca Thr 250	772
cct Pro	ctt Leu	tat Tyr	agg Arg	ttt Phe 255	cag Gln	aaa Lys	cct Pro	gga Gly	gga Gly 260	agc Ser	cct Pro	ata Ile	act Thr	cgg Arg 265	att Ile	820
tcc Ser	caa Gln	gtc Val	gtg Val 270	gtt Val	gct Ala	tcg Ser	ttc Phe	cgg Arg 275	aaa Lys	tcg Ser	tct Ser	gtc Val	aaa Lys 280	gtc Val	cct Pro	868
gaa	gac	gcc	aca	ctt	ctg	tat	gaa	act	caa	gac	aag	aac	tct	gct	att	916



|--|

Glu Asp Ala Thr Leu Leu Tyr Glu Thr Gln Asp Lys Asn Ser Ala Ile 290 gct gga agt aga aaa atc gag cat acc gat gat tgc cag tat ctt gac Ala Gly Ser Arg Lys Ile Glu His Thr Asp Asp Cys Gln Tyr Leu Asp 300 305 aaa gcc gct gtt atc tca gaa gaa tcg aaa tcc gga gat tat tcc 1012 Lys Ala Ala Val Ile Ser Glu Glu Glu Ser Lys Ser Gly Asp Tyr Ser 320 325 aac tcg tgg aga cta tgc acg gtt acg caa gtc gaa gaa ctc aag att Asn Ser Trp Arg Leu Cys Thr Val Thr Gln Val Glu Glu Leu Lys Ile 335 ctg atc cga atg ttc cca atc tgg gct tct ggt atc att ttc tca gct Leu Ile Arg Met Phe Pro Ile Trp Ala Ser Gly Ile Ile Phe Ser Ala 350 gta tac gca caa atg tcc aca atg ttt gtt caa caa ggc cga gcc atg 1156 Val Tyr Ala Gln Met Ser Thr Met Phe Val Gln Gln Gly Arg Ala Met 370 aac tgc aaa att gga tca ttc cag ctt cct cct gca gca ctc ggg aca 1204 Asn Cys Lys Ile Gly Ser Phe Gln Leu Pro Pro Ala Ala Leu Gly Thr 385 ttc gac aca gca agc gtc atc atc tgg gtg ccg ctc tac gac cgg ttc 1252 Phe Asp Thr Ala Ser Val Ile Ile Trp Val Pro Leu Tyr Asp Arg Phe 400 atc gtt ccc tta gca aga aag ttc aca gga gta gac aaa gga ttc act Ile Val Pro Leu Ala Arg Lys Phe Thr Gly Val Asp Lys Gly Phe Thr 415 420 gag ata caa aga atg gga att ggt ctg ttt gtc tct gtt ctc tgt atg 1348 Glu Ile Gln Arg Met Gly Ile Gly Leu Phe Val Ser Val Leu Cys Met 430 435 gca gct gca gct atc gtc gaa atc atc cgt ctc cat atg gcc aac gat 1396 Ala Ala Ala Ile Val Glu Ile Ile Arg Leu His Met Ala Asn Asp 450 ctt gga tta gtc gag tca gga gcc cca gtt ccc ata tcc gtc ttg tgg Leu Gly Leu Val Glu Ser Gly Ala Pro Val Pro Ile Ser Val Leu Trp 460 465 cag att cca cag tac ttc att ctc ggt gca gcc gaa gta ttc tac ttc 1492 Gln Ile Pro Gln Tyr Phe Ile Leu Gly Ala Ala Glu Val Phe Tyr Phe 475 480 atc ggt cag ctc gag ttc ttc tac gac caa tct cca gat gca atg aga 1540 Ile Gly Gln Leu Glu Phe Phe Tyr Asp Gln Ser Pro Asp Ala Met Arg 500 age ttg tgc agt gcc tta gct ctt ttg acc aat gca ctt ggt aac tac Ser Leu Cys Ser Ala Leu Ala Leu Leu Thr Asn Ala Leu Gly Asn Tyr

510 515 520 ttg age teg ttg ate etc acg etc gtg act tat ttt aca aca aga aat 1636 Leu Ser Ser Leu Ile Leu Thr Leu Val Thr Tyr Phe Thr Thr Arg Asn 525 530 ggg caa gaa ggt tgg att tcg gat aat ctc aat tca ggt cat ctc gat Gly Gln Glu Gly Trp Ile Ser Asp Asn Leu Asn Ser Gly His Leu Asp 545 550 tac ttc ttc tgg ctc ttg gct ggt ctt agc ctt gtg aac atg gcg gtt 1732 Tyr Phe Phe Trp Leu Leu Ala Gly Leu Ser Leu Val Asn Met Ala Val 560 565 tac ttc ttc tct gct gct agg tat aag caa aag aaa gct tcg tcg tag 1780 Tyr Phe Phe Ser Ala Ala Arg Tyr Lys Gln Lys Lys Ala Ser Ser 580 taatgctgtt a 1791 <210> 32 <211> 585 <212> PRT <213> Arabidopsis thaliana <400> 32 Met Gly Ser Ile Glu Glu Glu Ala Arg Pro Leu Ile Glu Glu Gly Leu Ile Leu Gln Glu Val Lys Leu Tyr Ala Glu Asp Gly Ser Val Asp Phe Asn Gly Asn Pro Pro Leu Lys Glu Lys Thr Gly Asn Trp Lys Ala Cys 40 Pro Phe Ile Leu Gly Asn Glu Cys Cys Glu Arg Leu Ala Tyr Tyr Gly Ile Ala Gly Asn Leu Ile Thr Tyr Leu Thr Thr Lys Leu His Gln Gly 75 Asn Val Ser Ala Ala Thr Asn Val Thr Thr Trp Gln Gly Thr Cys Tyr Leu Thr Pro Leu Ile Gly Ala Val Leu Ala Asp Ala Tyr Trp Gly Arg Tyr Trp Thr Ile Ala Cys Phe Ser Gly Ile Tyr Phe Ile Gly Met Ser 115 120 Ala Leu Thr Leu Ser Ala Ser Val Pro Ala Leu Lys Pro Ala Glu Cys 135 Ile Gly Asp Phe Cys Pro Ser Ala Thr Pro Ala Gln Tyr Ala Met Phe

150

145

Phe Gly Gly Leu Tyr Leu Ile Ala Leu Gly Thr Gly Gly Ile Lys Pro Cys Val Ser Ser Phe Gly Ala Asp Gln Phe Asp Asp Thr Asp Ser Arg 185 Glu Arg Val Arg Lys Ala Ser Phe Phe Asn Trp Phe Tyr Phe Ser Ile Asn Ile Gly Ala Leu Val Ser Ser Ser Leu Leu Val Trp Ile Gln Glu 215 Asn Arg Gly Trp Gly Leu Gly Phe Gly Ile Pro Thr Val Phe Met Gly 235 Leu Ala Ile Ala Ser Phe Phe Phe Gly Thr Pro Leu Tyr Arg Phe Gln 245 Lys Pro Gly Gly Ser Pro Ile Thr Arg Ile Ser Gln Val Val Ala Ser Phe Arg Lys Ser Ser Val Lys Val Pro Glu Asp Ala Thr Leu Leu 280 Tyr Glu Thr Gln Asp Lys Asn Ser Ala Ile Ala Gly Ser Arg Lys Ile Glu His Thr Asp Asp Cys Gln Tyr Leu Asp Lys Ala Ala Val Ile Ser Glu Glu Glu Ser Lys Ser Gly Asp Tyr Ser Asn Ser Trp Arg Leu Cys Thr Val Thr Gln Val Glu Glu Leu Lys Ile Leu Ile Arg Met Phe Pro 345 Ile Trp Ala Ser Gly Ile Ile Phe Ser Ala Val Tyr Ala Gln Met Ser 360 Thr Met Phe Val Gln Gln Gly Arg Ala Met Asn Cys Lys Ile Gly Ser Phe Gln Leu Pro Pro Ala Ala Leu Gly Thr Phe Asp Thr Ala Ser Val 395 Ile Ile Trp Val Pro Leu Tyr Asp Arg Phe Ile Val Pro Leu Ala Arg Lys Phe Thr Gly Val Asp Lys Gly Phe Thr Glu Ile Gln Arg Met Gly Ile Gly Leu Phe Val Ser Val Leu Cys Met Ala Ala Ala Ala Ile Val 440 Glu Ile Ile Arg Leu His Met Ala Asn Asp Leu Gly Leu Val Glu Ser 450 455 460

Gly Ala Pro Val Pro Ile Ser Val Leu Trp Gln Ile Pro Gln Tyr Phe 465 Ile Leu Gly Ala Ala Glu Val Phe Tyr Phe Ile Gly Gln Leu Glu Phe Phe Tyr Asp Gln Ser Pro Asp Ala Met Arg Ser Leu Cys Ser Ala Leu 500 505 Ala Leu Leu Thr Asn Ala Leu Gly Asn Tyr Leu Ser Ser Leu Ile Leu Thr Leu Val Thr Tyr Phe Thr Thr Arg Asn Gly Gln Glu Gly Trp Ile 530 Ser Asp Asn Leu Asn Ser Gly His Leu Asp Tyr Phe Phe Trp Leu Leu 555 Ala Gly Leu Ser Leu Val Asn Met Ala Val Tyr Phe Phe Ser Ala Ala 565 570 Arg Tyr Lys Gln Lys Lys Ala Ser Ser 580 <210> 33 <211> 1984 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(1975) <400> 33 ttcaccgtcg gcttctcaa atg cag gat att ctc gga tcg gtt cgc cga tcc Met Gln Asp Ile Leu Gly Ser Val Arg Arg Ser 1 ttg gtt ttc cgg tcg tct ttg gcc gga gac gat ggt act agc ggc gga Leu Val Phe Arg Ser Ser Leu Ala Gly Asp Asp Gly Thr Ser Gly Gly ggt ctt agc gga ttc gtc ggg aag att aac tct agt atc cgt agc tct Gly Leu Ser Gly Phe Val Gly Lys Ile Asn Ser Ser Ile Arg Ser Ser 35 cga att ggg ctc ttt tct aag ccg cct cca ggg ctt cct gct cct aga 196 Arg Ile Gly Leu Phe Ser Lys Pro Pro Pro Gly Leu Pro Ala Pro Arg 50 aaa gaa gaa gcg ccg tcg att cgg tgg agg aaa ggg gaa tta atc ggt 244 Lys Glu Glu Ala Pro Ser Ile Arg Trp Arg Lys Gly Glu Leu Ile Gly tgc ggt gct ttt gga aga gtt tac atg gga atg aac ctc gat tcc ggc

C	:ys	Gly	Ala	Phe	Gly 80	Arg	Val	Tyr	Met	Gly 85	Met	Asn	Leu	Asp	Ser 90	Gly	
Ç	gag Slu	ctt Leu	ctt Leu	gca Ala 95	att Ile	aaa Lys	cag Gln	gtt Val	tta Leu 100	atc Ile	gct Ala	cca Pro	agc Ser	agt Ser 105	gct Ala	tca Ser	340
I	aag Lys	gag Glu	aag Lys 110	act Thr	cag Gln	ggt Gly	cac His	atc Ile 115	cga Arg	gag Glu	ctt Leu	gag Glu	gaa Glu 120	gaa Glu	gta Val	caa Gln	388
I	ett Leu	ctt Leu 125	aag Lys	aat Asn	ctt Leu	tca Ser	cat His 130	ccg Pro	aac Asn	atc Ile	gtt Val	aga Arg 135	tac Tyr	ttg Leu	ggt Gly	act Thr	436
1	ta /al 40	aga Arg	gag Glu	agt Ser	gat Asp	tcg Ser 145	ttg Leu	aat Asn	att Ile	ttg Leu	atg Met 150	gag Glu	ttt Phe	gtt Val	cct Pro	ggt Gly 155	484
Ç	gga Sly	tca Ser	ata Ile	tca Ser	tct Ser 160	ttg Leu	ttg Leu	gag Glu	aag Lys	ttt Phe 165	gga Gly	tct Ser	ttt Phe	cct Pro	gag Glu 170	cct Pro	532
,	gtg /al	att Ile	att Ile	atg Met 175	tac Tyr	aca Thr	aag Lys	caa Gln	ctt Leu 180	ctg Leu	ctt Leu	Gly ggg	ctg Leu	gaa Glu 185	tat Tyr	ctt Leu	580
I	cac	aac Asn	aat Asn 190	Gly aga	atc Ile	atg Met	cat His	cga Arg 195	gat Asp	att Ile	aag Lys	ggg Gly	gca Ala 200	aat Asn	att Ile	ttg Leu	628
į	gtc /al	gat Asp 205	aac Asn	aaa Lys	ggt Gly	tgc Cys	atc Ile 210	aga Arg	ctc Leu	gca Ala	gat Asp	ttt Phe 215	ggt Gly	gct Ala	tcc Ser	aag Lys	676
1	aaa Lys 220	gtt Val	gta Val	gag Glu	cta Leu	gct Ala 225	act Thr	gta Val	aat Asn	ggt Gly	gcc Ala 230	aaa Lys	tct Ser	atg Met	aag Lys	ggg Gly 235	724
ć	acg Thr	cct Pro	tat Tyr	tgg Trp	atg Met 240	gct Ala	cct Pro	gaa Glu	gtc Val	att Ile 245	ctc Leu	cag Gln	act Thr	ggt Gly	cat His 250	agc Ser	772
1	ttc Phe	tct Ser	gct Ala	gat Asp 255	ata Ile	tgg Trp	agt Ser	gtt Val	ддд Glу 260	tgc Cys	act Thr	gtg Val	att Ile	gag Glu 265	atg Met	gct Ala	820
ć	acg Thr	ggg Gly	aag Lys 270	cct Pro	ccc Pro	tgg Trp	agc Ser	gag Glu 275	cag Gln	tat Tyr	cag Gln	cag Gln	ttt Phe 280	Ala	gct Ala	gtc Val	868
1	ctt Leu	cat His 285	att Ile	ggt Gly	aga Arg	aca Thr	aaa Lys 290	gct Ala	cat His	cct Pro	cca Pro	att Ile 295	cca Pro	gaa Glu	gac Asp	ctc Leu	916
1	tca Ser	cca Pro	gag Glu	gct Ala	aaa Lys	gac Asp	ttt Phe	cta Leu	atg Met	aaa Lys	tgc Cys	tta Leu	cac His	aaa Lys	gaa Glu	cca Pro	964

300	305	3	310	315
agc ttg aga ctc Ser Leu Arg Leu	tct gca acc g Ser Ala Thr G 320	aa ttg ctt o lu Leu Leu (325	cag cac ccg ttt g Gln His Pro Phe N	gtc act 1012 Val Thr 330
gga aag cgc cag Gly Lys Arg Gln 335	gaa cct tat c Glu Pro Tyr P	ca gct tac o Pro Ala Tyr ? 340	egt aat tot ott a Arg Asn Ser Leu 1 345	acg gaa 1060 Thr Glu
tgt gga aac cca Cys Gly Asn Pro 350	Ile Thr Thr G	aa gga atg a In Gly Met <i>I</i> 555	aat gtt cgg agt 1 Asn Val Arg Ser 9 360	tca ata 1108 Ser Ile
aat tcg ttg atc Asn Ser Leu Ile 365	agg agg tcg a Arg Arg Ser T 370	ca tgt tca (hr Cys Ser (ggc ttg aag gat g Gly Leu Lys Asp N 375	gtc tgt 1156 Val Cys
gaa ctg gga agc Glu Leu Gly Ser 380	ttg agg agt t Leu Arg Ser S 385	er Ile Ile ?	tac cca cag aag t Tyr Pro Gln Lys 9 390	tca aat 1204 Ser Asn 395
aac tca gga ttt Asn Ser Gly Phe	ggt tgg cga g Gly Trp Arg A 400	at gga gac (Asp Gly Asp (405	tct gat gac ctt (Ser Asp Asp Leu (tgt cag 1252 Cys Gln 410
acc gat atg gat Thr Asp Met Asp 415	gat ctc tgc a Asp Leu Cys A	ac att gaa 1 Asn Ile Glu 1 420	tca gtc aga aac a Ser Val Arg Asn 1 425	aat gtt 1300 Asn Val
ttg tca cag tcc Leu Ser Gln Ser 430	Thr Asp Leu A	ac aag agt 1 Asn Lys Ser 1 135	ttt aat ccc atg (Phe Asn Pro Met (440	tgt gat 1348 Cys Asp
tcc acg gat aac Ser Thr Asp Asn 445	tgg tct tgc a Trp Ser Cys L 450	ag ttt gat (ys Phe Asp (gaa agc cca aaa q Glu Ser Pro Lys \ 455	gtg atg 1396 Val Met
aaa agc aaa tct Lys Ser Lys Ser 460	aac ctg ctt t Asn Leu Leu S 465	Ser Tyr Gln A	gct tct caa ctc o Ala Ser Gln Leu (470	caa act 1444 Gln Thr 475
gga gtt cca tgt Gly Val Pro Cys	gat gag gaa a Asp Glu Glu T 480	cc agc tta a Chr Ser Leu 1 485	aca ttt gct ggt g Thr Phe Ala Gly (ggc tct 1492 Gly Ser 490
tcc gtt gca gag Ser Val Ala Glu 495	gat gat tat a Asp Asp Tyr L	aaa ggc aca q ys Gly Thr (500	gag ttg aaa ata a Glu Leu Lys Ile 1 505	aaa tca 1540 Lys Ser
ttt ttg gat gag Phe Leu Asp Glu 510	Lys Ala Gln A	gat ttg aaa a Asp Leu Lys a 615	agg ttg cag acc o Arg Leu Gln Thr 1 520	cct ctg 1588 Pro Leu
ctt gaa gaa ttc Leu Glu Glu Phe 525	cac aat gct a His Asn Ala M 530	itg aat cca (Met Asn Pro (gga ata ccc caa g Gly Ile Pro Gln (535	ggt gca 1636 Gly Ala

Ctt Leu 540	gga Gly	gac Asp	acc Thr	aat Asn	atc Ile 545	tac Tyr	aat Asn	tta Leu	cca Pro	aac Asn 550	tta Leu	cca Pro	agt Ser	ata Ile	agc Ser 555	1684	
			aaa Lys													1732	
gct Ala	atg Met	ccc Pro	agc Ser 575	cca Pro	ctc Leu	aaa Lys	agc Ser	tcc Ser 580	aaa Lys	cgt Arg	aca Thr	ctg Leu	aac Asn 585	aca Thr	agc Ser	1780	
aga Arg	gtg Val	atg Met 590	cag Gln	tca Ser	gga Gly	act Thr	gaa Glu 595	cca Pro	act Thr	caa Gln	gtc Val	aac Asn 600	gag Glu	tcg Ser	acc Thr	1828	
aag Lys	aag Lys 605	gga Gly	gta Val	aat Asn	aat Asn	agc Ser 610	cgt Arg	tgt Cys	ttc Phe	tca Ser	gag Glu 615	ata Ile	cgt Arg	cgg Arg	aag Lys	1876	
tgg Trp 620	gaa Glu	gaa Glu	gaa Glu	ctc Leu	tat Tyr 625	gaa Glu	gag Glu	ctt Leu	gag Glu	agg Arg 630	cat His	cga Arg	gag Glu	aat Asn	ctg Leu 635	1924	
			ggt Gly													1972	
tag	tgaa	acggo	:t													1984	

. <210> 34

<211> 651

<212> PRT

<213> Arabidopsis thaliana

<400> 34

Met Gln Asp Ile Leu Gly Ser Val Arg Arg Ser Leu Val Phe Arg Ser $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Ser Leu Ala Gly Asp Asp Gly Thr Ser Gly Gly Gly Leu Ser Gly Phe 20 25 30

Val Gly Lys Ile Asn Ser Ser Ile Arg Ser Ser Arg Ile Gly Leu Phe 35 40

Ser Lys Pro Pro Pro Gly Leu Pro Ala Pro Arg Lys Glu Glu Ala Pro 50 60

Ser Ile Arg Trp Arg Lys Gly Glu Leu Ile Gly Cys Gly Ala Phe Gly 65 70 75 80

Arg Val Tyr Met Gly Met Asn Leu Asp Ser Gly Glu Leu Leu Ala Ile 85 90 95

Lys Gln Val Leu Ile Ala Pro Ser Ser Ala Ser Lys Glu Lys Thr Gln Gly His Ile Arg Glu Leu Glu Glu Glu Val Gln Leu Leu Lys Asn Leu Ser His Pro Asn Ile Val Arg Tyr Leu Gly Thr Val Arg Glu Ser Asp 135 Ser Leu Asn Ile Leu Met Glu Phe Val Pro Gly Gly Ser Ile Ser Ser Leu Leu Glu Lys Phe Gly Ser Phe Pro Glu Pro Val Ile Ile Met Tyr 165 Thr Lys Gln Leu Leu Gly Leu Glu Tyr Leu His Asn Asn Gly Ile Met His Arg Asp Ile Lys Gly Ala Asn Ile Leu Val Asp Asn Lys Gly 200 Cys Ile Arg Leu Ala Asp Phe Gly Ala Ser Lys Lys Val Val Glu Leu Ala Thr Val Asn Gly Ala Lys Ser Met Lys Gly Thr Pro Tyr Trp Met Ala Pro Glu Val Ile Leu Gln Thr Gly His Ser Phe Ser Ala Asp Ile 245 Trp Ser Val Gly Cys Thr Val Ile Glu Met Ala Thr Gly Lys Pro Pro Trp Ser Glu Gln Tyr Gln Gln Phe Ala Ala Val Leu His Ile Gly Arg 280 Thr Lys Ala His Pro Pro Ile Pro Glu Asp Leu Ser Pro Glu Ala Lys Asp Phe Leu Met Lys Cys Leu His Lys Glu Pro Ser Leu Arg Leu Ser 315 Ala Thr Glu Leu Leu Gln His Pro Phe Val Thr Gly Lys Arg Gln Glu Pro Tyr Pro Ala Tyr Arg Asn Ser Leu Thr Glu Cys Gly Asn Pro Ile Thr Thr Gln Gly Met Asn Val Arg Ser Ser Ile Asn Ser Leu Ile Arg 355 360 Arg Ser Thr Cys Ser Gly Leu Lys Asp Val Cys Glu Leu Gly Ser Leu Arg Ser Ser Ile Ile Tyr Pro Gln Lys Ser Asn Asn Ser Gly Phe Gly 390

Trp Arg Asp Gly Asp Ser Asp Asp Leu Cys Gln Thr Asp Met Asp Asp Leu Cys Asn Ile Glu Ser Val Arg Asn Asn Val Leu Ser Gln Ser Thr 425 Asp Leu Asn Lys Ser Phe Asn Pro Met Cys Asp Ser Thr Asp Asn Trp 440 Ser Cys Lys Phe Asp Glu Ser Pro Lys Val Met Lys Ser Lys Ser Asn Leu Leu Ser Tyr Gln Ala Ser Gln Leu Gln Thr Gly Val Pro Cys Asp Glu Glu Thr Ser Leu Thr Phe Ala Gly Gly Ser Ser Val Ala Glu Asp 490 Asp Tyr Lys Gly Thr Glu Leu Lys Ile Lys Ser Phe Leu Asp Glu Lys 505 Ala Gln Asp Leu Lys Arg Leu Gln Thr Pro Leu Leu Glu Glu Phe His 520 Asn Ala Met Asn Pro Gly Ile Pro Gln Gly Ala Leu Gly Asp Thr Asn Ile Tyr Asn Leu Pro Asn Leu Pro Ser Ile Ser Lys Thr Pro Lys Arg 545 550 Leu Pro Ser Arg Arg Leu Ser Ala Ile Ser Asp Ala Met Pro Ser Pro 565 570 Leu Lys Ser Ser Lys Arg Thr Leu Asn Thr Ser Arg Val Met Gln Ser 580 Gly Thr Glu Pro Thr Gln Val Asn Glu Ser Thr Lys Lys Gly Val Asn 600 Asn Ser Arg Cys Phe Ser Glu Ile Arg Arg Lys Trp Glu Glu Glu Leu 615 Tyr Glu Glu Leu Glu Arg His Arg Glu Asn Leu Arg His Ala Gly Ala 635 Gly Gly Lys Thr Pro Leu Ser Gly His Lys Gly 645

<210> 35

<211> 1736

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1605)

<400> 35 atg ccc cct cct aag atg ctt cca cca acg gca agg gat tca gta gca Met Pro Pro Pro Lys Met Leu Pro Pro Thr Ala Arg Asp Ser Val Ala 1 10 ggg aca ggg ggt agt cca cca cct cca cct cca cca cca gct cgg tgg Gly Thr Gly Gly Ser Pro Pro Pro Pro Pro Pro Pro Pro Ala Arg Trp agg gta gcg ggg gga gga ttg gat aca aca cca ccg ccc cct Arg Val Ala Gly Glu Gly Leu Asp Thr Thr Pro Pro Pro Pro Pro 40 cca acg gca gat aca gtc gtg gcg gga agg acg agt tta ggt gag gcg 192 Pro Thr Ala Asp Thr Val Val Ala Gly Arg Thr Ser Leu Gly Glu Ala 50 55 ccc cct cct cgt cag cct cca cgt cct cca aca gca cgg tgg tca gcg Pro Pro Pro Arg Gln Pro Pro Arg Pro Pro Thr Ala Arg Trp Ser Ala atg ggc aga gtg atg tgc agt ccg ccg ata cca cta tcg cgg agt aga 288 Met Gly Arg Val Met Cys Ser Pro Pro Ile Pro Leu Ser Arg Ser Arg 90 cta gcg ctt gac gac caa cgt tgg ccg gat tgg aca acg aac ggt tgg 336 Leu Ala Leu Asp Asp Gln Arg Trp Pro Asp Trp Thr Thr Asn Gly Trp 100 105 cta agc atg aga ccg acg tcc tcg cca aca agg cga att gac cca caa 384 Leu Ser Met Arg Pro Thr Ser Ser Pro Thr Arg Arg Ile Asp Pro Gln 120 ggg gcc cga cga tcc tca gtg tca cca gcg ccg gtg aca acg ggg atg 432 Gly Ala Arg Arg Ser Ser Val Ser Pro Ala Pro Val Thr Thr Gly Met 135 gcc acc tct cgc act gac gat acg cta ata gag gca gag acc ggt cgc Ala Thr Ser Arg Thr Asp Asp Thr Leu Ile Glu Ala Glu Thr Gly Arg 150 155 gac tgg acg agg aaa cga atg gtc agg aaa ttg ctt aaa gca agg gcg 528 Asp Trp Thr Arg Lys Arg Met Val Arg Lys Leu Leu Lys Ala Arg Ala 165 170 aaa gac tac aag gag ggg gga att gcg gca tac ttt ggt tta cga gtg 576 Lys Asp Tyr Lys Glu Gly Gly Ile Ala Ala Tyr Phe Gly Leu Arg Val 180 ctg cga tgc tac tcg agg atc gta cga tcg atg aaa cgc cca ggc aac Leu Arg Cys Tyr Ser Arg Ile Val Arg Ser Met Lys Arg Pro Gly Asn 195 205 ttg aaa ttc acg tgc cgg agg gat gtg gca ata gcc acg ttc agc ggc Leu Lys Phe Thr Cys Arg Arg Asp Val Ala Ile Ala Thr Phe Ser Gly

	210					215					220					
aca Thr 225	ggc Gly	aga Arg	atg Met	cag Gln	ctg Leu 230	agt Ser	atg Met	aac Asn	agc Ser	cgt Arg 235	ttg Leu	cga Arg	gtc Val	gag Glu	agc Ser 240	720
ctc Leu	gtg Val	tcc Ser	gcg Ala	ggc Gly 245	cag Gln	agc Ser	gtg Val	gcg Ala	tca Ser 250	ttc Phe	tgc Cys	ctt Leu	ttc Phe	ctg Leu 255	ata Ile	768
tgc Cys	acg Thr	gcg Ala	ccc Pro 260	tcg Ser	gcg Ala	atg Met	cgg Arg	ctg Leu 265	gtt Val	agc Ser	ctt Leu	ctt Leu	aca Thr 270	ctg Leu	acc Thr	816
cca Pro	agc Ser	atg Met 275	acc Thr	tac Tyr	cta Leu	aca Thr	tgc Cys 280	Gly ggg	ctg Leu	gga Gly	tgg Trp	atg Met 285	acc Thr	gtc Val	gtc Val	864
gta Val	ctg Leu 290	ccg Pro	gcg Ala	ata Ile	gtg Val	gtc Val 295	cac His	tgt Cys	tat Tyr	atg Met	cgc Arg 300	cga Arg	cat His	acg Thr	gaa Glu	912
302 ggg	gga Gly	tgg Trp	cgg Arg	tat Tyr	gcg Ala 310	gca Ala	ctc Leu	gag Glu	gag Glu	cat His 315	aag Lys	acg Thr	gag Glu	ccg Pro	gga Gly 320	960
cga Arg	aat Asn	gaa Glu	aag Lys	atc Ile 325	acc Thr	cgg Arg	agt Ser	aga Arg	cgc Arg 330	aac Asn	tcg Ser	gcg Ala	ttc Phe	ggc Gly 335	GJA āāā	1008
ctg Leu	gtc Val	ggt Gly	cga Arg 340	aat Asn	aaa Lys	aga Arg	cga Arg	aag Lys 345	aag Lys	tcc Ser	aag Lys	gtc Val	tcc Ser 350	ggg Gly	gca Ala	1056
ccg Pro	aca Thr	gcg Ala 355	gtt Val	tac Tyr	aca Thr	gcg Ala	atg Met 360	ttt Phe	ttc Phe	atg Met	ttc Phe	tcc Ser 365	acg Thr	gca Ala	atc Ile	1104
aag Lys	ggg Gly 370	atg Met	gtg Val	gtg Val	tgc Cys	aca Thr 375	atg Met	aaa Lys	aaa Lys	aaa Lys	gtc Val 380	aaa Lys	aaa Lys	agt Ser	gcg Ala	1152
aat Asn 385	cgc Arg	aga Arg	ctc Leu	cgc Arg	cag Gln 390	ttg Leu	ctc Leu	cga Arg	tgg Trp	gcg Ala 395	cga Arg	tac Tyr	cac His	gcg Ala	aac Asn 400	1200
gcg Ala	ttc Phe	ttg Leu	ctc Leu	tgt Cys 405	tct Ser	ctt Leu	gca Ala	tgc Cys	gca Ala 410	cga Arg	ttc Phe	gcg Ala	gca Ala	tcg Ser 415	cga Arg	1248
acg Thr	gtc Val	atc Ile	cat His 420	tgc Cys	agt Ser	att Ile	tac Tyr	cca Pro 425	cgt Arg	ttc Phe	ggc Gly	ccc Pro	tta Leu 430	gcc Ala	acg Thr	1296
gtg Val	acg Thr	gcc Ala 435	ata Ile	tgt Cys	ttg Leu	ata Ile	cta Leu 440	cac His	acg Thr	tgt Cys	acg Thr	tac Tyr 445	cga Arg	cgt Arg	acg Thr	1344

Glu Ala Asp Thr 450	acg cga cac Thr Arg His 455	Glu Asn Asp	gac gcc cgg Asp Ala Arg 460	aag gtg atg 139 Lys Val Met	2
gaa gac atg gcc Glu Asp Met Ala 465	aaa cga atg Lys Arg Met 470	gac gat agt Asp Asp Ser	agc agt ggg Ser Ser Gly 475	agc acg ttg 144 Ser Thr Leu 480	0 ،
agc acg ctc acg Ser Thr Leu Thr	act gac gag Thr Asp Glu 485	acg tac cac Thr Tyr His 490	Thr Thr Thr	gag gtg acc 148 Glu Val Thr 495	8
gat ttt gat tca Asp Phe Asp Ser 500	tct cca tcg Ser Pro Ser	tgg gga cga Trp Gly Arg 505	tgc tca tcg Cys Ser Ser	cgg cgc ccg 153 Arg Arg Pro 510	6
ccg gcg ctg ctg Pro Ala Leu Leu 515	gaa tcg aca Glu Ser Thr	ttt cgg cga Phe Arg Arg 520	tcc ccg aga Ser Pro Arg 525	ggg tcg acg 158 Gly Ser Thr	;4
gga cga cga tgg Gly Arg Arg Trp 530			aggaacgttg ga	accgacagg 163	15
tggaccggtt tagg	gcagtt gacgg	taggg gttgcc	tgac cagcette	gac gctcgacagc 169	15
taaaaaaaac caaca	aaaaa aaaaa	aaaac aaaaaa	aaaa a	173	6
<210> 36 <211> 534 <212> PRT <213> Arabidops	is thaliana				
<211> 534 <212> PRT <213> Arabidops <400> 36					
<211> 534 <212> PRT <213> Arabidops		Pro Pro Thr		Ser Val Ala 15 .	
<211> 534 <212> PRT <213> Arabidops <400> 36 Met Pro Pro Pro	Lys Met Leu 5	10		15 .	
<211> 534 <212> PRT <213> Arabidops <400> 36 Met Pro Pro Pro 1 Gly Thr Gly Gly	Lys Met Leu 5 Ser Pro Pro	Pro Pro Pro 25	Pro Pro Pro	15 . Ala Arg Trp 30	
<211> 534 <212> PRT <213> Arabidops <400> 36 Met Pro Pro Pro 1 Gly Thr Gly Gly 20 Arg Val Ala Gly	Lys Met Leu 5 Ser Pro Pro Glu Gly Gly	Pro Pro Pro 25 Leu Asp Thr 40 Ala Gly Arg	Pro Pro Pro Thr Pro Pro 45	Ala Arg Trp 30 Pro Pro Pro	
<211> 534 <212> PRT <213> Arabidops <400> 36 Met Pro Pro Pro 1 Gly Thr Gly Gly 20 Arg Val Ala Gly 35 Pro Thr Ala Asp	Lys Met Leu 5 Ser Pro Pro Glu Gly Gly Thr Val Val	Pro Pro Pro 25 Leu Asp Thr 40 Ala Gly Arg	Pro Pro Pro Pro Thr Pro Pro 45 Thr Ser Leu 60	Ala Arg Trp 30 Pro Pro Pro Gly Glu Ala	
<211> 534 <212> PRT <213> Arabidops <400> 36 Met Pro Pro Pro 1 Gly Thr Gly Gly 20 Arg Val Ala Gly 35 Pro Thr Ala Asp 50 Pro Pro Pro Arg	Lys Met Leu 5 Ser Pro Pro Glu Gly Gly Thr Val Val 55 Gln Pro Pro 70	Pro Pro Pro 25 Leu Asp Thr 40 Ala Gly Arg	Pro Pro Pro Pro 45 Thr Pro Pro 45 Thr Ser Leu 60 Thr Ala Arg 75	Ala Arg Trp 30 Pro Pro Pro Gly Glu Ala Trp Ser Ala 80	

Leu Ser Met Arg Pro Thr Ser Ser Pro Thr Arg Arg Ile Asp Pro Gln Gly Ala Arg Arg Ser Ser Val Ser Pro Ala Pro Val Thr Thr Gly Met 135 Ala Thr Ser Arg Thr Asp Asp Thr Leu Ile Glu Ala Glu Thr Gly Arg 150 Asp Trp Thr Arg Lys Arg Met Val Arg Lys Leu Leu Lys Ala Arg Ala 165 Lys Asp Tyr Lys Glu Gly Gly Ile Ala Ala Tyr Phe Gly Leu Arg Val 185 Leu Arg Cys Tyr Ser Arg Ile Val Arg Ser Met Lys Arg Pro Gly Asn 200 Leu Lys Phe Thr Cys Arg Arg Asp Val Ala Ile Ala Thr Phe Ser Gly Thr Gly Arg Met Gln Leu Ser Met Asn Ser Arg Leu Arg Val Glu Ser 230 235 Leu Val Ser Ala Gly Gln Ser Val Ala Ser Phe Cys Leu Phe Leu Ile Cys Thr Ala Pro Ser Ala Met Arg Leu Val Ser Leu Leu Thr Leu Thr Pro Ser Met Thr Tyr Leu Thr Cys Gly Leu Gly Trp Met Thr Val Val 280 Val Leu Pro Ala Ile Val Val His Cys Tyr Met Arg Arg His Thr Glu Gly Gly Trp Arg Tyr Ala Ala Leu Glu Glu His Lys Thr Glu Pro Gly Arg Asn Glu Lys Ile Thr Arg Ser Arg Arg Asn Ser Ala Phe Gly Gly Leu Val Gly Arg Asn Lys Arg Arg Lys Lys Ser Lys Val Ser Gly Ala 345 Pro Thr Ala Val Tyr Thr Ala Met Phe Phe Met Phe Ser Thr Ala Ile Lys Gly Met Val Val Cys Thr Met Lys Lys Lys Val Lys Lys Ser Ala Asn Arg Arg Leu Arg Gln Leu Leu Arg Trp Ala Arg Tyr His Ala Asn 390 Ala Phe Leu Cys Ser Leu Ala Cys Ala Arg Phe Ala Ala Ser Arg 405 410

Thr Val Ile His Cys Ser Ile Tyr Pro Arg Phe Gly Pro Leu Ala Thr Val Thr Ala Ile Cys Leu Ile Leu His Thr Cys Thr Tyr Arg Arg Thr Glu Ala Asp Thr Thr Arg His Glu Asn Asp Asp Ala Arg Lys Val Met 450 455 Glu Asp Met Ala Lys Arg Met Asp Asp Ser Ser Ser Gly Ser Thr Leu 475 Ser Thr Leu Thr Thr Asp Glu Thr Tyr His Thr Thr Thr Glu Val Thr 485 Asp Phe Asp Ser Ser Pro Ser Trp Gly Arg Cys Ser Ser Arg Arg Pro 505 Pro Ala Leu Leu Glu Ser Thr Phe Arg Arg Ser Pro Arg Gly Ser Thr 515 520 Gly Arg Arg Trp Arg Glu 530 <210> 37 <211> 508 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(77) <220> <221> CDS <222> (156)..(314) <220> <221> CDS <222> (374)..(493) <400> 37 gaagaaaatc tatcatc atg caa gtg gct gac ata tcc tta cag ggc gat 50 Met Gln Val Ala Asp Ile Ser Leu Gln Gly Asp gct aag aag ggt gcc aac ctc ttc aag gtacgaacag agcaaagatg 97 Ala Lys Lys Gly Ala Asn Leu Phe Lys 15 ccgctgaaaa ttctcacggc gcattctatc ccgcagaact tttctgacca ctttgtag acc cgc tgc gct cag tgc cac acc ctg aag gcc ggc gag ggc aac aag 203 Thr Arg Cys Ala Gln Cys His Thr Leu Lys Ala Gly Glu Gly Asn Lys 25 30

IIe	Gly	Pro	gag Glu 40	ctc Leu	cac His	ggt Gly	ctc Leu	Phe 45	ggc	cgc Arg	aag Lys	act Thr	ggt Gly 50	tcc Ser	gtc Val	251
gct Ala	ggc Gly	tac Tyr 55	tca Ser	tac Tyr	acc Thr	gac Asp	gcc Ala 60	aac Asn	aag Lys	cag Gln	aag Lys	ggt Gly 65	atc Ile	gag Glu	tgg Trp	299
	gac Asp 70				gtad	gtca	acg o	caco	eggaa	ag at	tgaa	aatgt	cco	ccga	gacc	354
ctc	geta	aac a	acgad	cacaç	Phe	gag Glu 75	туз	c cto	gaç u Glu	g aad 1 Asi	c ccc 1 Pro 80	Lys	g aaq s Lys	j tad	att r Ile	406
ccc Pro 85	ggt Gly	acc Thr	aag Lys	atg Met	gcc Ala 90	ttc Phe	ggt Gly	ggt Gly	ctc Leu	aag Lys 95	aag Lys	ccc Pro	aag Lys	gac Asp	cgc Arg 100	454
aac Asn	gac Asp	ctc Leu	atc Ile	acc Thr 105	ttc Phe	ctt Leu	gag Glu	gag Glu	gag Glu 110	acc Thr	aaa Lys	taa	gcgt	ctt	gct	503
acco	cc															508
<210 <211)> 38															
	2> PF 3> A1	RТ	dopsi	is tl	nalia	ana										
<213 <400	2> PF 3> Ai 0> 38	RT rabio					Leu	Gln	Gly 10	Asp	Ala	Lys	Lys	Gly 15	Ala	
<213 <400 Met 1	2> PF 3> An 0> 38 Gln	RT rabio 8 Val	Ala	Asp 5	Ile	Ser			10	Asp His				15		
<213 <400 Met 1 Asn	2> PF 3> An 0> 38 Gln Leu	Trabio Val	Ala Lys 20	Asp 5 Thr	Ile Arg	Ser Cys	Ala	Gln 25	10 Cys		Thr	Leu	Lys 30	15 Ala	Gly	
<213 <400 Met 1 Asn Glu	2> PF 3> An 0> 38 Gln Leu Gly	RT rabic B Val Phe Asn 35	Ala Lys 20 Lys	Asp 5 Thr	Ile Arg Gly	Ser Cys Pro	Ala Glu 40	Gln 25 Leu	10 Cys His	His	Thr Leu	Leu Phe 45	Lys 30 Gly	15 Ala Arg	Gly Lys	
<213 <400 Met 1 Asn Glu Thr	2> PF 3> An 3> An 0> 38 Gln Leu Gly Gly 50	RT rabic 3 Val Phe Asn 35	Ala Lys 20 Lys Val	Asp 5 Thr Ile Ala	Ile Arg Gly	Ser Cys Pro Tyr 55	Ala Glu 40 Ser	Gln 25 Leu Tyr	10 Cys His Thr	His Gly	Thr Leu Ala 60	Leu Phe 45 Asn	Lys 30 Gly Lys	15 Ala Arg Gln	Gly Lys Lys	
<213 <400 Met 1 Asn Glu Thr Gly 65	2> PR 3> Ar 3> Ar 3> 38 Gln Leu Gly 50	RT rabic 3 Val Phe Asn 35 Ser	Ala Lys 20 Lys Val	Asp 5 Thr Ile Ala Lys	Ile Arg Gly Gly Asp 70	Ser Cys Pro Tyr 55 Asp	Ala Glu 40 Ser	Gln 25 Leu Tyr	10 Cys His Thr	His Gly Asp Glu	Thr Leu Ala 60 Tyr	Leu Phe 45 Asn Leu	Lys 30 Gly Lys Glu	15 Ala Arg Gln Asn	Gly Lys Lys Pro 80	

```
<210> 39
<211> 5156
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (1)..(609)
<220>
<221> CDS
<222> (686)..(841)
<220>
<221> CDS
<222> (933)..(1040)
<220>
<221> CDS .
<222> (1130)..(1240)
<220>
<221> CDS
<222> (1341)..(2729)
<220>
<221> CDS
<222> (2772)..(2984)
<220>
<221> CDS
<222> (4112)..(4200)
<220>
<221> CDS
<222> (4241)..(4332)
<220>
<221> CDS
<222> (4478)..(4521)
<220>
<221> CDS
<222> (5088)..(5156)
<400> 39
atg gca ccg aca cca tct tct tca aga tca aat caa act caa tac acc
Met Ala Pro Thr Pro Ser Ser Ser Arg Ser Asn Gln Thr Gln Tyr Thr
tta atc aga act cca caa aca aaa caa cgt ctc aat ttc cac tca aaa
Leu Ile Arg Thr Pro Gln Thr Lys Gln Arg Leu Asn Phe His Ser Lys
                                 25
acc cca aac cca gac gga tct aaa gat cca tct cca ccg gag cat cca
Thr Pro Asn Pro Asp Gly Ser Lys Asp Pro Ser Pro Pro Glu His Pro
                             40
```

				Gly												192
tca Ser 65	cct Pro	tcg Ser	atc Ile	tta Leu	caa Gln 70	gtc Val	aac Asn	aca Thr	gat Asp	aat Asn 75	caa Gln	acg Thr	gta Val	cga Arg	gtc Val 80	240
aga Arg	gct Ala	gat Asp	gtt Val	ggg Gly 85	tac Tyr	aga Arg	gac Asp	ttc Phe	aca Thr 90	ctc Leu	gac Asp	ggt Gly	gtt Val	tct Ser 95	ttc Phe	288
tcg Ser	gag Glu	caa Gln	gaa Glu 100	ggt Gly	ctt Leu	gaa Glu	gag Glu	ttc Phe 105	tac Tyr	aag Lys	aag Lys	ttt Phe	ata Ile 110	gaa Glu	gag Glu	336
agg Arg	att Ile	aaa Lys 115	gga Gly	gtg Val	aaa Lys	gtt Val	ggg Gly 120	aat Asn	aaa Lys	tgc Cys	acg Thr	att Ile 125	atg Met	atg Met	tat Tyr	384
gga Gly	cct Pro 130	act Thr	ggt Gly	gct Ala	gga Gly	aag Lys 135	agt Ser	cat His	act Thr	atg Met	ttt Phe 140	ggt Gly	tgt Cys	GJA aaa	aaa Lys	432
gag Glu 145	cct Pro	Gly ggg	att Ile	gtg Val	tat Tyr 150	cgt Arg	tct Ser	ttg Leu	aga Arg	gat Asp 155	ata Ile	ttg Leu	gga Gly	gat Asp	tct Ser 160	480
Asp	Gln	Asp	Gly	gtt Val 165	Thr	Phe	Val	Gln	Val 170	Thr	Val	Leu	Glu	Val 175	Tyr	528
aat Asn	gag Glu	gag Glu	att Ile 180	tat Tyr	gat Asp	ctt Leu	ctt Leu	tcg Ser 185	act Thr	aat Asn	agt Ser	agt Ser	aac Asn 190	aat Asn	tta Leu	576
ggt Gly	att Ile	ggt Gly 195	tgg Trp	cct Pro	aaa Lys	gga Gly	gca Ala 200	agc Ser	act Thr	aag Lys	gtaa	aagti	ttc (tgat	tgata	629
acti	tagi	cat a	acatt	gaat	t gg	gcttt	caaag	g gto	gtgta	actt	tgti	tgtt	ttg (taca	ag gtg Val	688
agg Arg 205	ctt Leu	gaa Glu	gta Val	atg Met	ggg Gly 210	aaa Lys	aag Lys	gcg Ala	aaa Lys	aac Asn 215	gca Ala	agt Ser	ttt Phe	att Ile	tct Ser 220	736
ggg Gly	aca Thr	gag Glu	gct Ala	ggg Gly 225	aag Lys	att Ile	tct Ser	aaa Lys	gaa Glu 230	att Ile	gtc Val	aaa Lys	gtg Val	gag Glu 235	aaa Lys	784
cgg Arg	aga Arg	att Ile	gtg Val 240	aag Lys	agt Ser	aca Thr	ctt Leu	tgt Cys 245	aac Asn	gaa Glu	aga Arg	agt Ser	tct Ser 250	cgg Arg	agt Ser	832
cac	tgc	att	gtaa	agaad	ega t	ctto	cttga	at to	gatgt	tgtai	gca	atago	ettt			881

His Cys Ile 255

atg	cagct	ta t	ctct	gtt	t aa	actta	actaç	g tgt	iggtt	gtt	tcti	ttt	gta (_	ata e Ile	938
ctt Leu	gat Asp	gtg Val 260	cca Pro	act Thr	gtt Val	GJA aaa	gga Gly 265	aga Arg	ttg Leu	atg Met	ctt Leu	gtt Val 270	gac Asp	atg Met	gct Ala	986
ggt Gly	tct Ser 275	gaa Glu	aat Asn	ata Ile	gac Asp	caa Gln 280	gct Ala	Gly ggg	cag Gln	act Thr	gga Gly 285	ttt Phe	gaa Glu	gct Ala	aag Lys	1034
	caa Gln	gtaa	atgtt	tc d	ctcto	ctcaa	at tt	gtt	gatt	cta	actaa	aagt	tati	tgtaq	gtt	1090
atg	gatat	ca a	actga	actta	at at	ctct	catt	att	caad		act (Thr <i>l</i>		Lys :			1144
cag Gln	gga Gly	aat Asn	att Ile 300	gca Ala	ctg Leu	aag Lys	cga Arg	gtt Val 305	gtg Val	gaa Glu	tct Ser	ata Ile	gca Ala 310	aat Asn	gga Gly	1192
gat Asp	tct Ser	cat His 315	gta Val	ccc Pro	ttt Phe	aga Arg	gac Asp 320	agc Ser	aag Lys	ctg Leu	acc Thr	atg Met 325	ctt Leu	ctc Leu	cag Gln	1240
gtga	aaatt	ct t	gtto	catt	g tt	ttat	ctto	tgg	gaaaa	tgt	ttta	acgt	gtt g	gctt	ggtttt	1300
ctt	gaaga	ita t	ttag	gtgtt	g tt	teta	ttct	: cto	gaato	gcag		tct Ser 330			-	1355
gac Asp	aag Lys 335	tca Ser	aag Lys	att Ile	cta Leu	atg Met 340	atc Ile	ctg Leu	tgt Cys	gcg Ala	agc Ser 345	ccg Pro	gat Asp	cca Pro	aag Lys	1403
gaa Glu 350	atg Met	cac His	aag Lys	act Thr	ctc Leu 355	tgt Cys	act Thr	cta Leu	gag Glu	tat Tyr 360	ggg Gly	gca Ala	aaa Lys	gca Ala	aag Lys 365	1451
tgc Cys	ata Ile	gtt Val	cgt Arg	ggg Gly 370	tct Ser	cat His	act Thr	cca Pro	aac Asn 375	aaa Lys	gat Asp	aag Lys	tat Tyr	380 380	ggt Gly	1499
gat Asp	gag Glu	tct Ser	gct Ala 385	tct Ser	gct Ala	gtg Val	att Ile	ttg Leu 390	gga Gly	tca Ser	aga Arg	ata Ile	gct Ala 395	gcc Ala	atg Met	1547
gat Asp	gag Glu	ttc Phe 400	att Ile	atc Ile	aaa Lys	ctc Leu	cag Gln 405	tct Ser	gag Glu	aag Lys	aag Lys	caa Gln 410	aaa Lys	gaa Glu	aaa Lys	1595
gaa	agg	aat	gag	gca	caa	aag	cag	ctg	aaq	aaq	aag	gaa	gag	даа	att	1643

Glu	Arg 415	Asn	Glu	Ala	Gln	Lys 420	Gln	Leu	Lys	Lys	Lys 425	Glu	Glu	Glu	Val	
gct Ala 430	gct Ala	tta Leu	aga Arg	tct Ser	ctt Leu 435	tta Leu	aca Thr	cag Gln	agg Arg	gaa Glu 440	gct Ala	tgt Cys	gct Ala	acc Thr	aat Asn 445	1691
gaa Glu	gag Glu	gag Glu	ata Ile	aaa Lys 450	gag Glu	aaa Lys	gta Val	aac Asn	gag Glu 455	aga Arg	acc Thr	cag Gln	ctt Leu	ttg Leu 460	aag Lys	1739
tcg Ser	gaa Glu	cta Leu	gat Asp 465	aag Lys	aaa Lys	ctt Leu	gaa Glu	gaa Glu 470	tgc Cys	cga Arg	aga Arg	atg Met	gct Ala 475	gag Glu	gaa Glu	1787
ttt Phe	gtt Val	gag Glu 480	atg Met	gag Glu	aga Arg	agg Arg	aga Arg 485	atg Met	gag Glu	gaa Glu	agg Arg	ata Ile 490	gtt Val	cag Gln	cag Gln	1835
caa Gln	gag Glu 495	gaa Glu	ctg Leu	gag Glu	atg Met	atg Met 500	agg Arg	aga Arg	cgg Arg	tta Leu	gag Glu 505	gaa Glu	atc Ile	gag Glu	gtt Val	1883
gag Glu 510	ttc Phe	cgc Arg	cgc Arg	tca Ser	aat Asn 515	gga Gly	gga Gly	agt Ser	gtt Val	gat Asp 520	gaa Glu	act Thr	agt Ser	GJA aaa	ttt Phe 525	1931
gcc Ala	aaa Lys	aga Arg	ctc Leu	agg Arg 530	agt Ser	ctt Leu	tac Tyr	tct Ser	gat Asp 535	gat Asp	gat Asp	cct Pro	ggt Gly	atg Met 540	gtg Val	1979
aag Lys	tca Ser	atg Met	gac Asp 545	ctt Leu	gac Asp	atg Met	ggt Gly	gat Asp 550	cca Pro	gaa Glu	cct Pro	gtc Val	aag Lys 555	caa Gln	gtg Val	2027
tgg Trp	gga Gly	gct Ala 560	gtt Val	tca Ser	cac His	caa Gln	tca Ser 565	agc Ser	aac Asn	act Thr	att Ile	agt Ser 570	agc Ser	aac Asn	ttc Phe	2075
act Thr	aac Asn 575	ctt Leu	ttg Leu	caa Gln	ccg Pro	aag Lys 580	cct Pro	tca Ser	gag Glu	aat Asn	atg Met 585	ctt Leu	aca Thr	cag Gln	atg Met	2123
tat Tyr 590	cct Pro	gac Asp	cgg Arg	gta Val	tgc Cys 595	ttg Leu	agc Ser	act Thr	gtc Val	ttt Phe 600	gaa Glu	gaa Glu	gaa Glu	gaa Glu	gtt Val 605	2171
gaa Glu	gaa Glu	gag Glu	gaa Glu	gaa Glu 610	aaa Lys	gtg Val	ata Ile	gtc Val	gag Glu 615	gat Asp	aaa Lys	agc Ser	atc Ile	tgc Cys 620	ttg Leu	2219
ata Ile	aca Thr	aca Thr	cca Pro 625	atg Met	cct Pro	agt Ser	ttg Leu	aac Asn 630	tct Ser	gaa Glu	ggt Gly	ttg Leu	ggt Gly 635	aaa Lys	gag Glu	2267
aac Asn	tgc Cys	ttc Phe	aac Asn	ggt Gly	gca Ala	gat Asp	gac Asp	aag Lys	gaa Glu	tca Ser	gcc Ala	tcg Ser	tct Ser	aga Arg	agg Arg	2315

640	. 645		650	
ttg aga att caa Leu Arg Ile Gln 655	aac att ttc acc Asn Ile Phe Thr 660	ctt tgt ggc aat Leu Cys Gly Asn 665	cag aga gag ctg Gln Arg Glu Leu	2363
tct caa cac agt Ser Gln His Ser 670	gga cag gag gag Gly Gln Glu Glu 675	gat caa gcc aat Asp Gln Ala Asn 680	att gca tca cct Ile Ala Ser Pro 685	2411
gat aag aaa gac Asp Lys Lys Asp	aat cag ttc ttt Asn Gln Phe Phe 690	tct att acg aat Ser Ile Thr Asn 695	aag gcc gaa gca Lys Ala Glu Ala 700	2459
cta gca gta gaa Leu Ala Val Glu 705	gaa gca aag gaa Glu Ala Lys Glu	aac aat atc tca Asn Asn Ile Ser 710	gtc gat caa agg Val Asp Gln Arg 715	2507
gaa aac ggt cag Glu Asn Gly Gln 720	cta gat atc tat Leu Asp Ile Tyr 725	gtt aaa tgg gaa Val Lys Trp Glu	aca gct gct gat Thr Ala Ala Asp 730	2555
aac cct cga aag Asn Pro Arg Lys 735	ctc ata aca aca Leu Ile Thr Thr 740	ctg aga gtt aca Leu Arg Val Thr 745	aag gat gca aca Lys Asp Ala Thr	2603
cta gct gac ttg Leu Ala Asp Leu 750	agg aag ctt att Arg Lys Leu Ile 755	gag atc tac ctt Glu Ile Tyr Leu 760	gga tct gat aat Gly Ser Asp Asn 765	2651
cag gct ttt acc Gln Ala Phe Thr	ttt ctc aag ctc Phe Leu Lys Leu 770	ggg gta ata aac Gly Val Ile Asn 775	ttg aac caa caa Leu Asn Gln Gln 780	2699
gca caa aaa gct Ala Gln Lys Ala 785	ttt cat ttt tat Phe His Phe Tyr	ctg ttt gttatgc Leu Phe 790	tct gatcctaaat	2749
gcagttattt caato			a gtg gca aag gag n Val Ala Lys Glu 800	2801
aaa gaa tca aca Lys Glu Ser Thr 805	gtt caa gct acg Val Gln Ala Thr	agc cta cct ctc Ser Leu Pro Leu 810	tgc aac gga cac Cys Asn Gly His 815	2849
gca tac ctc gcc Ala Tyr Leu Ala 820	act ttg aga cca Thr Leu Arg Pro 825	Gly Lys Ser Ser	caa cat aaa agt Gln His Lys Ser 830	2897
ctt caa cct gca Leu Gln Pro Ala 835	agc cca ctt cca Ser Pro Leu Pro 840	ctt aat ccc ata Leu Asn Pro Ile 845		2945
gaa gtt acc ccc Glu Val Thr Pro 850	atc tca aaa gtg Ile Ser Lys Val 855	aca ccg aac cat Thr Pro Asn His 860	caa gttgatgaat Gln	2994

tttcatcacc caatctcgta gctcatctca gctccactcc attcatcact ctcagaagac 3054 attagtcgct atgtcttgtt ttctctattc ttcttttgtc tgtccaaagg tagcttttga 3114 aagatgtagc agcctttgtc tatttctctg tgttgagaaa aaaaaaactc ttatgtacga 3174 ccacttttgt agctatatat atgttctacg atgtttcagc agagtggtgt ttatcagaac 3234 gtataactgg tgtttcccaa aggatgctta gttctactta taacatatac ataagtagag 3294 agaatgetge agceacatag agetaettet tacetetete tgteattgta acatatggae 3354 aaattccaaa agccctattc aattccaacc ccaatatctt tatgatcatc atcataacgt 3414 gaacaccaaa aacaagggca aaaatttcaa aggctcttaa aaataacaat atcccggaag 3474 caaagattac ctgcaactgc aagggaaagc caagccctat tatagaaaag caacttcatt 3534 agttaagece tateteteaa tatgeteaca tgeatgeatt gaccaaatgt ettettttat 3594 ctacaggtac tcagtcactt tcttagttac acactagatt aactcaattc ttctgcaacc 3654 tcattatctc caaagtaaaa gaccactgtt attgatgttt ttatggataa tatatgatga 3714 ttcatcttta ttacattagc tgaatacaga acaacaacca attaactcaa ttattttgaa 3774 agatgtatgt agcctgtcta tttctcggtg ttgagaaaaa aaacgctatg tacgaccact 3834 ttcagcagtc aaagtgagtg actagagcca tcagcatgga gtgtttttca agttgtacaa 3894 caagatttgt caacaaagtc taaaactttc ttttattcga ccataatatg actgactagg 3954 cacgttggtt ttcgatatac agtttaaaag gttggagaag atgactagat gagataggtt 4014 ttcatatttt acttccacat cgaagtttta gagaacagaa agaggagaaa attgaagtac 4074 acatgagaca agttacactt taaagcttta ttaacag att ctt tta aaa aca gag 4129 Ile Leu Leu Lys Thr Glu 865 act gag aga ttg gga gag gca gat tac att aac tct ctt tct ctc tct 4177 Thr Glu Arg Leu Gly Glu Ala Asp Tyr Ile Asn Ser Leu Ser Leu Ser 875 870 880 cac ttt ctc atc ttg ttc cca ag gttaaaaaaac aattcgagga catgtctttc 4230 His Phe Leu Ile Leu Phe Pro Ar 885 890 ctattttcag a gga gag agc cat cag cac cga atg ttg tct ttt cac tct g Gly Glu Ser His Gln His Arg Met Leu Ser Phe His Ser 900 cat caa act tot cot too cta tot toa ttt cot ott ott too aga goo 4328 His Gln Thr Ser Pro Ser Leu Ser Ser Phe Pro Leu Leu Ser Arg Ala 910 915 920

gat g gtaaggaget egaagtitet aatggeatee teat Asp A	tgcccag gccttgctgc	4382
agctgcagat tcatagctct gtggaacccg ttgggttgtg	g gcatgacgtg aaccacttga	4442
aaatagtcgg cttgagtggt tctcgcttgg ttcag ct g	gat gag cca ggt ctg gtg Asp Glu Pro Gly Leu Val 925	4497
ctt gat atc aca cct ctc ttt gag gtacttccat Leu Asp Ile Thr Pro Leu Phe Glu 930 935	ttcgagactc gtgctgcaaa	4551
tgaagccagc aaatcaaaac acacaaactt tctcatgtto	tgattcccta cttattctga	4611
gaattacttt ggatcattac aacaagagaa ataacaaca	aaactaacca cttccttggc	4671
agaagagggt atatcatcag aagatctgtg tctagagcga	a tcaccaagag cgccttggct	4731
tgaaacattt cgtctggtga atgcctcaat tgcacctgta	a aatetteete geaggteetg	4791
tccgactaaa cagaataggg aaagaagttc tcagtttgag	g atcttccact attcaacaat	4851
ttaattaaat ctctggacac aaattcaaaa tcttctaagg	g gaaacaacat atgaatgtta	4911
atatctgaag ggtcaagtga gatagtgcac gtttttcag	acccaaaatt gtcaacactg	4971
tctcataaat ttacaactta aaataaactt tttgatatat	t ctctttgtat tcgtccctcc	5031
aatataagag acagagaaca tcaatgtacc tgtaggcttt	t tcagctettt etgeag gtg Val	5090
gtc ctg gag ggt cca acg ctg gtc ttg gag ttg Val Leu Glu Gly Pro Thr Leu Val Leu Glu Leu 940 945	g gct gtt gta aat gat 1 Ala Val Val Asn Asp 950	5138
aga cac ata gca gga taa Arg His Ile Ala Gly 955 960		5156
<210> 40 <211> 959 <212> PRT <213> Arabidopsis thaliana		
<400> 40 Met Ala Pro Thr Pro Ser Ser Ser Arg Ser Ass 1 5 10	n Gln Thr Gln Tyr Thr 15	
Leu Ile Arg Thr Pro Gln Thr Lys Gln Arg Lev 20 25	u Asn Phe His Ser Lys 30	
Thr Pro Asn Pro Asp Gly Ser Lys Asp Pro Ser 35	r Pro Pro Glu His Pro 45	
Val Glu Val Ile Gly Arg Ile Arg Asp Tyr Pro	O Asp Arg Lys Glu Lys	

	50					55					60				
Ser 65	Pro	Ser	Ile	Leu	Gln 70	Val	Asn	Thr	Asp	Asn 75	Gln	Thr	Val	Arg	Val 80
Arg	Ala	Asp	Val	Gly 85	Tyr	Arg	Asp	Phe	Thr 90	Leu	Asp	Gly	Val	Ser 95	Phe
Ser	Glu	Gln	Glu 100	Gly	Leu	Glu	Glu	Phe 105	Tyr	Lys	Lys	Phe	Ile 110	Glu	Glu
Arg	Ile	Lys 115	Gly	Val	Lys	Val	Gly 120	Asn	Lys	Суѕ	Thr	Ile 125	Met	Met	Tyr
Gly	Pro 130	Thr	Gly	Ala	Gly	Lys 135	Ser	His	Thr	Met	Phe 140	Gly	Cys	Gly	Lys
Glu 145	Pro	Gly	Ile	Val	Tyr 150	Arg	Ser	Leu	Arg	Asp 155	Ile	Leu	Gly	qzA	Ser 160
Asp	Gln	Asp	Gly	Val 165	Thr	Phe	Val	Gln	Val 170	Thr	Val	Leu	Glu	Val 175	Tyr
Asn	Glu	Glu	Ile 180	Tyr	Asp	Leu	Leu	Ser 185	Thr	Asn	Ser	Ser	Asn 190	Asn	Leu
Gly	Ile	Gly 195	Trp	Pro	Lys	Gly	Ala 200	Ser	Thr	Lys	Val	Arg 205	Leu	Glu	Val
Met	Gly 210	Lys	Lys	Ala	Lys	Asn 215	Ala	Ser	Phe	Ile	Ser 220	Gly	Thr	Glu	Ala
Gly 225	Lys	Ile	Ser	Lys	Glu 230	Ile	Val	Lys	Val	Glu 235	Lys	Arg	Arg	Ile	Val 240
Lys	Ser	Thr	Leu	Cys 245	Asn	Glu	Arg	Ser	Ser 250	Arg	Ser	His	Cys	Ile 255	Ile
Ile	Leu	Asp	Val 260	Pro	Thr	Val	Gly	Gly 265	Arg	Leu	Met	Leu	Val 270	Asp	Met
Ala	Gly	Ser 275	Glu	Asn	Ile	Asp	Gln 280	Ala	Gly	Gln	Thr	Gly 285	Phe	Glu	Ala
Lys	Met 290	Gln	Thr	Ala	Lys	Ile 295	Asn	Gln	Gly	Asn	Ile 300	Ala	Leu	Lys	Arg
Val 305	Val	Glu	Ser	Ile	Ala 310	Asn	Gly	Asp	Ser	His 315	Val	Pro	Phe	Arg	Asp 320
Ser	Lys	Leu	Thr	Met 325	Leu	Leu	Gln	Asp	Ser 330	Phe	Glu	Asp	Asp	Lys 335	Ser
Lys	Ile	Leu	Met 340	Ile	Leu	Cys	Ala	Ser 345	Pro	Asp	Pro	Lys	Glu 350	Met	His
Lys	Thr	Leu	Cys	Thr	Leu	Glu	Tyr	Gly	Ala	Lys	Ala	Lys	Сув	Ile	Val

355 360 Arg Gly Ser His Thr Pro Asn Lys Asp Lys Tyr Gly Gly Asp Glu Ser 375 380 Ala Ser Ala Val Ile Leu Gly Ser Arg Ile Ala Ala Met Asp Glu Phe Ile Ile Lys Leu Gln Ser Glu Lys Lys Gln Lys Glu Lys Glu Arg Asn 410 Glu Ala Gln Lys Gln Leu Lys Lys Glu Glu Glu Val Ala Ala Leu Arg Ser Leu Leu Thr Gln Arg Glu Ala Cys Ala Thr Asn Glu Glu Glu Ile Lys Glu Lys Val Asn Glu Arg Thr Gln Leu Leu Lys Ser Glu Leu Asp Lys Lys Leu Glu Glu Cys Arg Arg Met Ala Glu Glu Phe Val Glu 470 Met Glu Arg Arg Met Glu Glu Arg Ile Val Gln Gln Glu Glu 485 Leu Glu Met Met Arg Arg Leu Glu Glu Ile Glu Val Glu Phe Arg Arg Ser Asn Gly Gly Ser Val Asp Glu Thr Ser Gly Phe Ala Lys Arg 520 Leu Arg Ser Leu Tyr Ser Asp Asp Pro Gly Met Val Lys Ser Met Asp Leu Asp Met Gly Asp Pro Glu Pro Val Lys Gln Val Trp Gly Ala Val Ser His Gln Ser Ser Asn Thr Ile Ser Ser Asn Phe Thr Asn Leu Leu Gln Pro Lys Pro Ser Glu Asn Met Leu Thr Gln Met Tyr Pro Asp 585 Arg Val Cys Leu Ser Thr Val Phe Glu Glu Glu Glu Val Glu Glu Glu 600 Glu Glu Lys Val Ile Val Glu Asp Lys Ser Ile Cys Leu Ile Thr Thr Pro Met Pro Ser Leu Asn Ser Glu Gly Leu Gly Lys Glu Asn Cys Phe 625 630 Asn Gly Ala Asp Asp Lys Glu Ser Ala Ser Ser Arg Arg Leu Arg Ile Gln Asn Ile Phe Thr Leu Cys Gly Asn Gln Arg Glu Leu Ser Gln His

660 665 670

Ser Gly Gln Glu Glu Asp Gln Ala Asn Ile Ala Ser Pro Asp Lys Lys 675 680 685

- Asp Asn Gln Phe Phe Ser Ile Thr Asn Lys Ala Glu Ala Leu Ala Val 690 695 700
- Glu Glu Ala Lys Glu Asn Asn Ile Ser Val Asp Gln Arg Glu Asn Gly
 705 710 715 720
- Gln Leu Asp Ile Tyr Val Lys Trp Glu Thr Ala Ala Asp Asn Pro Arg 725 730 735
- Lys Leu Ile Thr Thr Leu Arg Val Thr Lys Asp Ala Thr Leu Ala Asp 740 745 750
- Leu Arg Lys Leu Ile Glu Ile Tyr Leu Gly Ser Asp Asn Gln Ala Phe 755 760 765
- Thr Phe Leu Lys Leu Gly Val Ile Asn Leu Asn Gln Gln Ala Gln Lys 770 780
- Ala Phe His Phe Tyr Leu Phe Glu Pro Cys Gly Ala Gln Val Ala Lys 785 790 795 800
- Glu Lys Glu Ser Thr Val Gln Ala Thr Ser Leu Pro Leu Cys Asn Gly 805 810 815
- His Ala Tyr Leu Ala Thr Leu Arg Pro Gly Lys Ser Ser Gln His Lys 820 825 830
- Ser Leu Gln Pro Ala Ser Pro Leu Pro Leu Asn Pro Ile Glu Asn Met 835 840 845
- Met Glu Val Thr Pro Ile Ser Lys Val Thr Pro Asn His Gln Ile Leu 850 855 860
- Leu Lys Thr Glu Thr Glu Arg Leu Gly Glu Ala Asp Tyr Ile Asn Ser 865 870 875 880
- Leu Ser Leu Ser His Phe Leu Ile Leu Phe Pro Arg Gly Glu Ser His 885 890 895
- Gln His Arg Met Leu Ser Phe His Ser His Gln Thr Ser Pro Ser Leu 900 905 910
- Ser Ser Phe Pro Leu Leu Ser Arg Ala Asp Ala Asp Glu Pro Gly Leu 915 920 925
- Val Leu Asp Ile Thr Pro Leu Phe Glu Val Val Leu Glu Gly Pro Thr 930 935 940
- Leu Val Leu Glu Leu Ala Val Val Asn Asp Arg His Ile Ala Gly 945 950 955

```
<210> 41
<211> 6960
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (147)..(327)
<220>
<221> CDS
<222> (405)..(796)
<220>
<221> CDS
<222> (1426)..(1500)
<220>
<221> CDS
<222> (3486)..(3638)
<220>
<221> CDS
<222> (3754)..(3864)
<220>
<221> CDS
<222> (4030)..(4096)
<220>
<221> CDS
<222> (4252)..(4523)
<220>
<221> CDS
<222> (4732)..(4834)
<220>
<221> CDS
<222> (6735)..(6907)
<400> 41
cccaaaaagc ttgacctaac ggctatgttt tctttacttt caccataaat aagcacctct 60
tgaggttgca aacacacaca cacacacaca ctcacttcaa aagagttagt aagaagttgg 120
ggtttgatta acgttttgca tcggag atg ggt ttg gtc atg agg ttt gat ctt 173
                             Met Gly Leu Val Met Arg Phe Asp Leu
tac ctt atg ttt gtg atg ttg atg ggt tta ggg ttt acg ata tca aat
                                                                   221
Tyr Leu Met Phe Val Met Leu Met Gly Leu Gly Phe Thr Ile Ser Asn
10
                     15
                                         20
gga tac aag ttc tat gtt ggt ggg aaa gat ggt tgg gtc ccg act cct
                                                                   269
Gly Tyr Lys Phe Tyr Val Gly Gly Lys Asp Gly Trp Val Pro Thr Pro
```

	30								35					40		
tcc Ser	gaa Glu	gat Asp	tat Tyr 45	tct Ser	cat His	tgg Trp	tct Ser	cac His 50	cga Arg	aac Asn	cgg Arg	ttt Phe	caa Gln 55	gtc Val	aac Asn	317
		ctt Leu 60	c gt	aagi	ctat	t tto	cctct	tet	ctad	ctata	ata 1	taca	caat	gt		367
gtca	aatai	ta a	atgca	atag	ca at	etttg	gatti	: tta	acaaç					gcc Ala 65		421
gga Gly	aaa Lys	gat Asp	tca Ser 70	gtg Val	ttg Leu	gag Glu	gtg Val	act Thr 75	gaa Glu	caa Gln	gag Glu	tac Tyr	aac Asn 80	aca Thr	tgc Cys	469
aac Asn	acg Thr	aca Thr 85	cac His	ccc Pro	ctg Leu	act Thr	tcc Ser 90	ctc Leu	tca Ser	gac Asp	gga Gly	gac Asp 95	tct Ser	ctc Leu	ttc Phe	517
cta Leu	ctt Leu 100	agc Ser	cac His	tca Ser	ggt Gly	tcc Ser 105	tac Tyr	ttt Phe	ttc Phe	att Ile	agt Ser 110	ggc Gly	aac Asn	tct Ser	caa Gln	565
aac Asn 115	tgt Cys	ctt Leu	aaa Lys	ggt Gly	cag Gln 120	aag Lys	cta Leu	gcc Ala	gtc Val	aag Lys 125	gtc Val	ttg Leu	tcc Ser	acc Thr	gtc Val 130	613
cac His	cac His	agc Ser	cac His	tct Ser 135	cct Pro	cgt Arg	cat His	acc Thr	tct Ser 140	ccc Pro	tcc Ser	ccg Pro	tct Ser	ccg Pro 145	gtc Val	661
cat His	cag Gln	gag Glu	ttg Leu 150	tct Ser	tcg Ser	ccg Pro	Gly	cct Pro 155	tct Ser	cca Pro	gga Gly	gtg Val	gaa Glu 160	cca Pro	tca Ser	709
tct Ser	gat Asp	tca Ser 165	aac Asn	tct Ser	cgt Arg	gtt Val	cca Pro 170	gct Ala	cca Pro	gga Gly	ccg Pro	gct Ala 175	aca Thr	gct Ala	ccc Pro	757
aat Asn	tcg Ser 180	gcc Ala	ggt Gly	ttg Leu	gtt Val	ggt Gly 185	ccg Pro	ggg Gly	atg Met	gtg Val	gtt Val 190	ctt Leu	gtga	attat	ga	806
taaç	jttct	ct c	gtttt	gagg	gg gt	ttat	atat	tgt	cgct	agt	catt	aaat	itt g	gtgaç	ggtat	866
taat	tact	ct a	accat	tgag	jt tt	cata	ttta	tgt	gcct	ttt	tatt	tgta	atg t	ttga	agcat	926
ctto	gtaac	cc a	attt	taat	g tt	tccg	jctgt	cto	gtt	ttg	ttct	tact	aa a	agaaa	atatt	986
taaç	gatgt	tt t	tttc	gtatt	gat	taga	tgcg	aat	gttt	tta	tttt	gtgt	tt t	aatt	atgat	1046
caca	actaa	ita t	gaat	atat	ас	acga	atat	gta	gagt	tca	cata	gcto	at q	gcaat	aaaac	1106
ttct	ccac	cac a	aact	aaaa	at ct	tgtt	gaaa	cat	ataa	ata	gato	ttat	ac a	actt	ttgta	1166

catataagaa tggtttgaac aatttaactt taatcaatat attaaaccgg tacaccgaaa 1226 tccaatagag agaatatgtc aaggagttaa caaaaaaaat atactaccgc cgtctgtggg 1286 gategaacec aeggeetegt gggtaaaage caegegetet accaetgage taagaegget 1346 atatgacaaa aaatttaaat tatgttaatt attgtatgtt tttgcagatc aaattaccaa 1406 tgaaatagtt ggtatttag gtt gtt aac tca atc ata aag ccg att gac tct 1458 Val Val Asn Ser Ile Ile Lys Pro Ile Asp Ser 195 ttt ttg ttg aag agc ttg cct ctt gtt gtg gat gtg gct gtt 1500 Phe Leu Leu Lys Ser Leu Pro Leu Val Val Asp Val Ala Val 205 210 gtaagactaa taccagccct tgggtcgaaa gttgaaagtt tgattctgga tctctaatgt 1560 ctctagtatg gacgctcctg tttggaagtc ttttgtttgg aatatgatat agattcataa 1620 aaatgcgggt atctactacc atttgctatt gaccatcaaa aaaacaacaa agtctcttaa 1680 ctatcttaaa attttattag gagattttca tgcgactaga acaagatttt caagcagtgg 1740 atgataagac aaaactgata ggccaacaac ttgatgaaat gggcaatatt atgaaataat 1800 acacaagtat agcttccacc tccaaccacc taaggacctc taataaattt acccaccaaa 1860 ggtggtggga ctccgtcaca gagccgtgcc tcaaggcaaa agaaagaaac attcgcctac 1920 gtcctcaaat ttttgaaaaa aacttaggag catatatttt tacaagataa ctttagtttc 1980 ataggtttaa tattgacaaa tcacttacat ttacctaaat aataaaaata tagaattaaa 2040 aatagaaaaa tattcacaga ataaataaat aaaacagaac aaagcattat aaatttaggt 2100 taaagcattc gatatagaat tggttaaaaa aattaacttt gaatcttttg tcatatgaca 2160 atttattttt gtaaacactt ttacttctat tattataagc atctttgctt gtgaattggg 2220 gcaaatttca tttggccgcc tccggcaacc attgaccttg gcacggctct gctccgtcac 2280 ctcttatatt tgctgcaatg gcacagagaa gagaaattag ttgctggtgt tgatccctaa 2340 tatgtgctag ttcatcatct acatgtccaa atctaaatct catcccttct cctatcgcac 2400 ggacctgcaa gtgtagaaag caaaaacatc aacatatttt aataataatt acaaaacaca 2460 ttaggttctt aaacttatca aaactaatta cttcaaaaaa tatctttcta aaagttaata 2520 atccataaaa taaattttaa taagctctta ctaattaaac ataagataaa acaatattat 2640 taatttctca acaatcaaat gtggatagaa accaaaaaga taaaataaac tcggatgtca 2700

taggcccata a	tccagcctt ttctcaa	agc ttaaacgtaa	cgggctcggc cc	aaatttgg 27	760
tgtgttcatc a	tcttcccca caaaacc	taa ttttgtttct	tcagtagtac tg	tagcttca 28	320
gatgcaactc c	tcgaaaacc cgtagaa	ccg gcattgagcc	aatcgtttac at	tctctgat 28	380
tcatatcctt ag	gcgttttca gaaacaa	aat ggtgggttgg	aagaggaatt tg	cagactgt 29	940
tattcgtcaa g	ttggtagaa gagtgaa	gaa cagtcacatt	tctacagcaa at	tactcttc 30	000
ttctactcgg a	atttagaat ccccttt	ctc acaaggttga	ctttttgatc at	ttccgaaa 30	060
tctagtgtgt t	tcttagtgg gtctttc	aaa gggcatgtgt	tatctggtct to	gtgtttgt 31	120
gaattgtgtg t	ttgagttga gtttttt	tgc tggtgattat	aggttacttg ca	gagtetee 31	180
tgagaccatc c	tactcctcc agaccac	tgt atcatcatct	acaacaactg gt	aatgcatt 32	240
tgaatcgaca t	ttcttttgt gttttac	tga gattggagtt	tcttgtttcc tg	atatagca 33	300
aatttgttgc t	gcattgaaa aatcgaa	ttt caaaatttgg	gaagtgagaa tg	ttgctagt 33	360
gggagactat a	tctgttatc catgtga	att aggcgaagag	actcatcttt tg	gaactatg 34	120
cgtctctagt ca	aacttaggg acctgta	ctt tagggtatga	aatttcaatt tg	ggtatgtt 34	180
ttcag ggg ato Gly Ilo	c tct acc tcg aga e Ser Thr Ser Arg 220	caa ttg cag go Gln Leu Gln A 225	cg agt gaa gag la Ser Glu Glu	cct gta 35 Pro Val 230	530
Ser Ser Pro	ttg tca tct cca g Leu Ser Ser Pro A 235	ct ctg ttg ggt la Leu Leu Gly 240	agt gga aaa g Ser Gly Lys G 245	aa gaa 35 lu Glu	578
gag cag aag a Glu Gln Lys : 250	att atc cca aag c Ile Ile Pro Lys A 2	gt cag aaa gtt rg Gln Lys Val 55	cag gct gtc c Gln Ala Val L 260	tc aag 36 eu Lys	626
tct ata aag (Ser Ile Lys (265	cag gtgtcttctt ta Gln	actcctag aacag	tttta cttttcag	at 36	678
gatetgetee a	tttcgttta atatttt	tcc atctcaatct	agttatataa tg	tgcccaac 37	738
cttgcttgtt t	ser Pro Lys 1 270	aag gtc aac ct Lys Val Asn Le	g gtt gca gca u Val Ala Ala : 275	cta gtc 37 Leu Val	789
cgt ggc atg Arg Gly Met 2	cgt gtt gaa gat g Arg Val Glu Asp A 285	ct ttg atc caa la Leu Ile Gln 290	ttg cag gtc a Leu Gln Val T	ca gtc 38 hr Val 2 9 5	837
aaa cga gct (Lys Arg Ala	gca caa act gtg to Ala Gln Thr Val T 300	ac cgg gtaatct yr Arg	ctg agatccgagt	38	884

ata	actt	tcc t	tcat	ctaat	g at	acti	agca	a tad	caac	ttgt	tttg	gttaa	ata	caato	gcttaa	4004
aggi	agtta	aaa (tacai	tata	ac to	gcag	gtt Val 305	atc Ile	cac His	gct Ala	gcc Ala	cgg Arg 310	gca Ala	aat Asn	gct Ala	4056
act Thr	cat His 315	aac Asn	cat His	gga Gly	cta Leu	gat Asp 320	cct Pro	gac Asp	cgt Arg	ctc Leu	ctt Leu 325	gtt Val	g g A	tatgt	aaaa	4106
ctga	attct	tgg a	atcc	ctgat	t to	ctte	gttt	aca	attt	aaaa	agag	gaac	gtg	atatt	ttaga	4166
gagttcgccg attggtactt taaggaagca aacatgatat gccagaacga tgtatttcat														4226		
cta	agcti	tgt (gatai	gtga	at to	gcag	cg g la (gaa q Glu <i>l</i>	lla :	ttt g Phe V 330	gtt q /al (ggg a	aag Lys	gga d Gly I	etg Leu 335	4277
ttt Phe	Gly	aag Lys	aag Lys	gta Val 340	gct Ala	tac Tyr	cat His	gca Ala	aaa Lys 345	gga Gly	aga Arg	agc Ser	Gja	att Ile 350	ata Ile	4325
tca Ser	ata Ile	ccc Pro	cgg Arg 355	tgt Cys	cgc Arg	cta Leu	aca Thr	gtc Val 360	ata Ile	gtt Val	aga Arg	gag Glu	acg Thr 365	act Thr	cca Pro	4373
gag Glu	gaa Glu	gaa Glu 370	gct Ala	gag Glu	att Ile	gca Ala	agg Arg 375	ctc Leu	aaa Lys	gtt Val	cac His	aat Asn 380	ttt Phe	aag Lys	aag Lys	4421
aaa Lys	agc Ser 385	aaa Lys	cgg Arg	gag Glu	aga Arg	cag Gln 390	ctt Leu	gta Val	cca Pro	cac His	aag Lys 395	ctc Leu	atc Ile	gag Glu	aca Thr	4469
agt Ser 400	cca Pro	ata Ile	tgg Trp	aac Asn	cgc Arg 405	aga Arg	ggt Gly	acc Thr	aaa Lys	gcc Ala 410	aat Asn	cat His	cgg Arg	tcc Ser	tca Ser 415	4517
gag Glu	ttg Leu	gtad	eggto	gt d	ctcac	tagi	ta to	ettt	gttc	c cgo	caatt	gca	aca	agago	ett	4573
ctc	tgtta	atg (gtaaa	attgo	et t	ttti	tttt	g gti	tttg	gttt	gata	attgi	tat	tggaa	actcta	4633
tag	gacci	tgt 1	ttgci	tct	g ta	attca	aataa	a aca	atgt	tccc	agag	gagga	aaa	cttca	acttaa	4693
caa	aagc	gtc 1	tetgi	ttt	c to	cati	ctgt	t tt	ctgg			eu Tl			t ttg le Leu	4749
gat Asp	gta Val 425	act Thr	tgt Cys	gtt Val	gga Gly	aac Asn 430	atg Met	gaa Glu	aaa Lys	aat Asn	cgt Arg 435	ctg Leu	gat Asp	aat Asn	ttg Leu	4797
acg Thr 440	aat Asn	caa Gln	aac Asn	aac Asn	att Ile 445	tat Tyr	cat His	cat His	aat Asn	ccc Pro 450	gaa Glu	g gt G	cca	taatt	:	4844

tttatcagtt tgttccactt cttaatgcaa tttttggata ttaaaagaat aaatgaatga 4904 atatacatat gcattttgtt tgttgagaat atttatttag tcatttattt aagaaattta 4964 tattttaatt ttttattatt aatatgatat ttgttttgtc actatgttac aacataattc 5024 aattttaata tcattataat tgatagtaat aataataaat aacagtcaca ggcccctacc 5084 atcatcccaa aatgattcat gcaatttagt catcaaatac atacaatctt atatacaaaa 5144 gaatcacaca gcatgtataa actaatagta tagaaattcg attaaaaaat actcccaggc 5204 tagttttttc accttccatg aagaatagaa tcataagttt ggaaggaatt agaataagaa 5264 gacgaattcc atacatcttg gaacgtggga tgttgttgtc tgcttccctc accagtttcc 5324 aacaagtaag agetetteae teteteeaac aagettattt ceettteace accateetee 5384 actaatetee ettgtteeaa tatetgeace acttgtetea tetteggaeg eactetegga 5444 tcaggatgca cacacaacag tcctattctc agagccatct ccacttcctc gaccacgaac 5504 actccattcg cetttattct ctcgtctaaa ccatcaacca ctttgtcttt ctccattagt 5564 ccccatatec attecactat cccttetett cctteetta ttggcctect tccacacact 5624 acctccaaca caaacactcc aaagctatac acatcggttt gcgctgatgc tctccctgtc 5684 ttaaccaact caggcgccat ataacccgct gttccaacaa catgtgtcgt gctaaccatc 5744 tetttactag tgttetgeaa ettageeaac ecaaaateac etaccetege gtteatatee 5804 ttgtcaagca acacattgct tgactttata tctctatgta acacctttgt ctcccaccct 5864 togtgtagat acaacatooc tgaggotagg totottatoa ototoattot ttootoocaa 5924 ttcaacatct cgttacaatc aaatatccgc ttatcgacac ttccattctc catatactcg 5984 taaatcaata tcagactctc tcctcctttc ttagaccaac cttttagtcc aactatattc 6044 ttgtgtctca acctccctaa gctcgagacc tcagctaaga actcactcgt cgcgccaacg 6104 ctctctcgag gactcatcat tattctctta accgcaactt ctttaccttc caacactccc 6164 ctgtacactt tagaattccc tccgtatccg atcatgttct catcggaaaa cccttttgtt 6224 gcttccaaaa catctttgta ttgcactctg tgaggccaat actctgtttc ccaatcttcc 6284 acgtctcctt ctagtctctg ccttcgacgc cttacaacgt agaaacagag gagcccaata 6344 acagagacta acaacacaac accactagag accccagcaa tgaagccttt agacttcaaa 6404 acagagtcac ctgacaattt aaacgaaggt agattcctag tgatcaaagc atcaccaatg 6464 gagaaattgg agttactaaa actccatgag agaatcctat ggctctgcac tagttgtcct 6524

gtggaggcag tgaatccaac gaacatatca tcaagtaaga ctccagtgag atttaatgga 6584 atgcttatga gtggtcttat gggctttcta gagctagctc tagccatcgt gacattgatc 6644 gctgacccat taaactcgat ccacgcctga taattctcgc cactgttaag cttcagctcc 6704 gtgaatctct ggccgtctct gcctccatag aa acc tgc agt ttc aga tgc aac lu Thr Cys Ser Phe Arg Cys Asn gga agt gag aga att gac gtc gac gcc gac gtg gtt gtc gtt gat gtc 6805 Gly Ser Glu Arg Ile Asp Val Asp Ala Asp Val Val Val Val Asp Val 470 gtt gaa ctc ttg gtt agc gaa aac atc gaa ttc aac ggc gaa gat tcg 6853 Val Glu Leu Leu Val Ser Glu Asn Ile Glu Phe Asn Gly Glu Asp Ser 485 gct att ggg gtc acc gtt att ggt gaa gtt gaa gag gcc gag atg ctg 6901 Ala Ile Gly Val Thr Val Ile Gly Glu Val Glu Glu Ala Glu Met Leu 495 500 aga tga gcttgcggcg gaggtttcgg agaaaggaag gaagacgaag gcgaagccgt 6957 Arg ggc 6960 <210> 42 <211> 508 <212> PRT <213> Arabidopsis thaliana <400> 42 Met Gly Leu Val Met Arg Phe Asp Leu Tyr Leu Met Phe Val Met Leu Met Gly Leu Gly Phe Thr Ile Ser Asn Gly Tyr Lys Phe Tyr Val Gly Gly Lys Asp Gly Trp Val Pro Thr Pro Ser Glu Asp Tyr Ser His Trp 40 Ser His Arg Asn Arg Phe Gln Val Asn Asp Thr Leu His Phe Lys Tyr Ala Lys Gly Lys Asp Ser Val Leu Glu Val Thr Glu Gln Glu Tyr Asn Thr Cys Asn Thr Thr His Pro Leu Thr Ser Leu Ser Asp Gly Asp Ser Leu Phe Leu Leu Ser His Ser Gly Ser Tyr Phe Phe Ile Ser Gly Asn 100 105 Ser Gln Asn Cys Leu Lys Gly Gln Lys Leu Ala Val Lys Val Leu Ser 120 125

Thr Val His His Ser His Ser Pro Arg His Thr Ser Pro Ser Pro Ser 135 Pro Val His Gln Glu Leu Ser Ser Pro Gly Pro Ser Pro Gly Val Glu Pro Ser Ser Asp Ser Asn Ser Arg Val Pro Ala Pro Gly Pro Ala Thr 170 Ala Pro Asn Ser Ala Gly Leu Val Gly Pro Gly Met Val Val Leu Val 185 Val Asn Ser Ile Ile Lys Pro Ile Asp Ser Phe Leu Leu Lys Ser Leu Pro Leu Val Val Asp Val Ala Val Gly Ile Ser Thr Ser Arg Gln Leu 215 Gln Ala Ser Glu Glu Pro Val Ser Ser Pro Leu Ser Ser Pro Ala Leu 235 Leu Gly Ser Gly Lys Glu Glu Glu Lys Ile Ile Pro Lys Arg Gln 245 Lys Val Gln Ala Val Leu Lys Ser Ile Lys Gln Ser Pro Lys Lys Val 265 Asn Leu Val Ala Ala Leu Val Arg Gly Met Arg Val Glu Asp Ala Leu Ile Gln Leu Gln Val Thr Val Lys Arg Ala Ala Gln Thr Val Tyr Arg 290 295 Val Ile His Ala Ala Arg Ala Asn Ala Thr His Asn His Gly Leu Asp 315 Pro Asp Arg Leu Leu Val Ala Glu Ala Phe Val Gly Lys Gly Leu Phe Gly Lys Lys Val Ala Tyr His Ala Lys Gly Arg Ser Gly Ile Ile Ser 345 Ile Pro Arg Cys Arg Leu Thr Val Ile Val Arg Glu Thr Thr Pro Glu 360 Glu Glu Ala Glu Ile Ala Arg Leu Lys Val His Asn Phe Lys Lys Ser Lys Arg Glu Arg Gln Leu Val Pro His Lys Leu Ile Glu Thr Ser Pro Ile Trp Asn Arg Arg Gly Thr Lys Ala Asn His Arg Ser Ser Glu Leu Val Leu Thr Ile Ile Leu Asp Val Thr Cys Val Gly Asn Met Glu 420 425 430

Lys Asn Arg Leu Asp Asn Leu Thr Asn Gln Asn Asn Ile Tyr His His 440 Asn Pro Glu Glu Thr Cys Ser Phe Arg Cys Asn Gly Ser Glu Arg Ile Asp Val Asp Ala Asp Val Val Val Asp Val Val Glu Leu Leu Val 470 Ser Glu Asn Ile Glu Phe Asn Gly Glu Asp Ser Ala Ile Gly Val Thr 485 490 Val Ile Gly Glu Val Glu Glu Ala Glu Met Leu Arg 500 505 <210> 43 <211> 729 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (26)..(718) <400> 43 ctgcggcacc ggcgtcggag ttgcg atg ttc gcc aac aag ttc ccg ggc gtc 52 Met Phe Ala Asn Lys Phe Pro Gly Val 1 tac gca gcc act tgt ctc tcc gtc gaa gac gcc gtc aac gct cga tca Tyr Ala Ala Thr Cys Leu Ser Val Glu Asp Ala Val Asn Ala Arg Ser 10 ata agc aat tgc aat gtc ctc gca ttc tcc ggc atc aaa aca tcc ccg Ile Ser Asn Cys Asn Val Leu Ala Phe Ser Gly Ile Lys Thr Ser Pro 30 gaa acc gcc ttg gaa atc ttc gac gct tgg atc aaa act cct ttc aaa Glu Thr Ala Leu Glu Ile Phe Asp Ala Trp Ile Lys Thr Pro Phe Lys 45 50 tet eet tgt eet geg tee gga tee gaa eea tgg age tea gtt ate tet Ser Pro Cys Pro Ala Ser Gly Ser Glu Pro Trp Ser Ser Val Ile Ser 65 tee the etc gae aat tet etc tee gag atg tet cag att gga aag tea 292 Ser Phe Leu Asp Asn Ser Leu Ser Glu Met Ser Gln Ile Gly Lys Ser 80 acc gcc ggc gat tca aca acc aag aag atc gat gaa aca acc gcg tct 340 Thr Ala Gly Asp Ser Thr Thr Lys Lys Ile Asp Glu Thr Thr Ala Ser 100 tgc gta att tgc tgc ttg gcg aag aac aga gag ttc act cca gtg gac 388

Cys	Val	Ile	Cys	Cys 110	Leu	Ala	Lys	Asn	Arg 115	Glu	Phe	Thr	Pro	Val 120	Asp	
atc Ile	atg Met	ccg Pro	gga Gly 125	ggc	tcg Ser	atg Met	aag Lys	atc Ile 130	gtt Val	aga Arg	gag Glu	acg Thr	ccg Pro 135	acg Thr	tcg Ser	436
gcg Ala	att Ile	gta Val 140	aga Arg	ttc Phe	aaa Lys	gcg Ala	gga Gly 145	agt Ser	gtg Val	gaa Glu	ccg Pro	gcg Ala 150	cat His	cac His	cac His	484
aca Thr	ttc Phe 155	ggc Gly	cat His	gac Asp	ctt Leu	gta Val 160	gtc Val	ata Ile	aag Lys	gga Gly	aag Lys 165	aaa Lys	agt Ser	gtg Val	tgg Trp	532
aat Asn 170	ctg Leu	agc Ser	aag Lys	aag Lys	gag Glu 175	aga Arg	gct Ala	gat Asp	ctc Leu	gtt Val 180	gac Asp	ggc	gat Asp	tac Tyr	cta Leu 185	580
ttc Phe	act Thr	ccc Pro	gcc Ala	ggt Gly 190	gat Asp	gtt Val	cac His	cga Arg	gtc Val 195	aaa Lys	tat Tyr	cac His	gaa Glu	gac Asp 200	act Thr	628
gag Glu	ttc Phe	ttc Phe	atc Ile 205	act Thr	tgg Trp	gat Asp	ggc Gly	cat His 210	tgg Trp	gac Asp	ata Ile	ttc Phe	ctt Leu 215	gac Asp	gaa Glu	676
gac Asp	ctc Leu	gaa Glu 220	act Thr	gca Ala	aag Lys	aaa Lys	gcc Ala 225	atc Ile	gaa Glu	gaa Glu	gaa Glu	gct Ala 230	tga			718
aggt																729
<211 <212)> 44 L> 23 2> PI B> A1	30 RT	lops:	is tl	nalia	ana										
)> 44				_											
Met 1	Phe	Ala	Asn	Lys 5	Phe	Pro	Gly	Val	Tyr 10	Ala	Ala	Thr	Cys	Leu 15	Ser	
Val	Glu	Asp	Ala 20		Asn					Ser	Asn		Asn 30	Val	Leu	
Ala	Phe	Ser 35	Gly	Ile	Lys	Thr	Ser 40	Pro	Glu	Thr	Ala	Leu 45	Glu	Ile	Phe	
Asp	Ala 50	Trp	Ile	ГЛЗ	Thr	Pro 55	Phe	Lys	Ser	Pro	Cys 60	Pro	Ala	Ser	Gly	
Ser 65	Glu	Pro	Trp	Ser	Ser 70	Val	Ile	Ser	Ser	Phe 75	Leu	Asp	Asn	Ser	Leu 80	
Ser	Glu	Met	Ser	Gln 85	Ile	Gly	Lys	Ser	Thr 90	Ala	Gly	Asp	Ser	Thr 95	Thr	

Lys Lys Ile Asp Glu Thr Thr Ala Ser Cys Val Ile Cys Cys Leu Ala Lys Asn Arg Glu Phe Thr Pro Val Asp Ile Met Pro Gly Gly Ser Met 115 Lys Ile Val Arg Glu Thr Pro Thr Ser Ala Ile Val Arg Phe Lys Ala 135 Gly Ser Val Glu Pro Ala His His His Thr Phe Gly His Asp Leu Val 155 Val Ile Lys Gly Lys Lys Ser Val Trp Asn Leu Ser Lys Lys Glu Arg 170 Ala Asp Leu Val Asp Gly Asp Tyr Leu Phe Thr Pro Ala Gly Asp Val His Arg Val Lys Tyr His Glu Asp Thr Glu Phe Phe Ile Thr Trp Asp 200 Gly His Trp Asp Ile Phe Leu Asp Glu Asp Leu Glu Thr Ala Lys Lys 220 Ala Ile Glu Glu Glu Ala 225 <210> 45 <211> 1203 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(1193) <400> 45 aggaaagaga a atg act ata agg aac caa cga ttc tct ctt aaa caa 50 Met Thr Ile Arg Asn Gln Arg Phe Ser Leu Leu Lys Gln cct ata tcc tcc aca ctt aat cag cat tta gta gat tat cca acc ccg 98 Pro Ile Ser Ser Thr Leu Asn Gln His Leu Val Asp Tyr Pro Thr Pro 20 age aat ett agt tat tgg tgg ggg tte ggt eeg tta get ggt att tgt 146 Ser Asn Leu Ser Tyr Trp Trp Gly Phe Gly Pro Leu Ala Gly Ile Cys 35 tta gtc att cag ata gtg act ggc gtt ttt tta gct atg cat tac aca Leu Val Ile Gln Ile Val Thr Gly Val Phe Leu Ala Met His Tyr Thr cct cat gtg gat tta gct ttc aac agc gta gaa cac att atg aga gat

Pro	His	Val	Asp 65	Leu	Ala	Phe	Asn	Ser 70	Val	Glu	His	Ile	Met 75	Arg	Asp	
gtt Val	gaa Glu	ggg Gly 80	ggc Gly	tgg Trp	ttg Leu	ctc Leu	cgt Arg 85	tat Tyr	atg Met	cat His	gct Ala	aat Asn 90	ggg Gly	gca Ala	agt Ser	290
atg Met	ttt Phe 95	ctt Leu	att Ile	gtg Val	gtt Val	tac Tyr 100	ctt Leu	cat His	att Ile	ttt Phe	cgt Arg 105	ggt Gly	cta Leu	tat Tyr	cat His	338
														gtt Val		386
atc Ile	ttc Phe	cta Leu	tta Leu	atg Met 130	att Ile	gtg Val	aca Thr	gct Ala	ttt Phe 135	ata Ile	gga Gly	tat Tyr	gta Val	cta Leu 140	cct Pro	434
tgg Trp	ggt Gly	cag Gln	atg Met 145	agc Ser	ttt Phe	tgg Trp	gga Gly	gct Ala 150	aca Thr	gta Val	att Ile	aca Thr	agc Ser 155	tta Leu	gct Ala	482
agc Ser	gcc Ala	ata Ile 160	cct Pro	gta Val	gta Val	gga Gly	gat Asp 165	acc Thr	ata Ile	gtg Val	act Thr	tgg Trp 170	ctt Leu	tgg Trp	ggt Gly	530
ggt Gly	ttc Phe 175	tcc Ser	gtg Val	gac Asp	aat Asn	gcc Ala 180	acc Thr	tta Leu	aat Asn	cgt Arg	ttt Phe 185	ttt Phe	agt Ser	ctt Leu	cat His	578
cat His 190	tta Leu	ctc Leu	ccc Pro	ttt Phe	att Ile 195	tta Leu	gta Val	ggc Gly	gcc Ala	agt Ser 200	ctt Leu	ctt Leu	cat His	ctg Leu	gcc Ala 205	626
gca Ala	ttg Leu	cat His	caa Gln	tat Tyr 210	gga Gly	tca Ser	aat Asn	aat Asn	cca Pro 215	ttg Leu	ggt Gly	gta Val	cat His	tct Ser 220	gag Glu	674
atg Met	gat Asp	aaa Lys	ata Ile 225	gct Ala	ttt Phe	tac Tyr	cct Pro	tat Tyr 230	ttt Phe	tat Tyr	gtc Val	aag Lys	gat Asp 235	cta Leu	gtt Val	722
ggt Gly	tgg Trp	gta Val 240	gct Ala	ttt Phe	gct Ala	atc Ile	ttt Phe 245	ttt Phe	tct Ser	att Ile	tgg Trp	att Ile 250	ttt Phe	tat Tyr	gct Ala	770
cct Pro	aat Asn 255	gtt Val	ttg Leu	gga Gly	cat His	ccc Pro 260	gac Asp	aat Asn	tat Tyr	ata Ile	cct Pro 265	gct Ala	aat Asn	ccg Pro	atg Met	818
tcc Ser 270	acc Thr	ccg Pro	cct Pro	cat His	att Ile 275	gtg Val	ccg Pro	gaa Glu	tgg Trp	tat Tyr 280	ttc Phe	cta Leu	ccg Pro	atc Ile	cat His 285	866
gcc Ala	att Ile	ctt Leu	cgt Arg	agt Ser	ata Ile	cct Pro	gac Asp	aaa Lys	gcg Ala	gga Gly	ggt Gly	gta Val	gcc Ala	gca Ala	ata Ile	914

290 295 300 gca cca gtt ttt ata tgt ctc ttg gct tta cct ttt ttt aaa agt atg Ala Pro Val Phe Ile Cys Leu Leu Ala Leu Pro Phe Phe Lys Ser Met 305 310 tat gtg cgt agt tca agt ttt cga ccg att cac caa gga atg ttt tgg 1010 Tyr Val Arg Ser Ser Ser Phe Arg Pro Ile His Gln Gly Met Phe Trp 325 330 ttg ctt ttg gcg gat tgc tta cta cta ggt tgg atc gga tgt caa cct 1058 Leu Leu Leu Ala Asp Cys Leu Leu Gly Trp Ile Gly Cys Gln Pro 340 gtg gag gct cca ttt gtt act att gga caa att tct cct ttg gtt ttc 1106 Val Glu Ala Pro Phe Val Thr Ile Gly Gln Ile Ser Pro Leu Val Phe 355 ttc ttg ttc ttt gcc ata acg ccc att ctg gga cga gtt gga aga gga 1154 Phe Leu Phe Phe Ala Ile Thr Pro Ile Leu Gly Arg Val Gly Arg Gly 370 375 att cct aat tct tac acg gat gag act gat cac acc tga tcagtgaaaa 1203 Ile Pro Asn Ser Tyr Thr Asp Glu Thr Asp His Thr <210> 46 <211> 393 <212> PRT <213> Arabidopsis thaliana <400> 46 Met Thr Ile Arg Asn Gln Arg Phe Ser Leu Leu Lys Gln Pro Ile Ser Ser Thr Leu Asn Gln His Leu Val Asp Tyr Pro Thr Pro Ser Asn Leu Ser Tyr Trp Trp Gly Phe Gly Pro Leu Ala Gly Ile Cys Leu Val Ile 40 Gln Ile Val Thr Gly Val Phe Leu Ala Met His Tyr Thr Pro His Val Asp Leu Ala Phe Asn Ser Val Glu His Ile Met Arg Asp Val Glu Gly Gly Trp Leu Leu Arg Tyr Met His Ala Asn Gly Ala Ser Met Phe Leu 85 Ile Val Val Tyr Leu His Ile Phe Arg Gly Leu Tyr His Ala Ser Tyr 105 Ser Ser Pro Arg Glu Phe Val Trp Cys Leu Gly Val Val Ile Phe Leu 115 120

Leu Met Ile Val Thr Ala Phe Ile Gly Tyr Val Leu Pro Trp Gly Gln
130 135 140

Met Ser Phe Trp Gly Ala Thr Val Ile Thr Ser Leu Ala Ser Ala Ile 145 150 155 160

Pro Val Val Gly Asp Thr Ile Val Thr Trp Leu Trp Gly Gly Phe Ser 165 170 175

Val Asp Asn Ala Thr Leu Asn Arg Phe Phe Ser Leu His His Leu Leu 180 185 190

Pro Phe Ile Leu Val Gly Ala Ser Leu Leu His Leu Ala Ala Leu His 195 200 205

Gln Tyr Gly Ser Asn Asn Pro Leu Gly Val His Ser Glu Met Asp Lys 210 215 220

Ile Ala Phe Tyr Pro Tyr Phe Tyr Val Lys Asp Leu Val Gly Trp Val 225 230 235 240

Ala Phe Ala Ile Phe Phe Ser Ile Trp Ile Phe Tyr Ala Pro Asn Val 245 250 255

Leu Gly His Pro Asp Asn Tyr Ile Pro Ala Asn Pro Met Ser Thr Pro 260 265 270

Pro His Ile Val Pro Glu Trp Tyr Phe Leu Pro Ile His Ala Ile Leu 275 280 285

Arg Ser Ile Pro Asp Lys Ala Gly Gly Val Ala Ala Ile Ala Pro Val 290 295 300

Phe Ile Cys Leu Leu Ala Leu Pro Phe Phe Lys Ser Met Tyr Val Arg 305 310 315 320

Ser Ser Ser Phe Arg Pro Ile His Gln Gly Met Phe Trp Leu Leu Leu 325 330 335

Ala Asp Cys Leu Leu Cly Trp Ile Gly Cys Gln Pro Val Glu Ala 340 345 350

Pro Phe Val Thr Ile Gly Gln Ile Ser Pro Leu Val Phe Phe Leu Phe 355 360 365

Phe Ala Ile Thr Pro Ile Leu Gly Arg Val Gly Arg Gly Ile Pro Asn 370 375 380

Ser Tyr Thr Asp Glu Thr Asp His Thr 385 390

<210> 47

<211> 1194

<212> DNA

<213> Arabidopsis thaliana

<220> <221> CDS <222> (1)..(1194) <400> 47 atg aga aaa gtt tot too gta att tot gto gtt gat ooc gtt att tto 48 Met Arg Lys Val Ser Ser Val Ile Ser Val Val Asp Pro Val Ile Phe 10 cga gga aat tac gca gct aca ctc gat gtg tcg tat ccg gta ttc ccg 96 Arg Gly Asn Tyr Ala Ala Thr Leu Asp Val Ser Tyr Pro Val Phe Pro 25 caa aat aaa gat ggc cgt gca ctt cag aaa gtt ctc gga acc att cgt Gln Asn Lys Asp Gly Arg Ala Leu Gln Lys Val Leu Gly Thr Ile Arg aac gga gat ttg gct gtt tcg gct cct aaa aca agt ctt agg gca ggt 192 Asn Gly Asp Leu Ala Val Ser Ala Pro Lys Thr Ser Leu Arg Ala Gly 50 55 60 att ttc ggt gaa ggt tcc agc ttg gtc gat cag atg ccc tgt aaa gtt Ile Phe Gly Glu Gly Ser Ser Leu Val Asp Gln Met Pro Cys Lys Val tac gtg gcg ttc cac aaa gaa tca tac tgc tcg ctt acc ggg cta agc Tyr Val Ala Phe His Lys Glu Ser Tyr Cys Ser Leu Thr Gly Leu Ser 85 aaa cgc gga gtc gca ata aac gaa gca agt ctt tcc ctg gtc gga atc Lys Arg Gly Val Ala Ile Asn Glu Ala Ser Leu Ser Leu Val Gly Ile 100 110 act aaa gtt aga gcc ccc gtc gga aat acc gtt gga gcg gaa gca acc Thr Lys Val Arg Ala Pro Val Gly Asn Thr Val Gly Ala Glu Ala Thr 115 gta tac ata ggt agt cca aaa cct tat aca gag tgt agt act cca aat 432 Val Tyr Ile Gly Ser Pro Lys Pro Tyr Thr Glu Cys Ser Thr Pro Asn 135 140 aaa atg tat gcg gtt gca gct ggt ttc aag gtg gca agt ttc gcc gct Lys Met Tyr Ala Val Ala Ala Gly Phe Lys Val Ala Ser Phe Ala Ala 150 agt acg tgc gta cgt ccg cct gca cgt gca cgt cgt acg ctg acc gtg Ser Thr Cys Val Arg Pro Pro Ala Arg Ala Arg Arg Thr Leu Thr Val 165 acg tcg acc gtg acg ctg tct atg gca act ggt aaa tgc gta aat aca 576 Thr Ser Thr Val Thr Leu Ser Met Ala Thr Gly Lys Cys Val Asn Thr 185 gga aac gaa cca gta tct aaa cct aca gga gta cgt atg atg tta att Gly Asn Glu Pro Val Ser Lys Pro Thr Gly Val Arg Met Met Leu Ile 200

														aaa Lys		672
gcg Ala 225	ata Ile	gtt Val	tcc Ser	cgg Arg	cct Pro 230	gca Ala	aaa Lys	att Ile	ttc Phe	aat Asn 235	agc Ser	gta Val	gga Gly	aat Asn	tta Leu 240	720
														gaa Glu 255		768
gcc Ala	gct Ala	tat Tyr	atc Ile 260	aag Lys	ggt Gly	aga Arg	ctt Leu	tct Ser 265	cca Pro	atc Ile	gtt Val	aaa Lys	gca Ala 270	gaa Glu	aga Arg	816
att Ile	aaa Lys	gtt Val 275	ttg Leu	gtt Val	aaa Lys	gac Asp	gag Glu 280	cac His	gaa Glu	gaa Glu	gta Val	aaa Lys 285	gaa Glu	ctt Leu	ctt Leu	864
caa Gln	gaa Glu 290	ggt Gly	tac Tyr	gaa Glu	gaa Glu	atc Ile 295	gtc Val	ggt Gly	gag Glu	tct Ser	cca Pro 300	agt Ser	ttc Phe	aat Asn	tta Leu	912
gca Ala 305	caa Gln	gaa Glu	gcg Ala	tgg Trp	gaa Glu 310	aaa Lys	gct Ala	gaa Glu	aga Arg	cga Arg 315	gca Ala	aaa Lys	ggt Gly	cag Gln	tcc Ser 320	960
														tca Ser 335		1008
ggt Gly	gat Asp	ttc Phe	gaa Glu 340	aaa Lys	tca Ser	att Ile	aaa Lys	ctc Leu 345	tac Tyr	gaa Glu	gaa Glu	cct Pro	atg Met 350	ggt Gly	ttg Leu	1056
aaa Lys	gat Asp	act Thr 355	gat Asp	aag Lys	agc Ser	tat Tyr	ctg Leu 360	cga Arg	gaa Glu	cgt Arg	aga Arg	aaa Lys 365	aga Arg	gta Val	gag Glu	1104
gct Ala	act Thr 370	acg Thr	ttg Leu	cgt Arg	gca Ala	ccg Pro 375	ttc Phe	gtg Val	gtc Val	cag Gln	ctg Leu 380	acc Thr	gtg Val	cgt Arg	agt Ser	1152
cgt Arg 385	acg Thr	acg Thr	atg Met	atc Ile	gcc Ala 390	gtt Val	ggt Gly	gaa Glu	agc Ser	aac Asn 395	gca Ala	aac Asn	tga			1194

<210> 48

<211> 397

<212> PRT

<213> Arabidopsis thaliana

<400> 48

Met Arg Lys Val Ser Ser Val Ile Ser Val Val Asp Pro Val Ile Phe

1				5					10					15	
Arg	Gly	Asn	Туг 20	Ala	Ala	Thr	Leu	Asp 25	Val	Ser	Tyr	Pro	Val 30	Phe	Pro
Gln	Asn	Lys 35	Asp	Gly	Arg	Ala	Leu 40	Gln	Lys	Val	Leu	Gly 45	Thr	Ile	Arg
Asn	Gly 50	Asp	Leu	Ala	Val	Ser 55	Ala	Pro	Lys	Thr	Ser 60	Leu	Arg	Ala	Gly
Ile 65	Phe	Gly	Glu	Gly	Ser 70	Ser	Leu	Val	Asp	Gln 75	Met	Pro	Cys	Lys	Val 80
Tyr	Val	Ala	Phe	His 85	Lys	Glu	Ser	Tyr	Cys 90	Ser	Leu	Thr	Gly	Leu 95	Ser
Lys	Arg	Gly	Val 100	Ala	Ile	Asn	Glu	Ala 105	Ser	Leu	Ser	Leu	Val 110	Gly	Ile
Thr	Lys	Val 115	Arg	Ala	Pro	Val	Gly 120	Asn	Thr	Val	Gly	Ala 125	Glu	Ala	Thr
Val	Tyr 130	Ile	Gly	Ser	Pro	Lys 135	Pro	Tyr	Thr	Glu	Cys 140	Ser	Thr	Pro	Asn
Lys 145	Met	Tyr	Ala	Val	Ala 150	Ala	Gly	Phe	Lys	Val 155	Ala	Ser	Phe	Ala	Ala 160
Ser	Thr	Cys	Val	Arg 165	Pro	Pro	Ala	Arg	Ala 170	Arg	Arg	Thr	Leu	Thr 175	Val
Thr	Ser	Thr	Val 180	Thr	Leu	Ser	Met	Ala 185	Thr	Gly	Lys	Cys	Val 190	Asn	Thr
Gly	Asn	Glu 195	Pro	Val	Ser	Lys	Pro 200	Thr	Gly	Val	Arg	Met 205	Met	Leu	Ile
Pro	Leu 210	Asp	Ala	Thr	Leu	Ile 215	Lys	Val	Trp	Thr	Gly 220	Glu	Val	Lys	Lys
Ala 225	Ile	Val	Ser	Arg	Pro 230	Ala	Lys	Ile	Phe	Asn 235	Ser	Val	Gly	Asn	Leu 240
Glu	Arg	Pro	Ser	Tle 245	Ser	His	Ser	Cys	Gly 250	Gln	Gly	Leu	Aap	Glu 255	Ala
Ala	Ala	Tyr	11e 260	Lys	Gly	Arg	Leu	Ser 265	Pro	Ile	Val	Lys	Ala 270	Glu	Arg
Ile	Lys	Val 275	Leu	Val	Lys	Asp	Glu 280	His	Glu	Glu	Val	Lys 285	Glu	Leu	Leu
Gln	Glu 290	Gly	Tyr	Glu	Glu	Ile 295	Val	Gly	Glu	Ser	Pro 300	Ser	Phe	Asn	Leu
Ala	Gln	Glu	Ala	Trp	Glu	Lys	Ala	Glu	Arg	Arg	Ala	Lys	Gly	Gln	Ser

315

310

305

320 Pro Cys Ser Ala Ala Lys Ala Asn Leu Ala Thr Tyr Tyr Phe Ser Thr 325 Gly Asp Phe Glu Lys Ser Ile Lys Leu Tyr Glu Glu Pro Met Gly Leu Lys Asp Thr Asp Lys Ser Tyr Leu Arg Glu Arg Arg Lys Arg Val Glu 355 360 Ala Thr Thr Leu Arg Ala Pro Phe Val Val Gln Leu Thr Val Arg Ser Arg Thr Thr Met Ile Ala Val Gly Glu Ser Asn Ala Asn 390 <210> 49 <211> 611 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (5)..(601) <400> 49 gaaa atg atc gta ctt tct gtt ggt tcc gct tct tca tct ccg atc gtc 49 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val gtc gtc ttt tcc gtc gcg ctt ctt ctg ttc tac ttc tct gaa act tct Val Val Phe Ser Val Ala Leu Leu Leu Phe Tyr Phe Ser Glu Thr Ser 20 cta gga gct cct tgt ccc atc aat ggc ttg cca atc gtg agg aat att Leu Gly Ala Pro Cys Pro Ile Asn Gly Leu Pro Ile Val Arg Asn Ile 35 agt gac ctt cct cag gat aac tat gga aga cca ggt ctt tcc cac atg Ser Asp Leu Pro Gln Asp Asn Tyr Gly Arg Pro Gly Leu Ser His Met 55 act gtt gct ggc tcc gta ttg cat gga atg aaa gag gtt gaa ata tgg Thr Val Ala Gly Ser Val Leu His Gly Met Lys Glu Val Glu Ile Trp 65 ctt cag aca ttt gct cca ggt tca gag aca cca att cac agg cac tcc Leu Gln Thr Phe Ala Pro Gly Ser Glu Thr Pro Ile His Arg His Ser 80 85 tgt gaa gag gtt ttt gtt gtc cta aag ggc agt ggt act ctg tat ctc Cys Glu Glu Val Phe Val Val Leu Lys Gly Ser Gly Thr Leu Tyr Leu 100 105

gct gaa aca cat gga aat ttc cct ggg aaa cca atc gaa ttt cca atc Ala Glu Thr His Gly Asn Phe Pro Gly Lys Pro Ile Glu Phe Pro Ile 115 120 125	385
ttt gcc aac agt aca att cat att ccg atc aat gat gct cat cag gtc Phe Ala Asn Ser Thr Ile His Ile Pro Ile Asn Asp Ala His Gln Val 130 135 140	433
aaa aac acc ggt cat gag gac ctg cag gtg ttg gtt atc ata tct cgg Lys Asn Thr Gly His Glu Asp Leu Gln Val Leu Val Ile Ile Ser Arg 145 150 155	r 481
ccg cct att aaa atc ttc atc tac gaa gac tgg ttt atg cca cac act Pro Pro Ile Lys Ile Phe Ile Tyr Glu Asp Trp Phe Met Pro His Thr 160 165 170 175	:
gct gca agg ctg aag ttc cct tac tat tgg gat gag caa tgc att caa Ala Ala Arg Leu Lys Phe Pro Tyr Tyr Trp Asp Glu Gln Cys Ile Glr 180 185 190	577
gaa tca caa aaa gac gag ctt taa agcaaagtcc Glu Ser Gln Lys Asp Glu Leu 195	611
<210> 50 <211> 198 <212> PRT <213> Arabidopsis thaliana	
The state of the s	
<400> 50	
<400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Pro Ile Val Val	
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	ı
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	·
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	
<pre> <400> 50 Met Ile Val Leu Ser Val Gly Ser Ala Ser Ser Ser Pro Ile Val Val 1</pre>	

Asn Thr Gly His Glu Asp Leu Gln Val Leu Val Ile Ile Ser Arg Pro

155 Pro Ile Lys Ile Phe Ile Tyr Glu Asp Trp Phe Met Pro His Thr Ala 170 Ala Arg Leu Lys Phe Pro Tyr Tyr Trp Asp Glu Gln Cys Ile Gln Glu 185 Ser Gln Lys Asp Glu Leu 195 <210> 51 <211> 1398 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1398) <400> 51 atg cct cgt cgt cgt acg tgc tgt cgg cgt gaa ttc ggt ccg aca cag Met Pro Arg Arg Arg Thr Cys Cys Arg Arg Glu Phe Gly Pro Thr Gln cca tgt aga ggc gcg tca atc act gga tct cta cgt gac cgt cga ccg Pro Cys Arg Gly Ala Ser Ile Thr Gly Ser Leu Arg Asp Arg Pro 20 acc gct atc ctt atc gga acc ctc acc gct tta ggc ggt gga gtt aga 144 Thr Ala Ile Leu Ile Gly Thr Leu Thr Ala Leu Gly Gly Val Arg 40 tgt ggc tct tgc ccc agt gtc gac cgt tgc gga cac gca agt gcc gcc 192 Cys Gly Ser Cys Pro Ser Val Asp Arg Cys Gly His Ala Ser Ala Ala 55 ata gcg cgt gat agc tgt gcc gtg ttc gca tgg aag cga ggt acg cga 240 Ile Ala Arg Asp Ser Cys Ala Val Phe Ala Trp Lys Arg Gly Thr Arg 70 caa gag tac tgg tgc tcg act gaa ccg acc ctt gac tgg ggc ccc ggt 288 Gln Glu Tyr Trp Cys Ser Thr Glu Pro Thr Leu Asp Trp Gly Pro Gly 90 ggt gga ccc gac ttc gat tgt gat ggt ggt gac gat ccg ctt ttg 336 Gly Gly Pro Asp Phe Asp Cys Asp Asp Gly Gly Asp Asp Pro Leu Leu 105 att caa gat ggc gta aaa gct gcg gag gaa tat gct aaa tct gga aaa Ile Gln Asp Gly Val Lys Ala Ala Glu Glu Tyr Ala Lys Ser Gly Lys 115 120

gtt cca gat Val Pro Asp 130	cca agc tg Pro Ser Cy	act gat Thr Asp 135	aat gct Asn Ala	gag ttt Glu Phe 140	caa gtt Gln Val	gtg ctt Val Leu	432
att att att Ile Ile Ile 145	agg gag ggg Arg Glu Gly 15	Leu Lys	act gat Thr Asp	cct tta Pro Leu 155	aaa tac Lys Tyr	act aag Thr Lys 160	480
cga ccc agt Arg Pro Ser	tgc ctt gt Cys Leu Va 165	ggt gtt Gly Val	tct gag Ser Glu 170	gaa act Glu Thr	act act Thr Thr	ggt gtt Gly Val 175	528
aag aga agt Lys Arg Ser	tac caa at Tyr Gln Me 180	cag ccg	aaa tgt Lys Cys 185	act ttg Thr Leu	ctt ttg Leu Leu 190	cat gct His Ala	576
act gat gtt Thr Asp Val 195	tgt gac acc Cys Asp Th	gtg atc Val Ile 200	aag agc Lys Ser	aag att Lys Ile	gat aac Asp Asn 205	ttg tac Leu Tyr	624
gga tgc cgc Gly Cys Arg 210	cac tca ct His Ser Le	tcg gat Ser Asp 215	ggt ctc Gly Leu	atg agg Met Arg 220	gct act Ala Thr	gat gtt Asp Val	672
cgt cgc ccc Arg Arg Pro 225	tgc aag gta Cys Lys Va 23	l Ala Leu	gta ggc Val Gly	ggt tac Gly Tyr 235	gga gat Gly Asp	gtc ttt Val Phe 240	720
aag ggt tgg Lys Gly Trp	gtt gct gcc Val Ala Ala 245	ttg aag Leu Lys	caa gct Gln Ala 250	ggt gca Gly Ala	cgt gtc Arg Val	atc gtg Ile Val 255	768
act gag atc Thr Glu Ile	ccg caa ato Pro Gln Ilo 260	tgt gcc Cys Ala	gtc caa Val Gln 265	gct acc Ala Thr	atg gaa Met Glu 270	ggt agt Gly Ser	816
tcg gtc ctt Ser Val Leu 275	acc ctt gad Thr Leu Gl	gat gtc Asp Val 280	gtt tca Val Ser	gat gtt Asp Val	gat cgc Asp Arg 285	ttc gtt Phe Val	864
acg aca acc Thr Thr Thr 290	ggt aac aa Gly Asn Ly	gac ctc Asp Leu 295	atc atg Ile Met	gtt gac Val Asp 300	cac atg His Met	agg cga Arg Arg	912
atg aag aac Met Lys Asn 305	cag gcc ata Gln Ala Ilo 31	Val Cys	aac att Asn Ile	cga cgt Arg Arg 315	ttc gac Phe Asp	aat gaa Asn Glu 320	960
atc gac atg Ile Asp Met	cgc agt ctc Arg Ser Let 325	gag acc Glu Thr	ttc cct Phe Pro 330	gga gtg Gly Val	aag cgg Lys Arg	atc aca Ile Thr 335	1008
atc aag gcc Ile Lys Ala	cag act gad Gln Thr Asp 340	aga tgg Arg Trp	gtc ttt Val Phe 345	cgc gac Arg Asp	acc aac Thr Asn 350	aga ggt Arg Gly	1056
atc att gtc	cca gcc ga	ggg cgt	ctc atg	acg atg	gga tgc	gcc act	1104

Ile Ile Val Pro Ala Glu Gly Arg Leu Met Thr Met Gly Cys Ala Thr 360 gga cac ccc agc ttc cgg acg tcc tgc tct ttc act aac caa gtc agt 1152 Gly His Pro Ser Phe Arg Thr Ser Cys Ser Phe Thr Asn Gln Val Ser 370 375 380 tet cag etc gag ttg tgg egg gag aag age acc gge aag tat gag aag 1200 Ser Gln Leu Glu Leu Trp Arg Glu Lys Ser Thr Gly Lys Tyr Glu Lys 385 390 aaa gtg tac gtc ttc cca aag cac ctt gag aag gtt gcc gcc ctt 1248 Lys Val Tyr Val Phe Pro Lys His Leu Glu Lys Lys Val Ala Ala Leu 405 410 cat ctc gta aag ctc gga gca agg ctc act aag ctt agt cgg tgc acg 1296 His Leu Val Lys Leu Gly Ala Arg Leu Thr Lys Leu Ser Arg Cys Thr 420 425 ttg ttg tgc acg gac gac cca gtt gaa ggt cgt aaa gag cct cct cac 1344 Leu Leu Cys Thr Asp Asp Pro Val Glu Gly Arg Lys Glu Pro Pro His 435 cgt gct ggc agc cct gaa ccg tgc cag ctg cag ctg acc gtg ttc agg 1392 Arg Ala Gly Ser Pro Glu Pro Cys Gln Leu Gln Leu Thr Val Phe Arg 450 460 tag taa 1398 465 <210> 52 <211> 464 <212> PRT <213> Arabidopsis thaliana <400> 52 Met Pro Arg Arg Thr Cys Cys Arg Arg Glu Phe Gly Pro Thr Gln 10 Pro Cys Arg Gly Ala Ser Ile Thr Gly Ser Leu Arg Asp Arg Pro Thr Ala Ile Leu Ile Gly Thr Leu Thr Ala Leu Gly Gly Gly Val Arg Cys Gly Ser Cys Pro Ser Val Asp Arg Cys Gly His Ala Ser Ala Ala Ile Ala Arg Asp Ser Cys Ala Val Phe Ala Trp Lys Arg Gly Thr Arg Gln Glu Tyr Trp Cys Ser Thr Glu Pro Thr Leu Asp Trp Gly Pro Gly Gly Gly Pro Asp Phe Asp Cys Asp Asp Gly Gly Asp Asp Pro Leu Leu

100 105 110 Ile Gln Asp Gly Val Lys Ala Ala Glu Glu Tyr Ala Lys Ser Gly Lys 120 Val Pro Asp Pro Ser Cys Thr Asp Asn Ala Glu Phe Gln Val Val Leu Ile Ile Ile Arg Glu Gly Leu Lys Thr Asp Pro Leu Lys Tyr Thr Lys Arg Pro Ser Cys Leu Val Gly Val Ser Glu Glu Thr Thr Thr Gly Val Lys Arg Ser Tyr Gln Met Gln Pro Lys Cys Thr Leu Leu Leu His Ala Thr Asp Val Cys Asp Thr Val Ile Lys Ser Lys Ile Asp Asn Leu Tyr 200 Gly Cys Arg His Ser Leu Ser Asp Gly Leu Met Arg Ala Thr Asp Val Arg Arg Pro Cys Lys Val Ala Leu Val Gly Gly Tyr Gly Asp Val Phe 225 230 235 Lys Gly Trp Val Ala Ala Leu Lys Gln Ala Gly Ala Arg Val Ile Val Thr Glu Ile Pro Gln Ile Cys Ala Val Gln Ala Thr Met Glu Gly Ser Ser Val Leu Thr Leu Glu Asp Val Val Ser Asp Val Asp Arg Phe Val 280 Thr Thr Thr Gly Asn Lys Asp Leu Ile Met Val Asp His Met Arg Arg 295 Met Lys Asn Gln Ala Ile Val Cys Asn Ile Arg Arg Phe Asp Asn Glu

Ile Asp Met Arg Ser Leu Glu Thr Phe Pro Gly Val Lys Arg Ile Thr 325 330 335

Ile Lys Ala Gln Thr Asp Arg Trp Val Phe Arg Asp Thr Asn Arg Gly 340 345 350

Ile Ile Val Pro Ala Glu Gly Arg Leu Met Thr Met Gly Cys Ala Thr 355 360 365

Gly His Pro Ser Phe Arg Thr Ser Cys Ser Phe Thr Asn Gln Val Ser 370 380

Ser Gln Leu Glu Leu Trp Arg Glu Lys Ser Thr Gly Lys Tyr Glu Lys 385 390 395 400

Lys Val Tyr Val Phe Pro Lys His Leu Glu Lys Lys Val Ala Ala Leu

315

410

415

405

His Leu Val Lys Leu Gly Ala Arg Leu Thr Lys Leu Ser Arg Cys Thr 420 Leu Leu Cys Thr Asp Asp Pro Val Glu Gly Arg Lys Glu Pro Pro His 440 Arg Ala Gly Ser Pro Glu Pro Cys Gln Leu Gln Leu Thr Val Phe Arg 450 <210> 53 <211> 771 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(537) <400> 53 atg ccg cgt aac gtt gct ggt atg tgc gtt gcg tta gaa cga gtc ttc Met Pro Arg Asn Val Ala Gly Met Cys Val Ala Leu Glu Arg Val Phe gac gtc gat gaa att gtc agg tta agg aag agg ttt ttc aag ttg gac Asp Val Asp Glu Ile Val Arg Leu Arg Lys Arg Phe Phe Lys Leu Asp aga gat tgt tca gga tca gaa ctt gga agt gag ttc atg agt ttg cct 144 Arg Asp Cys Ser Gly Ser Glu Leu Gly Ser Glu Phe Met Ser Leu Pro 40 caa gtt agt tcg aac cct ctt cgg atg cgt gag atg cgt aat ttc gat 192 Gln Val Ser Ser Asn Pro Leu Arg Met Arg Glu Met Arg Asn Phe Asp 55 aat gat tgc gta ggg agt gtg gat ttt atc gag ttc atc aat gga cgt Asn Asp Cys Val Gly Ser Val Asp Phe Ile Glu Phe Ile Asn Gly Arg 65 70 tcc agt ttc agt act gtc ggg cag aag aat gct aaa ttg aga ttt gca 288 Ser Ser Phe Ser Thr Val Gly Gln Lys Asn Ala Lys Leu Arg Phe Ala 85 ccg att atc tat gat tgc gat aaa gat gga cct ata tca aac ggt gag 336 Pro Ile Ile Tyr Asp Cys Asp Lys Asp Gly Pro Ile Ser Asn Gly Glu 100 105 tta ttt agg gtg ttg cgt att atg gtt cat gac aat ctg agt gat aat 384 Leu Phe Arg Val Leu Arg Ile Met Val His Asp Asn Leu Ser Asp Asn 115 120 cag ctg cag cag cgt tgc gat tgc acg cgt agt ggc gga gat aat gac Gln Leu Gln Gln Arg Cys Asp Cys Thr Arg Ser Gly Gly Asp Asn Asp

	130					135					140					
ggg Gly 145	gat Asp	ggt Gly	cga Arg	ggt Gly	gcg Ala 150	aaa Lys	aac Asn	agc Ser	ttt Phe	gag Glu 155	gaa Glu	ttt Phe	tac Tyr	ggt Gly	cgt Arg 160	480
ttg Leu	cca Pro	gct Ala	acc Thr	gta Val 165	cgt Arg	cgg Arg	cgt Arg	ccg Pro	tac Tyr 170	cgt Arg	acg Thr	ttg Leu	gta Val	agc Ser 175	ggt Gly	528
gat A s p		taa	agtt	cagt	gc a	accgt	gaco	g to	gagco	tgga	a ago	cctga	aacg			577
ctga	caaç	icc c	ttaa	igcca	aa aa	aatt	ggct	gaç	gcct	gat	gcc	tgag	gat g	gccaa	aggct	637
tttt	aggo	tt t	taga	gaaa	aa ag	gcta	aaaa	a aaa	aggct	aga	aaaa	aagg	get (cttag	gcctg	697
cttg	gagco	tg a	gcct	gago	c to	atco	gatca	a aaa	aaaa	agg	agco	tttt	tt 1	tttt	agctaa	757
aaaa ,	aaaa	ag c	taa													771
<211 <212 <213		8 RT Tabid	lopsi	s th	nalia	ına										
)> 54 Pro		Asn	Val 5	Ala	Gly	Met	Суз	Val 10	Ala	Leu	Glu	Arg	Val 15	Phe	
Asp	Val	Asp	Glu 20	Ile	Val	Arg	Leu	Arg 25	Lys	Arg	Phe	Phe	Lys 30	Leu	Asp	
Arg	Asp	Cys 35	Ser	Gly	Ser	Glu	Leu 40	Gly	Ser	Glu	Phe	Met 45	Ser	Leu	Pro	
Gln	Val 50	Ser	Ser	Asn	Pro	Leu 55	Arg	Met	Arg	Glu	Met 60	Arg	Asn	Phe	Asp	
Asn 65	Asp	Cys	Val	Gly	Ser 70	Val	Asp	Phe	Ile	Glu 75	Phe	Ile	Asn	Gly	Arg 80	
Ser	Ser	Phe	Ser	Thr 85	Val	Gly	Gln	Lys	Asn 90	Ala	Lys	Leu	Arg	Phe 95	Ala	
Pro	Ile	Ile	Tyr 100	Asp	Cys	Asp	Lys	Asp 105	Gly	Pro	Ile	Ser	Asn 110	Gly	Glu	
Leu	Phe	Arg 115	Val	Leu	Arg	Ile	Met 120	Val	His	Asp	Asn	Leu 125	Ser	Asp	Asn	
Gln	Leu 130	Gln	Gln	Arg	Cys	Asp 135	Cys	Thr	Arg	Ser	Gly 140	Gly	Ąsp	Asn	Asp	
Gly 145	Asp	Gly	Arg	Gly	Ala 150	Lys	Asn	Ser	Phe	Glu 155	Glu	Phe	Tyr	Gly	Arg 160	

Leu Pro Ala Thr Val Arg Arg Pro Tyr Arg Thr Leu Val Ser Gly 165 170 175

Asp Val

<210> 55 <211> 1617 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (10)..(1557) <400> 55 cgctacggt atg cgt acg tca aga aca gga ttt cgg atg cca ttg ggg ccc 51 Met Arg Thr Ser Arg Thr Gly Phe Arg Met Pro Leu Gly Pro tgg gcg gtg aac ccc tgc ttc att gct tcc tgt tcc tgt ctc ctc gtt Trp Ala Val Asn Pro Cys Phe Ile Ala Ser Cys Ser Cys Leu Leu Val 15 25 ggc ttc ggc gac gca atc ttc tac gag tcg ttc gcc ggg gat ttt gat 147 Gly Phe Gly Asp Ala Ile Phe Tyr Glu Ser Phe Ala Gly Asp Phe Asp 35 40 gca cgc tgg att tta tcc ggc tca aag tgt ctc tcg gat tcg gcc aag Ala Arg Trp Ile Leu Ser Gly Ser Lys Cys Leu Ser Asp Ser Ala Lys aat gct ggg ttt gat gat tat gga ctt ctt gtg ggt gaa caa gcc agg 243 Asn Ala Gly Phe Asp Asp Tyr Gly Leu Leu Val Gly Glu Gln Ala Arg 65 aag cct cct ata gtc aag gaa ctt gcc gag tct ctc agt cta aag gac Lys Pro Pro Ile Val Lys Glu Leu Ala Glu Ser Leu Ser Leu Lys Asp gga aga gtt gtt ctt gag tgt gag act cgc ctt gac cat ggc atc gac 339 Gly Arg Val Val Leu Glu Cys Glu Thr Arg Leu Asp His Gly Ile Asp tgt gga ggt ccc tgt att aga tat ctt cga acc cag gag agc gga tgg 387 Cys Gly Gly Pro Cys Ile Arg Tyr Leu Arg Thr Gln Glu Ser Gly Trp 115 120 aaa ttt gac agc tcc acc atg ttt ggt gct gct aag tat ggc gcg agg Lys Phe Asp Ser Ser Thr Met Phe Gly Ala Ala Lys Tyr Gly Ala Arg agg acc cag ttc ttc ggg ggc cac ccc cag aac cca aac agt ggt gag Arg Thr Gln Phe Phe Gly Gly His Pro Gln Asn Pro Asn Ser Gly Glu 150

tgt Cys	gtt Val 160	gac Asp	cat His	gat Asp	cac His	aac Asn 165	cag Gln	cgg Arg	gct Ala	tcc Ser	ctc Leu 170	aca Thr	tcg Ser	gac Asp	aaa Lys	531
gta Val 175	cct Pro	cgt Arg	ttg Leu	tac Tyr	act Thr 180	gga Gly	att Ile	ctg Leu	tcg Ser	ccc Pro 185	gaa Glu	aat Asn	gaa Glu	ttc Phe	cag Gln 190	579
atc Ile	ttg Leu	ata Ile	gat Asp	cgg Arg 195	Gly	ttg Leu	gag Glu	acc Thr	aag Lys 200	gcc Ala	aaa Lys	atc Ile	ttc Phe	cct Pro 205	tgt Cys	627
gag Glu	gac Asp	ttt Phe	gag Glu 210	cct Pro	cct Pro	gtt Val	ata Ile	cca Pro 215	tcc Ser	aag Lys	aga Arg	agc Ser	cct Pro 220	gat Asp	aat Asn	675
ccg Pro	tcg Ser	aag Lys 225	cgg Arg	act Thr	gag Glu	gac Asp	tcg Ser 230	gac Asp	gaa Glu	aaa Lys	gcc Ala	aaa Lys 235	atc Ile	cca Pro	ggc Gly	723
cca Pro	agt Ser 240	gcc Ala	ctg Leu	aag Lys	cga Arg	cag Gln 245	gaa Glu	agc Ser	gat Asp	gag Glu	gat Asp 250	ccg Pro	aac Asn	cgg Arg	gaa Glu	771
atc Ile 255	tta Leu	cat His	gaa Glu	gaa Glu	gcc Ala 260	ggg Gly	aga Arg	cgt Arg	tcg Ser	tcc Ser 265	gat Asp	gtt Val	Gly ggg	gcc Ala	cac His 270	819
gca Ala	aaa Lys	gac Asp	cag Gln	gca Ala 275	cac His	gaa Glu	cct Pro	gag Glu	cca Pro 280	aaa Lys	cac His	tgg Trp	ggt Gly	gct Ala 285	gaa Glu	867
aag Lys	gat Asp	ggt Gly	gaa Glu 290	tgc Cys	gca Ala	ccc Pro	cca Pro	aag Lys 295	att Ile	gaa Glu	aac Asn	gca Ala	aag Lys 300	cgg Arg	Gly ggg	915
gcc Ala	gcc Ala	cct Pro 305	agt Ser	tgt Cys	ggt Gly	gta Val	tcg Ser 310	gag Glu	agg Arg	caa Gln	acc Thr	aag Lys 315	att Ile	agt Ser	cca Pro	963
aat Asn	tat Tyr 320	aag Lys	gga Gly	aaa Lys	ccc Pro	tcc Ser 325	gtg Val	ggt Gly	cca Pro	aac Asn	gtt Val 330	tac Tyr	caa Gln	ggg Gly	att Ile	1011
tgg Trp 335	aaa Lys	ccc Pro	cgc Arg	gag Glu	atg Met 340	cta Leu	aac Asn	cct Pro	gga Gly	tcg Ser 345	ttc Phe	caa Gln	atc Ile	gca Ala	aaa Lys 350	1059
ccc Pro	gct Ala	tgt Cys	gag Glu	cct Pro 355	att Ile	gct Ala	ggt Gly	ata Ile	ggc Gly 360	atg Met	gag Glu	att Ile	agg Arg	aag Lys 365	cag Gln	1107
ggc Gly	atc Ile	cta Leu	tta Leu 370	gac Asp	act Thr	gtg Val	gtg Val	ggg Gly 375	gtt Val	agg Arg	Gly ggg	gat Asp	aca Thr 380	ggt Gly	gaa Glu	1155

Glu	Tyr	Gly 385	Glu	Thr	Pro	Leu	Lys 390	Thr	Thr	Cys	Thr	Val 395	gag Glu	aag Lys	cac His	1203
agt Ser	ttg Leu 400	cag Gln	gct Ala	caa Gln	gag Glu	gcg Ala 405	aga Arg	acc Thr	cgg Arg	tca Ser	gac Asp 410	gct Ala	ggt Gly	tca Ser	ccc Pro	1251
tac Tyr 415	acc Thr	agg Arg	tac Tyr	gta Val	tct Ser 420	aaa Lys	atc Ile	ccc Pro	Gly	aaa Lys 425	gcc Ala	gat Asp	aat Asn	ccc Pro	ttc Phe 430	1299
tcg Ser	agc Ser	gag Glu	cac His	aaa Lys 435	tgt Cys	aag Lys	aat Asn	ttc Phe	gat Asp 440	ctg Leu	att Ile	gag Glu	gct Ala	gag Glu 445	aaa Lys	1347
cag Gln	tgt Cys	gcc Ala	aat Asn 450	gca Ala	gta Val	atc Ile	ctg Leu	ggt Gly 455	gtt Val	gtg Val	gtt Val	aac Asn	tcc Ser 460	ggt Gly	tca Ser	1395
att Ile	aac Asn	tcc Ser 465	gtt Val	gtg Val	tct Ser	tgg Trp	ggc Gly 470	tac Tyr	aaa Lys	cct Pro	ggc	acg Thr 475	gtg Val	aac Asn	aag Lys	1443
aac Asn	caa Gln 480	gaa Glu	cgc Arg	aga Arg	gca Ala	ccc Pro 485	tcc Ser	cag Gln	cga Arg	cgt Arg	agt Ser 490	agc Ser	gag Glu	att Ile	gaa Glu	1491
gga Gly 495	acc Thr	caa Gln	gac Asp	cga Arg	cga Arg 500	aaa Lys	cag Gln	gat Asp	gtt Val	ggc Gly 505	cga Arg	cgc Arg	caa Gln	gct Ala	gcc Ala 510	1539
agc Ser	tcg Ser	ccc Pro	agg Arg	cgc Arg 515	tga	taat	taaa	atc o	gato	cgto	c tt	taac	cccc	2		1587
gtto	ttca	at a	ccgt	tttt	t tt	ttat	ttaa	ì								1617
<211 <212	> 56 > 51 > PF > Ar	.5 RT	lopsi	s th	nalia	ına										
)> 56 Arg		Ser	Arg	Thr	Gly	Phe	Arg	Met	Pro	Leu	Glv	Pro	Trp	Ala	
1				5					10					15		
vai	Asn	Pro	Cys 20	Phe	Ile	Ala	Ser	Cys 25	Ser	Cys	Leu	Leu	Val 30	Gly	Phe	
Gly	Asp	Ala 35	Ile	Phe	Tyr	Glu	Ser 40	Phe	Ala	Gly	Asp	Phe 45	Asp	Ala	Arg	
Trp	Ile 50	Leu	Ser	Gly	Ser	Lys 55	Cys	Leu	Ser	Asp	Ser 60	Ala	Lys	Asn	Ala	

Gly Phe Asp Asp Tyr Gly Leu Leu Val Gly Glu Gln Ala Arg Lys Pro Pro Ile Val Lys Glu Leu Ala Glu Ser Leu Ser Leu Lys Asp Gly Arg Val Val Leu Glu Cys Glu Thr Arg Leu Asp His Gly Ile Asp Cys Gly 105 Gly Pro Cys Ile Arg Tyr Leu Arg Thr Gln Glu Ser Gly Trp Lys Phe 120 Asp Ser Ser Thr Met Phe Gly Ala Ala Lys Tyr Gly Ala Arg Arg Thr 135 Gln Phe Phe Gly Gly His Pro Gln Asn Pro Asn Ser Gly Glu Cys Val 155 Asp His Asp His Asn Gln Arg Ala Ser Leu Thr Ser Asp Lys Val Pro 165 Arg Leu Tyr Thr Gly Ile Leu Ser Pro Glu Asn Glu Phe Gln Ile Leu 185 Ile Asp Arg Gly Leu Glu Thr Lys Ala Lys Ile Phe Pro Cys Glu Asp Phe Glu Pro Pro Val Ile Pro Ser Lys Arg Ser Pro Asp Asn Pro Ser 210 215 Lys Arg Thr Glu Asp Ser Asp Glu Lys Ala Lys Ile Pro Gly Pro Ser Ala Leu Lys Arg Gln Glu Ser Asp Glu Asp Pro Asn Arg Glu Ile Leu 245 His Glu Glu Ala Gly Arg Arg Ser Ser Asp Val Gly Ala His Ala Lys 265 Asp Gln Ala His Glu Pro Glu Pro Lys His Trp Gly Ala Glu Lys Asp 280 Gly Glu Cys Ala Pro Pro Lys Ile Glu Asn Ala Lys Arg Gly Ala Ala Pro Ser Cys Gly Val Ser Glu Arg Gln Thr Lys Ile Ser Pro Asn Tyr Lys Gly Lys Pro Ser Val Gly Pro Asn Val Tyr Gln Gly Ile Trp Lys 325 Pro Arg Glu Met Leu Asn Pro Gly Ser Phe Gln Ile Ala Lys Pro Ala 345 Cys Glu Pro Ile Ala Gly Ile Gly Met Glu Ile Arg Lys Gln Gly Ile 360 365

Leu Leu Asp Thr Val Val Gly Val Arg Gly Asp Thr Gly Glu Glu Tyr

375 Gly Glu Thr Pro Leu Lys Thr Thr Cys Thr Val Glu Lys His Ser Leu 395 Gln Ala Gln Glu Ala Arg Thr Arg Ser Asp Ala Gly Ser Pro Tyr Thr 405 410 Arg Tyr Val Ser Lys Ile Pro Gly Lys Ala Asp Asn Pro Phe Ser Ser Glu His Lys Cys Lys Asn Phe Asp Leu Ile Glu Ala Glu Lys Gln Cys 440 Ala Asn Ala Val Ile Leu Gly Val Val Val Asn Ser Gly Ser Ile Asn 455 Ser Val Val Ser Trp Gly Tyr Lys Pro Gly Thr Val Asn Lys Asn Gln 470 475 Glu Arg Arg Ala Pro Ser Gln Arg Arg Ser Ser Glu Ile Glu Gly Thr 490 Gln Asp Arg Arg Lys Gln Asp Val Gly Arg Arg Gln Ala Ala Ser Ser 505 Pro Arg Arg 515 <210> 57 <211> 1281 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (13)..(1266) <400> 57 geteegeteg et atg agt tgg ega eee egg aag aac gtg eeg atg aaa aca 51 Met Ser Trp Arg Pro Arg Lys Asn Val Pro Met Lys Thr cgg gtg acc agg gac ggt tcg ggg ccc gga aaa acc ggt gtc aca cgc Arg Val Thr Arg Asp Gly Ser Gly Pro Gly Lys Thr Gly Val Thr Arg ggg tcg tca ccc atg cga tgg gca tgg aag cgg tgg caa gcc gtc ggg 147 Gly Ser Ser Pro Met Arg Trp Ala Trp Lys Arg Trp Gln Ala Val Gly 35 40 gca tcg acg gcc cgc acg tgg ttc ggg aca gag aac cag aaa gga ata 195 Ala Ser Thr Ala Arg Thr Trp Phe Gly Thr Glu Asn Gln Lys Gly Ile 50 55

Thr	Thr	Ser	Thr 65	Arg	Ala	Arg	Arg	Tyr 70	gcg Ala	Val	Ser	Ala	Lys 75	Phe	Pro	243
Arg	Leu	Ser 80	Asn	Lys	Gly	Lys	Asp 85	Tyr	atg Met	Arg	Cys	Val 90	Leu	Gln	Tyr	291
Thr	Val 95	Lys	Asn	Glu	Gln	Lys 100	Val	Asp	tgt Cys	Gly	Gly 105	Ser	Tyr	Ile	Lys	339
Leu 110	Leu	Pro	Ser	Lys	Leu 115	Arg	Thr	Gly	gat Asp	Gly 120	Asp	Gly	Val	Ser	Glu 125	387
Tyr	Ser	Ile	Met	Phe 130	Gly	Pro	Asp	Ser	aca Thr 135	Gly	Ala	Ser	Arg	Thr 140	Val	435
Arg	Arg	Ala	Arg 145	Asn	Tyr	Lys	Gly	Lys 150	cgg Arg	His	Leu	Arg	Lys 155	Lys	Glu	483
Gln	Asn	Lys 160	Val	Glu	Thr	Asp	Gln 165	Leu	aca Thr	His	Gln	Tyr 170	Thr	Thr	Ser	531
Trp	Ser 175	Pro	Asp	Trp	Thr	Tyr 180	Asn	Val	cta Leu	Val	Asp 185	Asn	Lys	Glu	Ser	579
Gln 190	Ala	Gly	Asn	Leu	Ala 195	Asp	Asp	Сув	gag Glu	Leu 200	Leu	Pro	Gln	Lys	Arg 205	627
Ile	Phe	Arg	Pro	Ser 210	Cys	Arg	Lys	Gln	tcc Ser 215	Lys	Pro	Val	Thr	Cys 220	Val	675
Asp	Val	Lys	His 225	His	Ala	Pro	Arg	Arg 230	aat Asn	Val	Lys	Pro	Ala 235	Gly	His	723
Asp	Asp	11e 240	Pro	Ala	Arg	Arg	Thr 245	Thr	ccg Pro	Glu	Ala	Val 250	Arg	Lys	Gly	771
Arg	Thr 255	Asn	Glu	Arg	Pro	Asp 260	Arg	Thr	tgg Trp	Ala	Thr 265	Gly	Thr	Thr	Pro	819
cgg Arg 270	cca Pro	cgg Arg	cgt Arg	tac Tyr	aag Lys 275	gga Gly	gag Glu	acg Thr	aag Lys	gcc Ala 280	aaa Lys	aag Lys	cac His	cca Pro	cgg Arg 285	867

ccg gaa tac aaa Pro Glu Tyr Lys	ggg acc to Gly Thr Tr 290	p Val Thr	ccg tta cag Pro Leu Gln 295	gac aac Asp Asn	ccc act Pro Thr 300	915
cca gcc ccc ccc Pro Ala Pro Pro 305	Asn Asp Le	a tat cta u Tyr Leu 310	ttc ttg gac Phe Leu Asp	ctg ggt Leu Gly 315	gca gca Ala Ala	963
ggg aca cgg acc Gly Thr Arg Thr 320	tgg acc gr	g aaa tcg (l Lys Ser (325	ggc tca atc Gly Ser Ile	acg aac Thr Asn 330	aac atg Asn Met	1011
ata gtg aca acg Ile Val Thr Thr 335	Ser Val G	u Thr Ala '	Thr Asp Phe 345	Ser Glu	Lys Thr	1059
aag gtg gca aac Lys Val Ala Asr 350	Thr Thr Tl 355	r Glu Leu	Asn Asp Gly 360	Arg Asp	Ala Gly 365	1107
acg ggg atc ggt Thr Gly Ile Gly	gcc gag cg Ala Glu A 370	g His Cys I	gct gat gag Ala Asp Glu 375	aga tgg Arg Trp	aaa gag Lys Glu 380	1155
aca acg gta gcc Thr Thr Val Ala 385	Pro Asp C	s Ala Val 3	Ser Ala Ala	Asn Ala 395	Ser Arg	1203
cgc acc ggg gag Arg Thr Gly Glu 400	ctg gcc ac Leu Ala T	c ccg gtg a r Pro Val 405	acg atg ctg Thr Met Leu	cct gat Pro Asp 410	ccg ttg Pro Leu	1251
tac gga ccg gaa Tyr Gly Pro Glu 415		etga tgeet				1281
<210> 58 <211> 417 <212> PRT <213> Arabidops	is thaliand					
<400> 58						
Met Ser Trp Arg	Pro Arg Ly 5	s Asn Val	Pro Met Lys 10	Thr Arg	Val Thr 15	
Arg Asp Gly Ser		y Lys Thr (Gly Val Thr	Arg Gly 30	Ser Ser	
Pro Met Arg Trp 35	Ala Trp L	s Arg Trp (Gln Ala Val	Gly Ala 45	Ser Thr	
Ala Arg Thr Trp		r Glu Asn (Gln Lys Gly 60	Ile Thr	Thr Ser	
Thr Arg Ala Arg	Arg Tyr A	a Val Ser	Ala Lys Phe 75	Pro Arg	Leu Ser 80	

Asn Lys Gly Lys Asp Tyr Met Arg Cys Val Leu Gln Tyr Thr Val Lys Asn Glu Gln Lys Val Asp Cys Gly Gly Ser Tyr Ile Lys Leu Leu Pro 105 Ser Lys Leu Arg Thr Gly Asp Gly Asp Gly Val Ser Glu Tyr Ser Ile 120 Met Phe Gly Pro Asp Ser Thr Gly Ala Ser Arg Thr Val Arg Arg Ala Arg Asn Tyr Lys Gly Lys Arg His Leu Arg Lys Lys Glu Gln Asn Lys 150 155 Val Glu Thr Asp Gln Leu Thr His Gln Tyr Thr Thr Ser Trp Ser Pro Asp Trp Thr Tyr Asn Val Leu Val Asp Asn Lys Glu Ser Gln Ala Gly 185 Asn Leu Ala Asp Asp Cys Glu Leu Leu Pro Gln Lys Arg Ile Phe Arg 200 Pro Ser Cys Arg Lys Gln Ser Lys Pro Val Thr Cys Val Asp Val Lys His His Ala Pro Arg Arg Asn Val Lys Pro Ala Gly His Asp Asp Ile 230 235 Pro Ala Arg Arg Thr Thr Pro Glu Ala Val Arg Lys Gly Arg Thr Asn Glu Arg Pro Asp Arg Thr Trp Ala Thr Gly Thr Thr Pro Arg Pro Arg 265 Arg Tyr Lys Gly Glu Thr Lys Ala Lys Lys His Pro Arg Pro Glu Tyr 280 Lys Gly Thr Trp Val Thr Pro Leu Gln Asp Asn Pro Thr Pro Ala Pro 295 300 Pro Asn Asp Leu Tyr Leu Phe Leu Asp Leu Gly Ala Ala Gly Thr Arg Thr Trp Thr Val Lys Ser Gly Ser Ile Thr Asn Asn Met Ile Val Thr 330 Thr Ser Val Glu Thr Ala Thr Asp Phe Ser Glu Lys Thr Lys Val Ala 345 Asn Thr Thr Glu Leu Asn Asp Gly Arg Asp Ala Gly Thr Gly Ile 360 Gly Ala Glu Arg His Cys Ala Asp Glu Arg Trp Lys Glu Thr Thr Val 375 380

Ala Pro Asp Cys Ala Val Ser Ala Ala Asn Ala Ser Arg Arg Thr Gly

Glu Leu Ala Thr Pro Val Thr Met Leu Pro Asp Pro Leu Tyr Gly Pro 405 Glu <210> 59 <211> 416 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(411) <400> 59 aag gaa gct ttt agc ctc ttc gac aaa gat ggc gat ggt tgc atc aca Lys Glu Ala Phe Ser Leu Phe Asp Lys Asp Gly Asp Gly Cys Ile Thr aca aaa gag ctg gga aca gtt atg cgt tca cta gga caa aac cca aca Thr Lys Glu Leu Gly Thr Val Met Arg Ser Leu Gly Gln Asn Pro Thr gag gct gag ctc caa gac atg atc aac gag gtt gat gca gat gga aac Glu Ala Glu Leu Gln Asp Met Ile Asn Glu Val Asp Ala Asp Gly Asn ggc act atc gac ttc ccc gag ttc ctg aac ctg atg gct aag aag atg 192 Gly Thr Ile Asp Phe Pro Glu Phe Leu Asn Leu Met Ala Lys Lys Met 55 aaa gac act gac tcc gag gaa gag cta aaa gaa gcc ttc agg gtt ttc 240 Lys Asp Thr Asp Ser Glu Glu Glu Leu Lys Glu Ala Phe Arg Val Phe 70 gac aaa gac cag aac ggt ttc atc tcc gct gct gag cta cgc cat gtg Asp Lys Asp Gln Asn Gly Phe Ile Ser Ala Ala Glu Leu Arg His Val 85 atg acc aat ctt ggt gag aag cta act gat gaa gag gtg gaa gag atg Met Thr Asn Leu Gly Glu Lys Leu Thr Asp Glu Glu Val Glu Met 100 105 atc cgt gag gct gat gtt gat gga gat ggt cag att aac tat gaa gag 384 Ile Arg Glu Ala Asp Val Asp Gly Asp Gly Gln Ile Asn Tyr Glu Glu 115 120 ttt gtc aag att atg atg gct aag tga tttgat 417 Phe Val Lys Ile Met Met Ala Lys 130

```
<210> 60
<211> 136
<212> PRT
<213> Arabidopsis thaliana
<400> 60
Lys Glu Ala Phe Ser Leu Phe Asp Lys Asp Gly Asp Gly Cys Ile Thr
Thr Lys Glu Leu Gly Thr Val Met Arg Ser Leu Gly Gln Asn Pro Thr
                                25
Glu Ala Glu Leu Gln Asp Met Ile Asn Glu Val Asp Ala Asp Gly Asn
Gly Thr Ile Asp Phe Pro Glu Phe Leu Asn Leu Met Ala Lys Lys Met
Lys Asp Thr Asp Ser Glu Glu Glu Leu Lys Glu Ala Phe Arg Val Phe
Asp Lys Asp Gln Asn Gly Phe Ile Ser Ala Ala Glu Leu Arg His Val
Met Thr Asn Leu Gly Glu Lys Leu Thr Asp Glu Glu Val Glu Glu Met
                               105
Ile Arg Glu Ala Asp Val Asp Gly Asp Gly Gln Ile Asn Tyr Glu Glu
Phe Val Lys Ile Met Met Ala Lys
    130
                       135
<210> 61
<211> 6069
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (34)..(173)
<220>
<221> CDS
<222> (282)..(492)
<220>
<221> CDS
<222> (539)..(1135)
<220>
<221> CDS
<222> (1224)..(1320)
```

```
<220>
<221> CDS
<222> (1404)..(1585)
<220>
<221> CDS
<222> (1663)..(1778)
<220>
<221> CDS
<222> (1891)..(1993)
<220>
<221> CDS
<222> (2114)..(2266)
<220>
<221> CDS
<222> (2376)..(2522)
<220>
<221> CDS
<222> (2608)..(2808)
<220>
<221> CDS
<222> (3071)..(3235)
<220>
<221> CDS
<222> (3315)..(3419)
<220>
<221> CDS
<222> (3519)..(3656)
<220>
<221> CDS
<222> (3742)..(3936)
<220>
<221> CDS
<222> (4061) .. (4187)
<220>
<221> CDS
<222> (4268)..(4470)
<220>
<221> CDS
<222> (4556)..(4738)
<220>
<221> CDS
<222> (4809) . . (4904)
```

<220>

	1> C1 2> (4) (5188)											
	0> 1> CI 2> (!) (!	5780)											
	0> 1> CI 2> (:)(6059)											
<40	0> 6:	L														
caga	atcta	act a	acaa	tete	tc ti	ttt	cttc:	g gg	Me	g gaq t Glu	g ggd	c caa y Gli	a cg n Ar	a gg g Gl 5	c agt y Ser	54
aat Asn	tct Ser	tcg Ser 10	ttg Leu	agc Ser	tct Ser	ggc Gly	aat Asn 15	ggc Gly	acc Thr	gaa Glu	gtc Val	gcc Ala 20	acc Thr	gac Asp	gtt Val	102
tct Ser	tct Ser 25	tgc Cys	ttc Phe	tat Tyr	gtt Val	ccc Pro 30	aat Asn	ccc Pro	tct Ser	gga Gly	acc Thr 35	gat Asp	ttc Phe	gat Asp	gcc Ala	150
gag Glu 40	tcg Ser	tct Ser	tct Ser	ctt Leu	cct Pro 45	cct Pro	ct (Le	gtaaq	gteti	tc ti	tgaa	attti	t ta	aaaa	catt	203
cac	tctct	tg d	etge	gtc	tc to	gttga	atcc	t tc	tct	ttga	aaat	tttga	aaa a	acati	cttag	263
tct	ctcgo	ete 1	tgtca	acag	c to u Se	er Pi	ro A	ct co la Pi 50	et ca co Gi	aa gi ln Va	g go al Al	la Le	eu S	ca at er II	tt cct le Pro	315
gcg Ala	gag Glu 60	ctt Leu	gcc Ala	gcc Ala	gcc Ala	att Ile 65	ccc Pro	ctc Leu	atc Ile	gat Asp	cgc Arg 70	ttc Phe	cag Gln	gtt Val	gaa Glu	363
gct Ala 75	ttt Phe	ctg Leu	cgg Arg	cta Leu	atg Met 80	cag Gln	aaa Lys	caa Gln	atc Ile	cag Gln 85	tct Ser	gct Ala	Gly ggg	aag Lys	cgt Arg 90	411
ggc Gly	ttc Phe	ttc Phe	Tyr	tcc Ser 95	Lys	aag Lys	tcc Ser	tct Ser	ggc Gly 100	tcc Ser	aat Asn	gtc Val	cgc Arg	gag Glu 105	cgc Arg	459
ttc Phe	aca Thr	ttt Phe	gag Glu 110	gat Asp	atg Met	ctt Leu	tgc Cys	ttt Phe 115	caa Gln	aag Lys	gtt	ttct	tt (cccc	ccttt	512
ctto	ccca	att ç	gacaa	atcca	at to	jacto	g aat Asi	ato Met	tct Ser 120	: Le	tco Ser	c cct	tco Sei	r Phe	ctt Leu	565
cag Gln	gat Asp	cca Pro	atc Ile 130	ccc Pro	aca Thr	tct Ser	ctc Leu	ctc Leu 135	aag Lys	att Ile	aac Asn	Ser	gat Asp 140	ctc Leu	gtc Val	613

agc Ser	Arg	Ala 145	acc	aag Lys	ttg Leu	ttt Phe	cat His 150	ctc Leu	atc Ile	tta Leu	aaa Lys	tat Tyr 155	atg Met	ggt Gly	gtt Val	661
gat Asp	tca Ser 160	tct Ser	gat Asp	cga Arg	tct Ser	acg Thr 165	cct Pro	ccc Pro	agt Ser	tta Leu	gat Asp 170	gaa Glu	cgc Arg	att Ile	gac Asp	709
ctc Leu 175	gtt Val	gga Gly	aag Lys	ctc Leu	ttc Phe 180	aaa Lys	aaa Lys	act Thr	ttg Leu	aag Lys 185	cgt Arg	gtt Val	gaa Glu	ctc Leu	agg Arg 190	757
gac Asp	gaa Glu	ctt Leu	ttt Phe	gcc Ala 195	caa Gln	atc Ile	tcc Ser	aaa Lys	cag Gln 200	act Thr	aga Arg	cat His	aat Asn	cct Pro 205	gac Asp	805
agg Arg	caa Gln	tac Tyr	ttg Leu 210	atc Ile	aaa Lys	gct Ala	tgg Trp	gaa Glu 215	ttg Leu	atg Met	tac Tyr	tta Leu	tgt Cys 220	gcc Ala	tcc Ser	853
tct Ser	atg Met	cct Pro 225	cct Pro	agc Ser	aaa Lys	gat Asp	atc Ile 230	ggt Gly	gga Gly	tat Tyr	cta Leu	tct Ser 235	gag Glu	tat Tyr	att Ile	901
cat His	aat Asn 240	gtc Val	gca Ala	cac His	gat Asp	gca Ala 245	act Thr	att Ile	gaa Glu	ccg Pro	gat Asp 250	gct Ala	cag Gln	gtt Val	ctt Leu	949
gct Ala 255	gtt Val	aac Asn	act Thr	ttg Leu	aaa Lys 260	gct Ala	tta Leu	aag Lys	cgc Arg	tct Ser 265	atc Ile	aaa Lys	gct Ala	ggt Gly	cct Pro 270	997
agg Arg	cac His	acc Thr	aca Thr	cct Pro 275	ggt Gly	cgt Arg	gaa Glu	gaa Glu	att Ile 280	gaa Glu	gcc Ala	ctt Leu	ttg Leu	acc Thr 285	ggt Gly	1045
aga Arg	aag Lys	ctc Leu	aca Thr 290	acc Thr	att Ile	gtc Val	ttc Phe	ttt Phe 295	ctc Leu	gat Asp	gaa Glu	act Thr	ttt Phe 300	gaa Glu	gaa Glu	1093
att Ile	tca Ser	tat Tyr 305	gac Asp	atg Met	gct Ala	acc Thr	aca Thr 310	gtg Val	tct Ser	gat Asp	gct Ala	gtt Val 315	gag Glu			1135
gtat	ctto	ett ç	gcttt	cttt	t tt	cata	attt	aco	gct	gatc	atat	tett	gt d	cctt	tttct	1195
ctca	actgo	at t	gaca	atcto	gt tt	cago	gag d	cta d Leu <i>l</i>	yct g Ala (Sly 1	ca a Thr 1 320	att a [le]	aaa d Lys I	cta t Leu S	ca Ser	1247
gct Ala 325	ttc Phe	tct Ser	agc Ser	ttt Phe	agt Ser 330	ttg Leu	ttt Phe	gaa Glu	tgt Cys	cgt Arg 335	aaa Lys	gtt Val	gtt Val	tca Ser	agt Ser 340	1295
tct Ser	aaa Lys	tca Ser	tct Ser	gat Asp	ccc Pro	gga Gly	aat Asn	g gt G	atgo	ctttc	ata	atgad	tgg			1340

345

cttcgtcata tattgtgaag taatacaaca ttatcgatca t	tttttctatc tgtgcacttg	1400
cag ag gaa tat ata gga ttg gat gat aac aag ta lu Glu Tyr Ile Gly Leu Asp Asp Asn Lys Ty 350 355	at att gga gat ctc yr Ile Gly Asp Leu 360	1447
ctc gca gaa ttt aaa gct att aaa gac cga aat a Leu Ala Glu Phe Lys Ala Ile Lys Asp Arg Asn L 365 370 3	aaa gga gag ata cta Lys Gly Glu Ile Leu 375	1495
cac tgc aaa ctg gta ttt aaa aaa aaa tta ttc c His Cys Lys Leu Val Phe Lys Lys Lys Leu Phe A 380 385 390	cga gag tct gat gaa Arg Glu Ser Asp Glu 395	1543
gct gta aca gat ctg atg ttt gtg caa ctt tcg t Ala Val Thr Asp Leu Met Phe Val Gln Leu Ser T 400 405	tat gtt caa Tyr Val Gln	1585
gtgagcattt tcttcattgg tgacatttat ttccacacaa a	aaggettgee tttegttget	1645
gacacacata tatgcag ctg caa cat gac tat ttg ct Leu Gln His Asp Tyr Leu Le 410 415	ta gga aac tat cct eu Gly Asn Tyr Pro 420	1695
gtt ggg agg gac gat gct gca cag ctt tgt gcc t Val Gly Arg Asp Asp Ala Ala Gln Leu Cys Ala L 430	ttg caa att ctt gtt Leu Gln Ile Leu Val 435	1743
ggg att ggg ttt gtc aat agt cca gag tca tgc a Gly Ile Gly Phe Val Asn Ser Pro Glu Ser Cys I 440 445	at gttagttttc Il	1788
ttaagctccg ccattgactt tattttagtt gtccgatact t	ttatttttcc aattttcctc	1848
ccttaacaat atcatttcct ttctcaatgt atcacatatc a	ag t gat tgg aca tca e Asp Trp Thr Ser 450	1903
ctt ctt gag cgg ttt ttg cca aga caa ata gca a Leu Leu Glu Arg Phe Leu Pro Arg Gln Ile Ala I 455 460	ata acc cga gca aag Ile Thr Arg Ala Lys 465	1951
cgt gaa tgg gaa ttg gat atc ctt gct cgc tac c Arg Glu Trp Glu Leu Asp Ile Leu Ala Arg Tyr A 470 475 4	ogt toa atg Arg Ser Met 180	1993
gtaggaatag ttctatgcat gtggattgtc ttcccctttc t	tagatacctt tggcaaataa	2053
aaacccattg aagtgatggc atggtaaaat gatatttcgt a	atgtgtatgt gggcatgtag	2113
gag aac gtg acc aaa gat gat gca aga caa caa t Glu Asn Val Thr Lys Asp Asp Ala Arg Gln Gln P 485 490	ott cta cgg ata ctg Phe Leu Arg Ile Leu 495	2161
aag gca ctg cca tac ggg aat tca gtt ttt ttt a	agc gta cgc aag ata	2209

Lys Ala Leu Pro Tyr Gly Asn Ser Val Phe Phe Ser Val Arg Lys Ile 500 505 510	
gat gat ccg atc ggt ctt tta cct ggg cga atc att ttg ggt atc aac 225 Asp Asp Pro Ile Gly Leu Leu Pro Gly Arg Ile Ile Leu Gly Ile Asn 515 520 530	7
aaa cgt ggg gttgtctcaa tataaatgtt atacattatg actttaaaaa 230 Lys Arg Gly	6
aactgttatt gttgtttgga attcaaatct atgttgttgg atttgaattt gttgtttgct 236	6
ttcttgtag gtt cac ttt ttt cga ccg gtt cct aaa gaa tat ctg cac tct 241 Val His Phe Phe Arg Pro Val Pro Lys Glu Tyr Leu His Ser 535 540 545	.7
gct gaa cta cgt gac atc atg caa ttt ggc agc agt aac act gct gtc 246 Ala Glu Leu Arg Asp Ile Met Gln Phe Gly Ser Ser Asn Thr Ala Val 550 555 560	5
Phe Phe Lys Met Arg Val Ala Gly Val Leu His Ile Phe Gln Phe Glu 565 570 575	.3
aca aaa cag gtttaaacat cactatttgt ggatcattat attatgaagc 256 Thr Lys Gln 580	2
aattoottat gagatattoa atttgggtaa ottgtatgtt tgtag gga gaa gaa att 261 Gly Glu Glu Ile 585	.9
tgt gtt gct ttg caa aca cat ata aat gat gtc atg ttg cgt cgt tac 266°Cys Val Ala Leu Gln Thr His Ile Asn Asp Val Met Leu Arg Arg Tyr 590 595 600	7
tcc aaa gct cga tct gct gcc aat tgc ttg gtt aat gga gat att tct 271. Ser Lys Ala Arg Ser Ala Ala Asn Cys Leu Val Asn Gly Asp Ile Ser 605 610 615	.5
tgt tgt tct aag ccg caa aat ttt gaa gtg tat gaa aaa cgt ttg caa 276. Cys Cys Ser Lys Pro Gln Asn Phe Glu Val Tyr Glu Lys Arg Leu Gln 620 625 630	3
gat ttg tct aag gct tat gaa gag tcc caa aag aag att gag aag Asp Leu Ser Lys Ala Tyr Glu Glu Ser Gln Lys Lys Ile Glu Lys 635 640 645	8
gtacacattc taacaaattt cttatttatt cttcaatgta aaattgaata taatagaggg 286	8
aggotgatot ttgtttaaat acatgaaata acttattgta gttggatttt ttcatggttt 292	8
ttatgcttgg tagtcttgag atatttcagt atatatcacc ctcctatctt atgttattgt 298	8
atgtagaatg ttataccatg acctettttg ttttagagtg geatgetgat gaactatteg 304	8
tatgttttat gttgttgtat ag ttg atg gat gaa caa caa gag aaa aat cag 310	0

Leu Met Asp Glu Gln Glu Lys Asn Gln 650 caa gaa gtt act ctg cgt gaa gag tta gaa gct ata cac aat ggt ttg 3148 Gln Glu Val Thr Leu Arg Glu Glu Leu Glu Ala Ile His Asn Gly Leu 660 665 670 gag ctt gaa agg aga aaa ttg ttg gag gtt act tta gac cga gat aaa 3196 Glu Leu Glu Arg Arg Lys Leu Leu Glu Val Thr Leu Asp Arg Asp Lys 680 685 ctt agg tca ttg tgt gac gag aag gga acc cct att caa gttagttata 3245 Leu Arg Ser Leu Cys Asp Glu Lys Gly Thr Pro Ile Gln 695 acctaacttt tgtctttctt ttgatgcttg gttgaagtta tttaatgatt tattctatat 3305 atgetatag tee ttg atg tet gaa etg ega gga atg gaa gea agg ttg gea 3356 Ser Leu Met Ser Glu Leu Arg Gly Met Glu Ala Arg Leu Ala 715 aag tog ggo aac acc aaa toa agt aaa gag acc aaa toa gaa tta goo 3404 Lys Ser Gly Asn Thr Lys Ser Ser Lys Glu Thr Lys Ser Glu Leu Ala gaa atg aat aat cag gtgaatatta tgtgtttaaa tctaattcat tgtaatcatt 3459 Glu Met Asn Asn Gln gagttgttgt tttttgttcc caattctgct ttcctttgac aatgaatttt aagtcacag 3518 ata tta tac aag atc caa aag gag tta gaa gtt cga aat aag gaa ttg 3566 Ile Leu Tyr Lys Ile Gln Lys Glu Leu Glu Val Arg Asn Lys Glu Leu 740 750 cat gtc gca gtt gat aat tca aag agg ttg ttg agt gaa aac aag ata 3614 His Val Ala Val Asp Asn Ser Lys Arg Leu Leu Ser Glu Asn Lys Ile 760 765 ttg gag caa aat ctc aat att gaa aag aag aaa aaa gag gag 3656 Leu Glu Gln Asn Leu Asn Ile Glu Lys Lys Lys Glu Glu 775 780 gtgaattcta tgtattagat ttattgaaga tttcaaattg agaagtatca aatacttgcg 3716 tattgttgac atctcattat ttcag gtt gaa att cat caa aag aga tat gaa 3768 Val Glu Ile His Gln Lys Arg Tyr Glu 790 caa gaa aaa aag gtg tta aag ctt cga gtt tct gaa ctt gaa aat aag 3816 Gln Glu Lys Lys Val Leu Lys Leu Arg Val Ser Glu Leu Glu Asn Lys 795 800 ctt gaa gta ctt gct caa gac ttg gat agt gct gag tct acg att gaa Leu Glu Val Leu Ala Gln Asp Leu Asp Ser Ala Glu Ser Thr Ile Glu 815

agt aag aat tot gac atg otg otg ttg caa aat aac ttg aaa gaa ott Ser Lys Asn Ser Asp Met Leu Leu Gln Asn Asn Leu Lys Glu Leu 830 835 840	3912													
gag gag tta aga gaa atg aaa gag gtaatggtac tettttgtet tetteattat Glu Glu Leu Arg Glu Met Lys Glu 845 850	3966													
ttaattttgt ttctgtttga atgatgataa tgtattttcg cgattccaaa ttgaagtaga														
gggatgtgtt tacattccaa tttcattttc ttag gac att gac aga aaa aat gag Asp Ile Asp Arg Lys Asn Glu 855														
caa aca gct gcc att ttg aaa atg caa gga gcc caa ctt gct gag cta Gln Thr Ala Ala Ile Leu Lys Met Gln Gly Ala Gln Leu Ala Glu Leu 860 865 870	4129													
gaa ata ctt tat aag gaa gaa caa gtt tta agg aaa aga tac tat aat Glu Ile Leu Tyr Lys Glu Glu Gln Val Leu Arg Lys Arg Tyr Tyr Asn 875 880 885	4177													
acc ata gaa g gtaacataat gctcaagtat gtacaatgat gttcattgct Thr Ile Glu A 890	4227													
tttaaaaaag aattttacta acatttttat ttgattgtag at atg aaa ggg aag sp Met Lys Gly Lys 895														
att aga gtt tat tgt cga ata aga cct cta aat gaa aaa gag agt tca Ile Arg Val Tyr Cys Arg Ile Arg Pro Leu Asn Glu Lys Glu Ser Ser 900 905 910	4329													
gag agg gaa aaa caa atg ctg aca act gtg gat gag ttt act gtt gaa Glu Arg Glu Lys Gln Met Leu Thr Thr Val Asp Glu Phe Thr Val Glu 915 920 925	4377													
cat gca tgg aaa gac gac aaa aga aag caa cac ata tat gat cgc gta His Ala Trp Lys Asp Asp Lys Arg Lys Gln His Ile Tyr Asp Arg Val 930 945	4425													
ttt gac atg cgt gct agt caa gat gat atc ttt gaa gac aca aag Phe Asp Met Arg Ala Ser Gln Asp Asp Ile Phe Glu Asp Thr Lys 950 955 960	4470													
gtattattga tatgtaactg tgttcattta cctttcatcc tttgttattt tcttgtggtt	4530													
actaacatcg ttttcctttt aacag tat ttg gta cag tcg gct gta gat ggg Tyr Leu Val Gln Ser Ala Val Asp Gly 965	4582													
tat aac gtt tgc atc ttt gca tat ggt caa act ggt tct gga aaa act Tyr Asn Val Cys Ile Phe Ala Tyr Gly Gln Thr Gly Ser Gly Lys Thr 970 980 985	4630													
ttc act ata tat ggg cat gag agc aat cct gga ctc aca cct cga gct														

Phe Thr Ile Tyr Gly His Glu Ser Asn Pro Gly Leu Thr Pro Arg Ala 990 995 1000	
aca aag gaa ctg ttc aac ata tta aag cga gat agc aag aga ttt tca Thr Lys Glu Leu Phe Asn Ile Leu Lys Arg Asp Ser Lys Arg Phe Ser 1005 1010 1015	4726
ttt tct cta aag gtaatttgtt atcctaatag atgatgtgat aaaagattat Phe Ser Leu Lys 1020	4778
gacatcaact gactacaaaa agttatgcag gca tat atg gtg gaa ctt tat caa Ala Tyr Met Val Glu Leu Tyr Gln 1025	
gac aca ctt gta gac ctt ttg tta cca aaa agt gca aga cgc ttg aaa Asp Thr Leu Val Asp Leu Leu Pro Lys Ser Ala Arg Arg Leu Lys 1030 1045	4880
cta gag att aaa aaa gat tca aag gtattgtgag atatatctat tttaactagg Leu Glu Ile Lys Lys Asp Ser Lys 1050	4934
ttataactag attgtagaca cgtaagtttg atcttatgca taaaatattt tctcag gg	
atg gtc ttt gta gag aat gtg aca act att cct ata tca act ttg gag Met Val Phe Val Glu Asn Val Thr Thr Ile Pro Ile Ser Thr Leu Glu 1055 1060 1065 1070	5041
gaa ctg cga atg att ctt gaa cgg gga tcg gaa cga cga cat gtt tct Glu Leu Arg Met Ile Leu Glu Arg Gly Ser Glu Arg Arg His Val Ser 1075 1080 1085	5089
gga aca aat atg aat gaa gaa agc tca aga tct cac ctc ata tta tca Gly Thr Asn Met Asn Glu Glu Ser Ser Arg Ser His Leu Ile Leu Ser 1090 1095 1100	5137
gtt gtt att gaa agt att gat ctt caa acc cag tct gct gcg agg ggc Val Val Ile Glu Ser Ile Asp Leu Gln Thr Gln Ser Ala Ala Arg Gly 1105 1110 1115	5185
aag gtgacaaaat tcactatgtt tttctttatt gactcattat catttttcac Lys	5238
aggatttagt agcatttagg gattttaagg aaataggagt ttctttagat tttcatgct	t 5298
agtctaccga agaaaaatat agtaacatta atcttgttta agagagatat tattttaca	g 5358
ctcaaatctt tggtctggta caaaatgtta aacctttatg tacacaatcc atattatta	
tcaatgatat gccctccatt gttaaaccca tatcacctga tcatggtggt atcttctac	
atattctgaa titttgtttg ttatttgcag ctg agt tit gtg gat ctt gct ggt Leu Ser Phe Val Asp Leu Ala Gly 1120 1125	5532

tct gag aga gtt aaa aag tcg ggc tca gct ggt tgc caa ctc aaa gaa Ser Glu Arg Val Lys Lys Ser Gly Ser Ala Gly Cys Gln Leu Lys Glu 1130 1135 1140	5580											
gct caa agt atc aac aaa tca ctt tct gca tta ggt gat gtt att ggt Ala Gln Ser Ile Asn Lys Ser Leu Ser Ala Leu Gly Asp Val Ile Gly 1145 1150 1155	5628											
gct tta tct tct ggc aac cag cat att cct tat agg aat cac aag cta Ala Leu Ser Ser Gly Asn Gln His Ile Pro Tyr Arg Asn His Lys Leu 1160 1165 1170 1175	5676											
acg atg ttg atg agc gat tca ttg ggc ggc aat gcc aag acg tta atg Thr Met Leu Met Ser Asp Ser Leu Gly Gly Asn Ala Lys Thr Leu Met 1180 1185 1190	5724											
ttt gtt aat gtg tct cca gcc gaa tca aat ttg gac gag acg tac aat Phe Val Asn Val Ser Pro Ala Glu Ser Asn Leu Asp Glu Thr Tyr Asn 1195 1200 1205	5772											
tct ctt ct gtaagtcatg agttcccata tatatataac ataaatcaaa tatgcttagt Ser Leu Le	5830											
gtaaaaatgg ataatccata ttgttttttt ttcctccttt gattccag a tat gca u Tyr Ala 1210	5885											
tcg aga gtg aga acg atc gtg aat gat ccc agc aaa cat ata tca tcc Ser Arg Val Arg Thr Ile Val Asn Asp Pro Ser Lys His Ile Ser Ser 1215 1220 1225	5933											
aaa gag atg gtg cga ttg aag aag ttg gta gca tac tgg aaa gag caa Lys Glu Met Val Arg Leu Lys Lys Leu Val Ala Tyr Trp Lys Glu Gln 1230 1235 1240	5981											
gcc ggt aaa aaa ggt gag gaa gaa gac ttg gtg gat att gag gaa gat Ala Gly Lys Lys Gly Glu Glu Glu Asp Leu Val Asp Ile Glu Glu Asp 1255 1260	6029											
cgt aca cga aaa gat gag gca gat agt tga agaaagctga c Arg Thr Arg Lys Asp Glu Ala Asp Ser 1265 1270	6070											
<210> 62 <211> 1269 <212> PRT <213> Arabidopsis thaliana												
<pre><400> 62 Met Glu Gly Gln Arg Gly Ser Asn Ser Ser Leu Ser Ser Gly Asn Gly 1</pre>												
Thr Glu Val Ala Thr Asp Val Ser Ser Cys Phe Tyr Val Pro Asn Pro 20 25 30												
Ser Gly Thr Asp Phe Asp Ala Glu Ser Ser Ser Leu Pro Pro Leu Ser												

35 40 45 Pro Ala Pro Gln Val Ala Leu Ser Ile Pro Ala Glu Leu Ala Ala Ala 55 Ile Pro Leu Ile Asp Arg Phe Gln Val Glu Ala Phe Leu Arg Leu Met Gln Lys Gln Ile Gln Ser Ala Gly Lys Arg Gly Phe Phe Tyr Ser Lys 90 Lys Ser Ser Gly Ser Asn Val Arg Glu Arg Phe Thr Phe Glu Asp Met Leu Cys Phe Gln Lys Asn Met Ser Leu Ser Pro Ser Phe Leu Gln Asp 120 Pro Ile Pro Thr Ser Leu Leu Lys Ile Asn Ser Asp Leu Val Ser Arg Ala Thr Lys Leu Phe His Leu Ile Leu Lys Tyr Met Gly Val Asp Ser 150 155 Ser Asp Arg Ser Thr Pro Pro Ser Leu Asp Glu Arg Ile Asp Leu Val Gly Lys Leu Phe Lys Lys Thr Leu Lys Arg Val Glu Leu Arg Asp Glu Leu Phe Ala Gln Ile Ser Lys Gln Thr Arg His Asn Pro Asp Arg Gln 200 Tyr Leu Ile Lys Ala Trp Glu Leu Met Tyr Leu Cys Ala Ser Ser Met Pro Pro Ser Lys Asp Ile Gly Gly Tyr Leu Ser Glu Tyr Ile His Asn Val Ala His Asp Ala Thr Ile Glu Pro Asp Ala Gln Val Leu Ala Val Asn Thr Leu Lys Ala Leu Lys Arg Ser Ile Lys Ala Gly Pro Arg His Thr Thr Pro Gly Arg Glu Glu Ile Glu Ala Leu Leu Thr Gly Arg Lys Leu Thr Thr Ile Val Phe Phe Leu Asp Glu Thr Phe Glu Glu Ile Ser Tyr Asp Met Ala Thr Thr Val Ser Asp Ala Val Glu Leu Ala Gly Thr 305 310 Ile Lys Leu Ser Ala Phe Ser Ser Phe Ser Leu Phe Glu Cys Arg Lys 330 Val Val Ser Ser Ser Lys Ser Ser Asp Pro Gly Asn Glu Glu Tyr Ile

340 345 350 Gly Leu Asp Asp Asn Lys Tyr Ile Gly Asp Leu Leu Ala Glu Phe Lys 355 360 Ala Ile Lys Asp Arg Asn Lys Gly Glu Ile Leu His Cys Lys Leu Val Phe Lys Lys Leu Phe Arg Glu Ser Asp Glu Ala Val Thr Asp Leu 390 Met Phe Val Gln Leu Ser Tyr Val Gln Leu Gln His Asp Tyr Leu Leu 410 Gly Asn Tyr Pro Val Gly Arg Asp Asp Ala Ala Gln Leu Cys Ala Leu 420 425 Gln Ile Leu Val Gly Ile Gly Phe Val Asn Ser Pro Glu Ser Cys Ile 440 Asp Trp Thr Ser Leu Leu Glu Arg Phe Leu Pro Arg Gln Ile Ala Ile 455 Thr Arg Ala Lys Arg Glu Trp Glu Leu Asp Ile Leu Ala Arg Tyr Arg 465 Ser Met Glu Asn Val Thr Lys Asp Asp Ala Arg Gln Gln Phe Leu Arg 490 Ile Leu Lys Ala Leu Pro Tyr Gly Asn Ser Val Phe Phe Ser Val Arg Lys Ile Asp Asp Pro Ile Gly Leu Leu Pro Gly Arg Ile Ile Leu Gly 520 Ile Asn Lys Arg Gly Val His Phe Phe Arg Pro Val Pro Lys Glu Tyr 535 Leu His Ser Ala Glu Leu Arg Asp Ile Met Gln Phe Gly Ser Ser Asn 555 Thr Ala Val Phe Phe Lys Met Arg Val Ala Gly Val Leu His Ile Phe Gln Phe Glu Thr Lys Gln Gly Glu Glu Ile Cys Val Ala Leu Gln Thr 580 His Ile Asn Asp Val Met Leu Arg Arg Tyr Ser Lys Ala Arg Ser Ala 600 Ala Asn Cys Leu Val Asn Gly Asp Ile Ser Cys Cys Ser Lys Pro Gln 610 620 Asn Phe Glu Val Tyr Glu Lys Arg Leu Gln Asp Leu Ser Lys Ala Tyr 635 Glu Glu Ser Gln Lys Lys Ile Glu Lys Leu Met Asp Glu Gln Glu

645 650 655 Lys Asn Gln Glu Val Thr Leu Arg Glu Glu Leu Glu Ala Ile His 665 Asn Gly Leu Glu Leu Glu Arg Arg Lys Leu Leu Glu Val Thr Leu Asp 680 Arg Asp Lys Leu Arg Ser Leu Cys Asp Glu Lys Gly Thr Pro Ile Gln Ser Leu Met Ser Glu Leu Arg Gly Met Glu Ala Arg Leu Ala Lys Ser Gly Asn Thr Lys Ser Ser Lys Glu Thr Lys Ser Glu Leu Ala Glu Met 725 Asn Asn Gln Ile Leu Tyr Lys Ile Gln Lys Glu Leu Glu Val Arg Asn 745 Lys Glu Leu His Val Ala Val Asp Asn Ser Lys Arg Leu Leu Ser Glu Asn Lys Ile Leu Glu Gln Asn Leu Asn Ile Glu Lys Lys Lys Glu Glu Val Glu Ile His Gln Lys Arg Tyr Glu Gln Glu Lys Lys Val Leu Lys Leu Arg Val Ser Glu Leu Glu Asn Lys Leu Glu Val Leu Ala Gln 805 810 Asp Leu Asp Ser Ala Glu Ser Thr Ile Glu Ser Lys Asn Ser Asp Met 825 Leu Leu Glu Asn Asn Leu Lys Glu Leu Glu Glu Leu Arg Glu Met 840 Lys Glu Asp Ile Asp Arg Lys Asn Glu Gln Thr Ala Ala Ile Leu Lys 855 860 Met Gln Gly Ala Gln Leu Ala Glu Leu Glu Ile Leu Tyr Lys Glu Glu Gln Val Leu Arg Lys Arg Tyr Tyr Asn Thr Ile Glu Asp Met Lys Gly 885 Lys Ile Arg Val Tyr Cys Arg Ile Arg Pro Leu Asn Glu Lys Glu Ser 905 Ser Glu Arg Glu Lys Gln Met Leu Thr Thr Val Asp Glu Phe Thr Val Glu His Ala Trp Lys Asp Asp Lys Arg Lys Gln His Ile Tyr Asp Arg 935 Val Phe Asp Met Arg Ala Ser Gln Asp Asp Ile Phe Glu Asp Thr Lys

945 950 955 960 Tyr Leu Val Gln Ser Ala Val Asp Gly Tyr Asn Val Cys Ile Phe Ala 965 970 Tyr Gly Gln Thr Gly Ser Gly Lys Thr Phe Thr Ile Tyr Gly His Glu 985 Ser Asn Pro Gly Leu Thr Pro Arg Ala Thr Lys Glu Leu Phe Asn Ile 1000 Leu Lys Arg Asp Ser Lys Arg Phe Ser Phe Ser Leu Lys Ala Tyr Met 1015 Val Glu Leu Tyr Gln Asp Thr Leu Val Asp Leu Leu Leu Pro Lys Ser 1030 Ala Arg Arg Leu Lys Leu Glu Ile Lys Lys Asp Ser Lys Gly Met Val 1050 Phe Val Glu Asn Val Thr Thr Ile Pro Ile Ser Thr Leu Glu Glu Leu 1065 Arg Met Ile Leu Glu Arg Gly Ser Glu Arg Arg His Val Ser Gly Thr Asn Met Asn Glu Glu Ser Ser Arg Ser His Leu Ile Leu Ser Val Val 1095 Ile Glu Ser Ile Asp Leu Gln Thr Gln Ser Ala Ala Arg Gly Lys Leu 105 Ser Phe Val Asp Leu Ala Gly Ser Glu Arg Val Lys Lys Ser Gly Ser 1125 1130 Ala Gly Cys Gln Leu Lys Glu Ala Gln Ser Ile Asn Lys Ser Leu Ser 1140 1145 Ala Leu Gly Asp Val Ile Gly Ala Leu Ser Ser Gly Asn Gln His Ile 1160

Pro Tyr Arg Asn His Lys Leu Thr Met Leu Met Ser Asp Ser Leu Gly 1170 1180

Gly Asn Ala Lys Thr Leu Met Phe Val Asn Val Ser Pro Ala Glu Ser 185 1190 1195 1200

Asn Leu Asp Glu Thr Tyr Asn Ser Leu Leu Tyr Ala Ser Arg Val Arg 1205 1210 1215

Thr Ile Val Asn Asp Pro Ser Lys His Ile Ser Ser Lys Glu Met Val 1220 1225 1230

Arg Leu Lys Lys Leu Val Ala Tyr Trp Lys Glu Gln Ala Gly Lys Lys 1235 1240 1245

Gly Glu Glu Asp Leu Val Asp Ile Glu Glu Asp Arg Thr Arg Lys

1

1250 1255 1260

Asp Glu Ala Asp Ser 265

<210> 63 <211> 2105 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1947) <400> 63 atg aat aca gat aaa atg acc aag atg gat cta acg ggg tcc aat aac Met Asn Thr Asp Lys Met Thr Lys Met Asp Leu Thr Gly Ser Asn Asn 10 gtg ccc att aat cca ccg acc act aag cgt gat ctt aga cag aat gat Val Pro Ile Asn Pro Pro Thr Thr Lys Arg Asp Leu Arg Gln Asn Asp aat aat aac cct aag agt cat aat agt cat aat agc aat ggg atg act Asn Asn Asn Pro Lys Ser His Asn Ser His Asn Ser Asn Gly Met Thr 40 ggt aac agg aac aat aat aaa aat gcc ggc gga gtt gaa act agt 192 Gly Asn Arg Asn Asn Asn Lys Asn Ala Gly Gly Val Glu Thr Ser aaa aaa gcg cgc tca cga ctg gaa aca cat ccc cga gat aat gag aat Lys Lys Ala Arg Ser Arg Leu Glu Thr His Pro Arg Asp Asn Glu Asn aat tac aga cta gct aca agt gcc ggt acg aaa gga ggt gcg cga acc 288 Asn Tyr Arg Leu Ala Thr Ser Ala Gly Thr Lys Gly Gly Ala Arg Thr 85 90 gtt gac gta cca gtc ata tta agt acc cgg gaa tca caa ggc aca cgt Val Asp Val Pro Val Ile Leu Ser Thr Arg Glu Ser Gln Gly Thr Arg 100 105 tca gta aat gca aca agt aaa att aga tgc ccg gat tcc act gca att Ser Val Asn Ala Thr Ser Lys Ile Arg Cys Pro Asp Ser Thr Ala Ile 115 tgc gag tgg ttc gcc acg ccc acg gat cct caa aga cca gga gtt tat 432 Cys Glu Trp Phe Ala Thr Pro Thr Asp Pro Gln Arg Pro Gly Val Tyr 130 135 140 aac cac aag aac ggc gac aaa aac aac aga gat acc ggg aac att aat Asn His Lys Asn Gly Asp Lys Asn Asn Arg Asp Thr Gly Asn Ile Asn 145 150 155

acc Thr	gtt Val	agc Ser	agt Ser	cta Leu 165	atg Met	gat Asp	aat Asn	gct Ala	agg Arg 170	ggt Gly	ccg Pro	aac Asn	ccg Pro	cga Arg 175	tct Ser	528
Gly	att Ile	Ser	11e 180	Pro	Thr	Pro	Thr	Ser 185	Arg	Gln	Ser	Pro	Ser 190	Glu	Thr	576
Pro	cca Pro	195	Pro	Leu	Gln	Asn	Pro 200	Asn	Asn	Tyr	Thr	Arg 205	Tyr	His	Asn	624
Asp	aaa Lys 210	Asn	Ser	Lys	Asn	Ser 215	Asn	Arg	Asn	Tyr	Asn 220	Lys	Arg	Asn	Lys	672
Asn 225	tcg Ser	Thr	Thr	Phe	Asn 230	Asn	Ser	Asp	Leu	Pro 235	Gly	His	Asn	Arg	Ser 240	720
Ser	Pro	Ala	Ile	Asn 245	Ala	Val	Lys	Ser	Ala 250	Ser	Asn	Arg	Ser	Ser 255	Ala	768
Ile	ggt Gly	Ser	Arg 260	Asn	Ser	Asp	Leu	Asn 265	Asn	Ala	Ala	Asn	Asp 270	Glu	Arg	816
His	tac Tyr	Ala 275	Arg	Ser	Gly	Thr	Tyr 280	Gln	Ile	Asn	Ala	Val 285	Thr	Val	Leu	864
Arg	gta Val 290	Leu	Gly	Arg	Gly	Ala 295	Arg	Arg	Asp	Val	300	Ser	Ala	Tyr	His	912
G1y 305	acc Thr	Cys	Gly	Thr	Gly 310	Pro	Arg	Met	Lys	Val 315	Ile	Thr	Leu	Ala	Val 320	960
Gln	gag Glu	Asn	Ile	Arg 325	Asn	Arg	Ile	Ile	Leu 330	Glu	Leu	Arg	Thr	Leu 335	His	1008
Lys	acc Thr	Ser	Tyr 340	Gln	Tyr	Ile	Val	Pro 345	Tyr	Tyr	Asp	Gly	Ile 350	Tyr	Thr	1056
Glu	ggc Gly	Ser 355	Ile	Phe	Ile	Arg	Met 360	Val	Glu	Leu	Gly	Trp 365	Val	Thr	Asn	1104
Ile	Met 370	Asn	Lys	Thr	Ala	Thr 375	Ile	Arg	Ala	Pro	Val 380	Leu	Gly	Thr	Met	1152
gca	ttt	cta	gtg	tta	caa	ggt	cgg	att	tac	gtt	cac	aga	aag	ttc	gat	1200

	Ala 385	Phe	Leu	Val	Leu	Gln 390	Gly	Arg	Ile	Tyr	Val 395	His	Arg	Lys	Phe	Asp 400	
;	aaa Lys	tgc Cys	ccg Pro	agc Ser	aag Lys 405	cgt Arg	gat Asp	ata Ile	aaa Lys	cct Pro 410	tca Ser	gat Asp	att Ile	ctg Leu	gta Val 415	aac Asn	1248
	aat Asn	gaa Glu	ggt Gly	cga Arg 420	gca Ala	aag Lys	atc Ile	gca Ala	ggt Gly 425	ttc Phe	ggt Gly	gta Val	agc Ser	gga Gly 430	cag Gln	tta Leu	1296
	caa Gln	cat His	act Thr 435	ctc Leu	tca Ser	aag Lys	gat Asp	gta Val 440	act Thr	tcg Ser	gtg Val	gag Glu	tct Ser 445	cct Pro	gaa Glu	cgt Arg	1344
	cgt Arg	agt Ser 450	ggt Gly	agg Arg	tct Ser	tat Tyr	ggt Gly 455	ttc Phe	gat Asp	cga Arg	gat Asp	att Ile 460	tgg Trp	agt Ser	gat Asp	ggt Gly	1392
	ata Ile 465	aca Thr	cgt Arg	gta Val	tca Ser	tgc Cys 470	gca Ala	atc Ile	GJA aaa	aga Arg	ttc Phe 475	cct Pro	tat Tyr	gct Ala	tgt Cys	aat Asn 480	1440
	tac Tyr	cca Pro	caa Gln	cag Gln	ctc Leu 485	cca Pro	caa Gln	gca Ala	tca Ser	caa Gln 490	cac His	cag Gln	cta Leu	cag Gln	caa Gln 495	cag Gln	1488
	caa Gln	caa Gln	aaa Lys	cga Arg 500	ccg Pro	gcg Ala	tta Leu	caa Gln	cca Pro 505	aag Lys	caa Gln	gaa Glu	caa Gln	ccg Pro 510	gaa Glu	gta Val	1536
	gag Glu	aaa Lys	cac His 515	cga Arg	tta Leu	caa Gln	ata Ile	cca Pro 520	cgt Arg	caa Gln	aat Asn	tta Leu	gct Ala 525	gta Val	tat Tyr	aat Asn	1584
	agt Ser	aat Asn 530	cac His	gat Asp	ata Ile	tgg Trp	aat Asn 535	aat Asn	cgc Arg	aat Asn	aga Arg	gat Asp 540	aaa Lys	tat Tyr	att Ile	att Ile	1632
	agt Ser 545	aac Asn	aat Asn	cct Pro	aat Asn	aat Asn 550	agg Arg	aat Asn	gat Asp	aat Asn	aat Asn 555	aac Asn	act Thr	gta Val	tgc Cys	gat Asp 560	1680
	cta Leu	agc Ser	agt Ser	ggc Gly	gag Glu 565	tta Leu	ggt Gly	gaa Glu	agt Ser	cgt Arg 570	gag Glu	gtt Val	gtg Val	cca Pro	gac Asp 575	ggt Gly	1728
	atc Ile	Gly	ttg Leu	gag Glu 580	gta Val	ctt Leu	cta Leu	gat Asp	tct Ser 585	atc Ile	gta Val	aaa Lys	gaa Glu	gag Glu 590	gta Val	cga Arg	1776
	atg Met	gaa Glu	cca Pro 595	tca Ser	aca Thr	gtt Val	tcg Ser	aag Lys 600	gaa Glu	ttt Phe	agg Arg	tcg Ser	atc Ile 605	att Ile	tct Ser	gaa Glu	1824
	tgt Cys	tta Leu	cga Arg	aac Asn	gat Asp	gca Ala	act Thr	gaa Glu	aga Arg	caa Gln	aca Thr	gct Ala	tca Ser	aac Asn	tta Leu	gta Val	1872

aat Asn 625	cac His	gaa Glu	ttt Phe	gta Val	aag Lys 630	aaa Lys	tat Tyr	caa Gln	aag Lys	tac Tyr 635	aat Asn	cgt Arg	gaa Glu	aaa Lys	tgg Trp 640	1920
acc Thr	gca Ala	gat Asp	tta Leu	caa Gln 645	agg Arg	tgg Trp	caa Gln	taa	aaat	cgco	ett o	acgo	ctga	at		1967
cgct	getgaeget egaegeetge eeceageetg eagetegeee agetegeeea ggetegeeea															2027
gcct	gccc	ac c	agco	tgc	cc ca	ccg	ctcca	a cgo	ctaa	ata	ataa	aaat	tt t	taaa	aaaaa	2087
aaaa	aaaa	ıaa a	aaco	gct												2105
<211 <212 <213	2210> 64 2211> 648 2212> PRT 2213> Arabidopsis thaliana 2400> 64															
			Asp	Lys 5	Met	Thr	Lys	Met	Asp 10	Leu	Thr	Gly	Ser	Asn 15	Asn	
Val	Pro	Ile	Asn 20	Pro	Pro	Thr	Thr	Lys 25	Arg	Asp	Leu	Arg	Gln 30	Asn	Asp	
Asn	Asn	Asn 35	Pro	Lys	Ser	His	Asn 40	Ser	His	Asn	Ser	Asn 45	Gly	Met	Thr	
Gly	Asn 50	Arg	Asn	Asn	Asn	Asn 55	Lys	Asn	Ala	Gly	Gly 60	Val	Glu	Thr	Ser	
Lys 65	Lys	Ala	Arg	Ser	Arg 70	Leu	Glu	Thr	His	Pro 75	Arg	Asp	Asn	Glu	Asn 80	
Asn	Tyr	Arg	Leu	Ala 85	Thr	Ser	Ala	Gly	Thr 90	Lys	Gly	Gly	Ala	Arg 95	Thr	
Val	Asp	Val	Pro 100	Val	Ile	Leu	Ser	Thr 105	Arg	Glu	Ser	Gln	Gly 110	Thr	Arg	
Ser	Val	Asn 115	Ala	Thr	Ser	Lys	Ile 120	Arg	Cys	Pro	Asp	Ser 125	Thr	Ala	Ile	
Суѕ	Glu 130	Trp	Phe	Ala	Thr	Pro 135	Thr	qzA	Pro	Gln	Arg 140	Pro	Gly	Val	Tyr	
Asn 145	His	Lys	Asn	Gly	Asp 150	Lys	Asn	Asn	Arg	Asp 155	Thr	Gly	Asn	Ile	Asn 160	
Thr	Val	Ser	Ser	Leu 165	Met	Asp	Asn	Ala	Arg 170	Gly	Pro	Asn	Pro	Arg 175	Ser	
Gly	Ile	Ser	Ile	Pro	Thr	Pro	Thr	Ser	Arg	Gln	Ser	Pro	Ser	Glu	Thr	

180 185 190 Pro Pro Asp Pro Leu Gln Asn Pro Asn Asn Tyr Thr Arg Tyr His Asn 200 205 Asp Lys Asn Ser Lys Asn Ser Asn Arg Asn Tyr Asn Lys Arg Asn Lys Asn Ser Thr Thr Phe Asn Asn Ser Asp Leu Pro Gly His Asn Arg Ser Ser Pro Ala Ile Asn Ala Val Lys Ser Ala Ser Asn Arg Ser Ser Ala Ile Gly Ser Arg Asn Ser Asp Leu Asn Asn Ala Ala Asn Asp Glu Arg 265 His Tyr Ala Arg Ser Gly Thr Tyr Gln Ile Asn Ala Val Thr Val Leu Arg Val Leu Gly Arg Gly Ala Arg Arg Asp Val Lys Ser Ala Tyr His Gly Thr Cys Gly Thr Gly Pro Arg Met Lys Val Ile Thr Leu Ala Val 310 315 Gln Glu Asn Ile Arg Asn Arg Ile Ile Leu Glu Leu Arg Thr Leu His 330 Lys Thr Ser Tyr Gln Tyr Ile Val Pro Tyr Tyr Asp Gly Ile Tyr Thr 345 Glu Gly Ser Ile Phe Ile Arg Met Val Glu Leu Gly Trp Val Thr Asn Ile Met Asn Lys Thr Ala Thr Ile Arg Ala Pro Val Leu Gly Thr Met 375 Ala Phe Leu Val Leu Gln Gly Arg Ile Tyr Val His Arg Lys Phe Asp Lys Cys Pro Ser Lys Arg Asp Ile Lys Pro Ser Asp Ile Leu Val Asn Asn Glu Gly Arg Ala Lys Ile Ala Gly Phe Gly Val Ser Gly Gln Leu 420 425 Gln His Thr Leu Ser Lys Asp Val Thr Ser Val Glu Ser Pro Glu Arg Arg Ser Gly Arg Ser Tyr Gly Phe Asp Arg Asp Ile Trp Ser Asp Gly 455 Ile Thr Arg Val Ser Cys Ala Ile Gly Arg Phe Pro Tyr Ala Cys Asn 475

Tyr Pro Gln Gln Leu Pro Gln Ala Ser Gln His Gln Leu Gln Gln Gln

				485					490					495		
Gln	Gln	Lys	Arg 500	Pro	Ala	Leu	Gln	Pro 505	Lys	Gln	Glu	Gln	Pro 510	Glu	Val	
Glu	Lys	His 515	Arg	Leu	Gln	Ile	Pro 520	Arg	Gln	Asn	Leu	Ala 525	Val	Tyr	Asn	
Ser	Asn 530	His	Asp	Ile	Trp	Asn 535	Asn	Arg	Asn	Arg	Asp 540	Lys	Tyr	Ile	Ile	
Ser 545	Asn	Asn	Pro	Asn	Asn 550	Arg ,	Asn	Asp	Asn	Asn 555	Asn	Thr	Val	Cys	Asp 560	
Leu	Ser	Ser	Gly	Glu 565	Leu	Gly	Glu	Ser	Arg 570	Glu	Val	Val	Pro	Asp 575	Gly	
Ile	Gly	Leu	Glu 580	Val	Leu	Leu	Asp	Ser 585	Ile	Val	Lys	Glu	Glu 590	Val	Arg	
Met	Glu	Pro 595	Ser	Thr	Val	Ser	Lys 600	Glu	Phe	Arg	Ser	Ile 605	Ile	Ser	Glu	
Cys	Leu 610	Arg	Asn	Asp	Ala	Thr 615	Glu	Arg	Gln	Thr	Ala 620	Ser	Asn	Leu	Val	
Asn 625	His	Glu	Phe	Val	Lys 630	Lys	Tyr	Gln	Lys	Tyr 635	Asn	Arg	Glu	Lys	Trp 640	
Phr	Ala	Asp	Leu	Gln 645	Arg	Trp	Gln									
<213<213<2213<2213)> L> CI	20 VA rabio	dopsi		nalia	ina										
)> 65 cagtt		ggc	gtc	gg at	:tca				tta Leu						52
cga Arg 10	ccg Pro	tcg Ser	gtt Val	ttc Phe	tgt Cys 15	tct Ser	att Ile	cca Pro	ggt Gly	ctc Leu 20	ggc Gly	ggc Gly	gat Asp	tcc Ser	cac His 25	100
cga Arg	aaa Lys	cct Pro	cca Pro	agt Ser 30	gac Asp	ggt Gly	ttc Phe	ctc Leu	aag Lys 35	ctg Leu	cct Pro	gcg Ala	tcg Ser	tct Ser 40	att Ile	148
ccg	gcg	gac	agc	cga	aaa	tta	gta	gcg	aat	tct	act	tcc	ttt	cat	cca	196

Pro	Ala	Asp	Ser 45	Arg	Lys	Leu	Val	Ala 50	Asn	Ser	Thr	Ser	Phe 55	His	Pro	
atc Ile	tca Ser	gcc Ala 60	gtt Val	aac Asn	gtc Val	tct Ser	gct Ala 65	caa Gln	gct Ala	tcc Ser	ctc Leu	acc Thr 70	gct Ala	gat Asp	ttt Phe	244
ccc Pro	gcc Ala 75	ctt Leu	tca Ser	gaa Glu	act Thr	ata Ile 80	ctg Leu	aaa Lys	gag Glu	gga Gly	aga Arg 85	aat Asn	aac Asn	gga Gly	aaa Lys	292
gag Glu 90	aaa Lys	gca Ala	gag Glu	aac Asn	atc Ile 95	gtg Val	tgg Trp	cac His	gag Glu	agt Ser 100	tcg Ser	ata Ile	tgc Cys	aga Arg	tgc Cys 105	340
gac Asp	aga Arg	caa Gln	caa Gln	ctt Leu 110	ctt Leu	caa Gln	caa Gln	aag Lys	ggt Gly 115	tgt Cys	gtc Val	gtt Val	tgg Trp	atc Ile 120	act Thr	388
ggt Gly	ctc Leu	agt Ser	ggt Gly 125	tca Ser	Gly aaa	aaa Lys	agc Ser	act Thr 130	gtt Val	gct Ala	tgt Cys	gca Ala	cta Leu 135	agt Ser	aaa Lys	436
gca Ala	ttg Leu	ttt Phe 140	gaa Glu	aga Arg	ggc Gly	aaa Lys	ctt Leu 145	act Thr	tac Tyr	aca Thr	ctc Leu	gac Asp 150	ggc Gly	gac Asp	aat Asn	484
gtc Val	cgt Arg 155	cac His	ggc Gly	ctt Leu	aac Asn	cgt Arg 160	gac Asp	ctc Leu	act Thr	ttc Phe	aaa Lys 165	gca Ala	gag Glu	cac His	cgc Arg	532
acc Thr 170	gaa Glu	aac Asn	att Ile	aga Arg	aga Arg 175	att Ile	ggt Gly	gag Glu	gtg Val	gct Ala 180	aag Lys	ttg Leu	ttt Phe	gct Ala	gac Asp 185	580
gtc Val	gga Gly	gtc Val	att Ile	tgt Cys 190	ata Ile	gca Ala	agt Ser	ttg Leu	att Ile 195	tct Ser	ccg Pro	tac Tyr	cgg Arg	aga Arg 200	gac Asp	628
aga Arg	gac Asp	gcg Ala	tgc Cys 205	cgg Arg	tcc Ser	ttg Leu	tta Leu	cct Pro 210	gac Asp	ggc	gat Asp	ttc Phe	gtc Val 215	gag Glu	gtc Val	676
ttc Phe	atg Met	gac Asp 220	gtt Val	cct Pro	ctt Leu	cat His	gtg Val 225	tgc Cys	gag Glu	tcg Ser	aga Arg	gat Asp 230	cca Pro	aag Lys	Gly ggg	724
ttg Leu	tac Tyr 235	aag Lys	ctt Leu	gca Ala	cgt Arg	gca Ala 240	ggc Gly	aaa Lys	atc Ile	aaa Lys	ggc Gly 245	ttc Phe	act Thr	gga Gly	atc Ile	772
gac Asp 250	gac Asp	cct Pro	tac Tyr	gag Glu	gca Ala 255	cca Pro	gtg Val	aat Asn	tgc Cys	gag Glu 260	gta Val	gtg Val	ctg Leu	aaa Lys	cac His 265	820
aca Thr	gga Gly	gac Asp	gac Asp	gag Glu	tcg Ser	tgt Cys	tcg Ser	cca Pro	cgt Arg	cag Gln	atg Met	gct Ala	gag Glu	aac Asn	atc Ile	868

270 275 280

atc tct tac ctg caa aac aaa ggt tat ctt gag ggc taa gtcaaagtcg 917 Ile Ser Tyr Leu Gln Asn Lys Gly Tyr Leu Glu Gly 285 290

gaa 920

<210> 66

<211> 293

<212> PRT

<213> Arabidopsis thaliana

<400> 66

Met Glu Gly Leu Ala Ile Arg Ala Ser Arg Pro Ser Val Phe Cys Ser

1 10 15

Ile Pro Gly Leu Gly Gly Asp Ser His Arg Lys Pro Pro Ser Asp Gly
20 25 30

Phe Leu Lys Leu Pro Ala Ser Ser Ile Pro Ala Asp Ser Arg Lys Leu 35 40 45

Val Ala Asn Ser Thr Ser Phe His Pro Ile Ser Ala Val Asn Val Ser 50 55 60

Ala Gln Ala Ser Leu Thr Ala Asp Phe Pro Ala Leu Ser Glu Thr Ile
65 70 75 80

Leu Lys Glu Gly Arg Asn Asn Gly Lys Glu Lys Ala Glu Asn Ile Val 85 90 95

Trp His Glu Ser Ser Ile Cys Arg Cys Asp Arg Gln Gln Leu Leu Gln 100 105 110

Gln Lys Gly Cys Val Val Trp Ile Thr Gly Leu Ser Gly Ser Gly Lys 115 120 125

Ser Thr Val Ala Cys Ala Leu Ser Lys Ala Leu Phe Glu Arg Gly Lys 130 135 140

Leu Thr Tyr Thr Leu Asp Gly Asp Asn Val Arg His Gly Leu Asn Arg 145 150 155 160

Asp Leu Thr Phe Lys Ala Glu His Arg Thr Glu Asn Ile Arg Arg Ile 165 170 175

Gly Glu Val Ala Lys Leu Phe Ala Asp Val Gly Val Ile Cys Ile Ala 180 185 190

Ser Leu Ile Ser Pro Tyr Arg Arg Asp Arg Asp Ala Cys Arg Ser Leu 195 200 205

Leu Pro Asp Gly Asp Phe Val Glu Val Phe Met Asp Val Pro Leu His 210 215 220

Val Cys Glu Ser Arg Asp Pro Lys Gly Leu Tyr Lys Leu Ala Arg Ala 225 230 235 Gly Lys Ile Lys Gly Phe Thr Gly Ile Asp Asp Pro Tyr Glu Ala Pro 250 Val Asn Cys Glu Val Val Leu Lys His Thr Gly Asp Asp Glu Ser Cys 265 Ser Pro Arg Gln Met Ala Glu Asn Ile Ile Ser Tyr Leu Gln Asn Lys 280 Gly Tyr Leu Glu Gly 290 <210> 67 <211> 1257 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (13)..(1245) <400> 67 aattactcaa to atg ggg att tgc ttg agt gct cag gtc aaa gct gag agc 51 Met Gly Ile Cys Leu Ser Ala Gln Val Lys Ala Glu Ser tca gga gcg agt acg aag tat gac gcc aaa gat ata gga agt ctt ggg 99 Ser Gly Ala Ser Thr Lys Tyr Asp Ala Lys Asp Ile Gly Ser Leu Gly 20 agc aag gct tcg tct gtg tct gta aga cca agc cct cga act gag ggt 147 Ser Lys Ala Ser Ser Val Ser Val Arg Pro Ser Pro Arg Thr Glu Gly 35 40 gag atc tta cag tct cca aat ctc aag agt ttt agc ttt gct gag ctt 195 Glu Ile Leu Gln Ser Pro Asn Leu Lys Ser Phe Ser Phe Ala Glu Leu 50 55 aaa tca gca acc agg aat ttt aga cca gac agt gtg ctt ggt gaa ggt 243 Lys Ser Ala Thr Arg Asn Phe Arg Pro Asp Ser Val Leu Gly Glu Gly 65 gga ttc ggt tgt gtt ttc aaa gga tgg att gat gag aag tct ctc act 291 Gly Phe Gly Cys Val Phe Lys Gly Trp Ile Asp Glu Lys Ser Leu Thr 80 85 gcc tca aga cca ggc acg ggt ttg gtt att gcc gtc aaa aag ctt aac Ala Ser Arg Pro Gly Thr Gly Leu Val Ile Ala Val Lys Lys Leu Asn 95 100 caa gat ggt tgg caa ggt cac cag gag tgg ctg gct gaa gtg aat tac Gln Asp Gly Trp Gln Gly His Gln Glu Trp Leu Ala Glu Val Asn Tyr

110					115					120					125	
		•														
Leu	ggt Gly	Gln	Phe	Ser 130	His	Arg	His	Leu	yal 135	aag Lys	ctg Leu	Ile	ggt Gly	tat Tyr 140	tgc Cys	435
cta Leu	gag Glu	gat Asp	gag Glu 145	cac His	cgt Arg	ctt Leu	ctt Leu	gtt Val 150	tac Tyr	gag Glu	ttc Phe	atg Met	cct Pro 155	cgg Arg	ggt Gly	483
agc Ser	ttg Leu	gag Glu 160	aat Asn	cat His	ctt Leu	ttc Phe	agg Arg 165	aga Arg	ggt Gly	ttg Leu	tac Tyr	ttc Phe 170	caa Gln	ccg Pro	tta Leu	531
tct Ser	tgg Trp 175	aaa Lys	ctt Leu	cgg Arg	ttg Leu	aaa Lys 180	gtt Val	gct Ala	ctt Leu	ggt Gly	gct Ala 185	gca Ala	aag Lys	gga Gly	ctt Leu	579
gct Ala 190	ttt Phe	ctt Leu	cac His	agt Ser	tcc Ser 195	gag Glu	aca Thr	aga Arg	gtg Val	ata Ile 200	tac Tyr	cga Arg	gat Asp	ttc Phe	aag Lys 205	627
act Thr	tct Ser	aat Asn	atc Ile	ctt Leu 210	ctt Leu	gac Asp	tcg Ser	gag Glu	tac Tyr 215	aac Asn	gca Ala	aag Lys	ctt Leu	tct Ser 220	gat Asp	675
ttt Phe	Gly	ttg Leu	gct Ala 225	aag Lys	gat Asp	ggg	cca Pro	ata Ile 230	ggt Gly	gat Asp	aaa Lys	agt Ser	cat His 235	gtc Val	tct Ser	723
aca Thr	cga Arg	gtc Val 240	atg Met	ggt Gly	aca Thr	cac His	gga Gly 245	tat Tyr	gca Ala	gct Ala	cct Pro	gaa Glu 250	tac Tyr	ctt Leu	gca Ala	771
acc Thr	ggt Gly 255	cat His	cta Leu	aca Thr	aca Thr	aag Lys 260	agt Ser	gat Asp	gtc Val	tat Tyr	agc Ser 265	ttc Phe	ggg Gly	gtt Val	gtc Val	819
ctt Leu 270	ctg Leu	gag Glu	ctg Leu	ttg Leu	tct Ser 275	ggt Gly	cgt Arg	cga Arg	gca Ala	gtg Val 280	gac Asp	aag Lys	aac Asn	cgc Arg	cca Pro 285	867
tct Ser	gga Gly	gag Glu	agg Arg	aac Asn 290	ctt Leu	gtg Val	gag Glu	tgg Trp	gct Ala 295	Lys	cca Pro	tac Tyr	ctc Leu	gta Val 300	aac Asn	915
aaa Lys	aga Arg	aag Lys	ata Ile 305	ttc Phe	cga Arg	gtc Val	att Ile	gat Asp 310	aat Asn	cgt Arg	ctt Leu	cag Gln	gac Asp 315	cag Gln	tac Tyr	963
tct Ser	atg Met	gaa Glu 320	gaa Glu	gca Ala	tgt Cys	aaa Lys	gtg Val 325	gct Ala	act Thr	ctg Leu	tct Ser	ctg Leu 330	aga Arg	tgt Cys	ctc Leu	1011
acc Thr	aca Thr 335	gag Glu	att Ile	aag Lys	ctg Leu	aga Arg 340	cca Pro	aac Asn	atg Met	agc Ser	gag Glu 345	gtt Val	gtt Val	tcg Ser	cac His	1059

ctc gaa ca Leu Glu Hi 350	c att cag s Ile Gln	tct tta Ser Leu 355	aat gct Asn Ala	gct ata Ala Ile 360	Gly Gly	aat ato Asn Met	gat 1107 Asp 365
aaa aca ga Lys Thr As	t aga aga p Arg Arg 370	Met Arg	agg aga Arg Arg	agt gac Ser Asp 375	agt gtt Ser Val	gtc ago Val Ser 380	· Lys
aaa gtg aa Lys Val As	t gca ggt n Ala Gly 385	ttt gct Phe Ala	cga cag Arg Gln 390	act gct Thr Ala	gtt ggc Val Gly	agt aca Ser Thr 395	gtt 1203 Val
gtt gct ta Val Ala Ty 40	r Pro Arg	cca tca Pro Ser	gcc tcg Ala Ser 405	cca ctg Pro Leu	tat gtt Tyr Val 410		1245
atagggttaa	ac						1257
<210> 68 <211> 410 <212> PRT <213> Arab	idopsis t	haliana					
<400> 68 Met Gly Il 1	e Cys Leu 5		Gln Val	Lys Ala 10	Glu Ser	Ser Gly	
Ser Thr Ly	s Tyr Asp 20	Ala Lys	Asp Ile 25	Gly Ser	Leu Gly	Ser Lys	Ala
Ser Ser Va		Arg Pro	Ser Pro	Arg Thr	Glu Gly 45		Leu
Gln Ser Pr 50	o Asn Leu	Lys Ser 55	Phe Ser	Phe Ala	Glu Leu 60	Lys Ser	Ala
Thr Arg As	n Phe Arg	Pro Asp 70	Ser Val	Leu Gly 75		Gly Phe	80
Cys Val Ph	e Lys Gly 85	Trp Ile	Asp Glu	Lys Ser 90	Leu Thr	Ala Ser 95	
Pro Gly Th	r Gly Leu 100	Val Ile	Ala Val 105	Lys Lys	Leu Asn	Gln Asp 110	Gly
Trp Gln Gl 11	y His Gln 5	Glu Trp	Leu Ala 120	Glu Val	Asn Tyr 125		Gln
Phe Ser Hi 130	s Arg His	Leu Val 135		Ile Gly	Tyr Cys 140	Leu Glu	Asp
Glu His Ar 145	g Leu Leu	Val Tyr 150	Glu Phe	Met Pro 155		Ser Leu	Glu 160
Asn His Le	u Phe Arg	Arg Gly	Leu Tyr	Phe Gln	Pro Leu	Ser Trp	Lys

165 170 175 Leu Arg Leu Lys Val Ala Leu Gly Ala Ala Lys Gly Leu Ala Phe Leu 185 His Ser Ser Glu Thr Arg Val Ile Tyr Arg Asp Phe Lys Thr Ser Asn 200 Ile Leu Leu Asp Ser Glu Tyr Asn Ala Lys Leu Ser Asp Phe Gly Leu 215 Ala Lys Asp Gly Pro Ile Gly Asp Lys Ser His Val Ser Thr Arg Val 235 Met Gly Thr His Gly Tyr Ala Ala Pro Glu Tyr Leu Ala Thr Gly His 250 Leu Thr Thr Lys Ser Asp Val Tyr Ser Phe Gly Val Val Leu Leu Glu 260 Leu Leu Ser Gly Arg Arg Ala Val Asp Lys Asn Arg Pro Ser Gly Glu 280 Arg Asn Leu Val Glu Trp Ala Lys Pro Tyr Leu Val Asn Lys Arg Lys 295 Ile Phe Arg Val Ile Asp Asn Arg Leu Gln Asp Gln Tyr Ser Met Glu Glu Ala Cys Lys Val Ala Thr Leu Ser Leu Arg Cys Leu Thr Thr Glu 325 330 Ile Lys Leu Arg Pro Asn Met Ser Glu Val Val Ser His Leu Glu His 345 Ile Gln Ser Leu Asn Ala Ala Ile Gly Gly Asn Met Asp Lys Thr Asp Arg Arg Met Arg Arg Arg Ser Asp Ser Val Val Ser Lys Lys Val Asn 375 Ala Gly Phe Ala Arg Gln Thr Ala Val Gly Ser Thr Val Val Ala Tyr 390 395 Pro Arg Pro Ser Ala Ser Pro Leu Tyr Val 405

<210> 69 <211> 3240

<212> DNA

<213> Arabidopsis thaliana

<220> <221> CDS <222> (69)..(236)

```
<220>
<221> CDS
<222> (420)..(506)
<220>
<221> CDS
<222> (581)..(822)
<220>
<221> CDS
<222> (907)..(1126)
<220>
<221> CDS
<222> (1276)..(1355)
<220>
<221> CDS
<222> (1442)..(1526)
<220>
<221> CDS
<222> (1684)..(1815)
<220>
<221> CDS
<222> (1911)..(2024)
<220>
<221> CDS
<222> (2196)..(2243)
<220>
<221> CDS
<222> (2734)..(2818)
<220>
<221> CDS
<222> (2928)..(2984)
<220>
<221> CDS
<222> (3079)..(3191)
<400> 69
ctttcgtgtg aacttccgtc catatcctta gctctttgtt tggtatttac atttcataca 60
gacgcaaa atg cta gag aaa aaa tta gct gct gca gaa gtc tct gag gaa 110
         Met Leu Glu Lys Lys Leu Ala Ala Glu Val Ser Glu Glu
gag caa aat aac ttg cta aag gat ttg gag atg aag gaa act gaa tat
                                                                  158
Glu Gln Asn Asn Leu Leu Lys Asp Leu Glu Met Lys Glu Thr Glu Tyr
15
                                         25
atg cgc cgt cag agg cat aaa atg gga gct gat gac ttt gag cca ttg
```

Met	Arg	Arg	Gln	Arg 35	His	Lys	Met.	Gly	Ala 40	Asp	Asp	Phe	Glu	Pro 45	Leu	
aca Thr	atg Met	att Ile	ggg Gly 50	aag Lys	ggt Gly	gca Ala	ttc Phe	gga Gly 55	gag Glu	gtaa	cato	ete t	ttta	ataga	it	256
cata	gtct	gt t	acto	tgtt	t to	tcag	geete	tca	ttgg	cat	gcat	cato	tt q	gaaat	gttct	316
ctgt	gato	gca t	cctt	ctto	ja aa	ggto	ttct	: tag	gcca	ttt	tttt	taco	cac a	agcťa	atttt	376
tcaa	aaaa	igt a	tggo	atgo	et aa	ittt	tete	: ttt	ctct	ttg	cag			atc Ile		431
agg Arg	gag Glu	aag Lys	gga Gly	aca Thr 65	ggc Gly	aat Asn	gtc Val	tat Tyr	gca Ala 70	atg Met	aag Lys	aag Lys	ctt Leu	aag Lys 75	aaa Lys	479
tct Ser	gag Glu	atg Met	ctt Leu 80	cgc Arg	aga Arg	ggc Gly	cag Gln	gta Val 85	ttta	aatt	cc t	tcaa	ıgtgç	gc		526
ttto	gttt	ga o	attt	gttt	a gt	tggt	tgat	gtg	gaatg	jtgg	aato	tgat	tt 1	cag	gtg Val	583
gaa Glu	cat His	gta Val	aaa Lys 90	gca Ala	gag Glu	aga Arg	aat Asn	tta Leu 95	ctt Leu	gca Ala	gaa Glu	gtt Val	gat Asp 100	agc Ser	aat Asn	631
tgc Cys	att Ile	gtc Val 105	aaa Lys	ctg Leu	tat Tyr	tgt Cys	tct Ser 110	ttc Phe	caa Gln	gat Asp	gaa Glu	gag Glu 115	tac Tyr	ttg Leu	tat Tyr	679
ctc Leu	ata Ile 120	atg Met	gag Glu	tat Tyr	tta Leu	cct Pro 125	ggt Gly	ggg Gly	gat Asp	atg Met	atg Met 130	act Thr	tta Leu	ctt Leu	atg Met	727
agg Arg 135	aaa Lys	gac Asp	acc Thr	ctc Leu	act Thr 140	gaa Glu	gac Asp	gag Glu	gcc Ala	agg Arg 145	ttt Phe	tat Tyr	att Ile	Gly	gaa Glu 150	775
act Thr	gtc Val	ctg Leu	gct Ala	att Ile 155	gag Glu	tcc Ser	att Ile	cat His	aag Lys 160	cac His	aac Asn	tac Tyr	att Ile	cac His 165	ag Ar	822
gtca	agtga	aag o	agaa	tata	at ga	ttta	gtto	tag	ctcc	cat	tgtt	attt	tg t	ttcta	aacgt	882
cttt	tttt	ct o	caat	gtga	at ac) Asp			g cta ı Lev		934
gac Asp	aaa Lys	gac Asp	ggc	cac His 180	atg Met	aaa Lys	ttg Leu	tca Ser	gat Asp 185	ttt Phe	gga Gly	tta Leu	tgt Cys	aaa Lys 190	cca Pro	982
tta	gac	tgt	agt	aat	ctt	caa	gag	aaa	gac	ttt	aca	gtt	gca	aga	aac	1030

Leu Asp	Cys Ser 195	Asn Leu (Lys Asp 200	Phe		la Arg Asn	
gtt agt Val Ser	ggg gct Gly Ala 210	tta caa a Leu Gln S	agt gat Ger Asp 215	ggt cgc Gly Arg	cct Pro	gtg gcg a Val Ala T 220	ica aga cgc 'hr Arg Arg	1078
acc caa Thr Gln 225	caa gag Gln Glu	Gln Leu I	eta aac Leu Asn 230	tgg cag Trp Gln	Arg	aat aga a Asn Arg A 235	ngg atg ctt Arg Met Leu	1126
gtaagtt	ca ctta	tteete ato	ttttctt	ccagaga	tgt	ggagtagto	c acagtateca	1186
gtatatt	cg ttat	tgaaag caa	attctct	ccattga	tat	agacatcta	ıt gttagatatı	1246
acttact	agg ttaa	ggtcat tad				Thr Val G	ggc act cct Sly Thr Pro 145	1299
gac tat Asp Tyr	att gcc Ile Ala 250	cca gaa g Pro Glu V	ytt ctg /al Leu 255	ttg aaa Leu Lys	aaa Lys	gga tat g Gly Tyr G 260	gga atg gaa Sly Met Glu	1347
tgt gat Cys Asp 265	tg gtage Tr	gtgaag cca	acctatt	cctattt	gtg	gtctttgat	t tetttggtg	1405
aaataaa	taa tatg	ggtgaa taa	atcttgag	atttag	g tg p Tr	g tct ctt p Ser Leu	ggc gcc ato Gly Ala Ilo 270	1460
atg tat Met Tyr	gaa atg Glu Met 275	ctt gtg (Leu Val (ggg ttt Gly Phe 280	ccg ccc Pro Pro	ttt Phe	tat tca g Tyr Ser A 285	gat gac cca Asp Asp Pro	1508
atg aca Met Thr 290	act tgt Thr Cys	agg aag (Arg Lys	gtaattaa	tc catto	cttt	t tgaatct	ttc	1556
attttaa	tat tgaa	ggcaga ct	ggcgattt	caagtct	tac	atttaattt	t agtcttttt	1616
tatctct	ttg gtaa	ttctaa tg	tggaaact	tacctct	tct	cgattcatt	a totteccco	1676
tatgcag	ata gta Ile Val 295	aat tgg a	aga aat Arg Asn 300	tac ttg Tyr Leu	aaa Lys	ttc cca g Phe Pro A 305	gat gag gtt Asp Glu Val	1725
aga cta Arg Leu 310	tca cca Ser Pro	Glu Ala 1	aag gat Lys Asp 315	ctt att Leu Ile	Cys	agg ctt t Arg Leu I 320	ta tgc aat Jeu Cys Asn	1773
gtt gaa Val Glu 325	caa agg Gln Arg	ctt gga a Leu Gly '	aca aaa Thr Lys	gga gca Gly Ala	gat Asp 335	gaa att a Glu Ile I	aag Lys	1815
gtgttgt	atg cgtt	gttcaa ct	ttgagatt	caaagtt	ccc	ttatgtaag	a tcattgtgt;	1875

caattottaa aaacgatttg actggtttot ttoag ggt cac cot tgg ttt aga 1928 Gly His Pro Trp Phe Arg 340
ggc aca gaa tgg gga aaa ttg tat caa atg aaa gct gcc ttt att ccc 1976 Gly Thr Glu Trp Gly Lys Leu Tyr Gln Met Lys Ala Ala Phe Ile Pro 345 350 355 360
caa gtt aat gat gag ttg gac acc caa aat ttt gag aaa ttt gaa gag 2024 Gln Val Asn Asp Glu Leu Asp Thr Gln Asn Phe Glu Lys Phe Glu Glu 365 370 375
gtaacacact gatactatca gctaatgatg tctatagtga aatattggtg caatatatgc 2084
caccaaatga tgtggcatga tgtatatact gaaatattgg tatcacagat gatttttatg 2144
ctcctgataa ggaaaataat gtatactctt ctttgattcc ttctggaaca g act gac 2201 Thr Asp
aag caa gtt cca aag tca gcc aag tca ggt cca tgg aga aag 2243 Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Trp Arg Lys 380 385 390
gtacagcata agcactgact ttttggcatt atgtaccatc aagctttttt tttttatcta 2303
atagaagagt gatcatactt caaaatttat ctataagtgg gttccttgag atatgttgtt 2363
ctttgatgat actacagacg tagcttaaaa tattacatgc aacaaagagc tcagaatgat 2423
gaaattggct cagtttetgt cacaggegtt tetatetttg tactatatte acaaaaacgt 2483
gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga 2543
tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacgt gtgttagatg 2603
aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663
tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723
tetteteeag atg etc tea tee aaa gae att aac ttt gtt ggt tat act Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 405
tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420
gtaattcact taacccccct teegttgctg aggaagaagc aacaatacta gattaccttg 2878
tgattatcat cgcatgtttg ctgcatttgt aatttgtttt attgtgcag ct gag ttg 2935 la Glu Leu G
aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G 425 430 435
435 440

gtaaatcatc tgtttgtatg ctatttgtaa aatcaagatg attacgatcc atgtttgatt 3044 ctctctaacc aaactgtgga aactaaatta acag aa gac gaa aca tct ggt ggg lu Asp Glu Thr Ser Gly Gly aca aca acc cac caa gga agc ttt ttg aat cta cta ccg acg cag att 3146 Thr Thr Thr His Gln Gly Ser Phe Leu Asn Leu Leu Pro Thr Gln Ile 450 455 gaa gat cca gag aaa gaa ggt agt aag tcg agc tca tcc ggg tga 3191 Glu Asp Pro Glu Lys Glu Gly Ser Lys Ser Ser Ser Ser Gly 470 atttcatttg acacattgca cagcctgaac cagaagactc ttgttatat 3240 <210> 70 <211> 476 <212> PRT <213> Arabidopsis thaliana <400> 70 Met Leu Glu Lys Lys Leu Ala Ala Glu Val Ser Glu Glu Glu Gln 10 Asn Asn Leu Leu Lys Asp Leu Glu Met Lys Glu Thr Glu Tyr Met Arg Arg Gln Arg His Lys Met Gly Ala Asp Asp Phe Glu Pro Leu Thr Met 40 Ile Gly Lys Gly Ala Phe Gly Glu Val Arg Ile Cys Arg Glu Lys Gly Thr Gly Asn Val Tyr Ala Met Lys Lys Leu Lys Lys Ser Glu Met Leu Arg Arg Gly Gln Val Val Glu His Val Lys Ala Glu Arg Asn Leu Leu Ala Glu Val Asp Ser Asn Cys Ile Val Lys Leu Tyr Cys Ser Phe Gln 105 Asp Glu Glu Tyr Leu Tyr Leu Ile Met Glu Tyr Leu Pro Gly Gly Asp Met Met Thr Leu Leu Met Arg Lys Asp Thr Leu Thr Glu Asp Glu Ala Arg Phe Tyr Ile Gly Glu Thr Val Leu Ala Ile Glu Ser Ile His Lys 145 150 His Asn Tyr Ile His Arg Asp Ile Lys Pro Asp Asn Leu Leu Leu Asp 170 Lys Asp Gly His Met Lys Leu Ser Asp Phe Gly Leu Cys Lys Pro Leu

180 185 190 Asp Cys Ser Asn Leu Gln Glu Lys Asp Phe Thr Val Ala Arg Asn Val 200 Ser Gly Ala Leu Gln Ser Asp Gly Arg Pro Val Ala Thr Arg Arg Thr 215 Gln Gln Glu Gln Leu Leu Asn Trp Gln Arg Asn Arg Arg Met Leu Ala 235 Tyr Ser Thr Val Gly Thr Pro Asp Tyr Ile Ala Pro Glu Val Leu Leu Lys Lys Gly Tyr Gly Met Glu Cys Asp Trp Trp Ser Leu Gly Ala Ile Met Tyr Glu Met Leu Val Gly Phe Pro Pro Phe Tyr Ser Asp Pro 280 Met Thr Thr Cys Arg Lys Ile Val Asn Trp Arg Asn Tyr Leu Lys Phe Pro Asp Glu Val Arg Leu Ser Pro Glu Ala Lys Asp Leu Ile Cys Arg 305 315 Leu Leu Cys Asn Val Glu Gln Arg Leu Gly Thr Lys Gly Ala Asp Glu Ile Lys Gly His Pro Trp Phe Arg Gly Thr Glu Trp Gly Lys Leu Tyr Gln Met Lys Ala Ala Phe Ile Pro Gln Val Asn Asp Glu Leu Asp Thr 360 Gln Asn Phe Glu Lys Phe Glu Glu Thr Asp Lys Gln Val Pro Lys Ser 375 Ala Lys Ser Gly Pro Trp Arg Lys Met Leu Ser Ser Lys Asp Ile Asn 395 Phe Val Gly Tyr Thr Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile Ala Glu Leu Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe Glu Asp Glu Thr Ser Gly Gly Thr Thr 440 Thr His Gln Gly Ser Phe Leu Asn Leu Leu Pro Thr Gln Ile Glu Asp

Pro Glu Lys Glu Gly Ser Lys Ser Ser Ser Gly
465 470 475

<210> 71 <211> 979 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (28)..(843) <400> 71 acgaaaacca ccgttagcta taggctg atg ata tgt agg atc cga ctc ggg tcg 54 Met Ile Cys Arg Ile Arg Leu Gly Ser atg aac ggt gac gaa tgc gcg aac gtt gcg acg tgc tgg gtt act tct Met Asn Gly Asp Glu Cys Ala Asn Val Ala Thr Cys Trp Val Thr Ser 10 cta gct tgt gta gtt gac gcc gga cga tat acg aaa aag gta tcc cac 150 Leu Ala Cys Val Val Asp Ala Gly Arg Tyr Thr Lys Lys Val Ser His 35 gac cgg cga acg agg tgg ccc gcc tgg aaa gca cga cgg gat cgt cat Asp Arg Arg Thr Arg Trp Pro Ala Trp Lys Ala Arg Arg Asp Arg His 50 agt gtc cga agt gat agc ggc cta gac agt cat gca ctt gaa ggt gga Ser Val Arg Ser Asp Ser Gly Leu Asp Ser His Ala Leu Glu Gly Gly aaa cga cgt gag tca tgc gta tca cta gct cac gaa cga gat tat gca 294 Lys Arg Arg Glu Ser Cys Val Ser Leu Ala His Glu Arg Asp Tyr Ala cta acg gca cgg tgg gat cgt agc att gca atg acg gat gac acg aac 342 Leu Thr Ala Arg Trp Asp Arg Ser Ile Ala Met Thr Asp Asp Thr Asn 90 95 100 cca caa acc caa cgt aaa ttt gag aaa cat act cgg gat gta gaa gct 390 Pro Gln Thr Gln Arg Lys Phe Glu Lys His Thr Arg Asp Val Glu Ala 110 115 gtt cga ttt tct cca cga gat cgt cta att gta tct gcg ggt gca gat Val Arg Phe Ser Pro Arg Asp Arg Leu Ile Val Ser Ala Gly Ala Asp 125 130 ggg gta att gca gta tgt ccg gtt gct ggt gaa tgt gat gat gac gat Gly Val Ile Ala Val Cys Pro Val Ala Gly Glu Cys Asp Asp Asp Asp 140 gcc cgt gat ggt cat gaa gat tgt gtt agt agt att tgc ttt tca cca 534 Ala Arg Asp Gly His Glu Asp Cys Val Ser Ser Ile Cys Phe Ser Pro 155 160 165 tca cta gaa cac ccg atc ctc ttt tct ggt agt tgt atc tac ttt att Ser Leu Glu His Pro Ile Leu Phe Ser Gly Ser Cys Ile Tyr Phe Ile

170					175					180					185	
aaa Lys	gtg Val	tgg Trp	aat Asn	gtc Val 190	aat Asn	gga Gly	aag Lys	aaa Lys	tgt Cys 195	agg Arg	acg Thr	ccg Pro	cta Leu	aaa Lys 200	aag Lys	630
cat His	agt Ser	aat Asn	ccc Pro 205	gta Val	tct Ser	aca Thr	cgg Arg	aca Thr 210	cag Gln	tca Ser	gaa Glu	gag Glu	gga Gly 215	agg Arg	cta Leu	678
tgt Cys	gca Ala	aaa Lys 220	ggt Gly	ggt Gly	aaa Lys	agc Ser	ggt Gly 225	gca Ala	cgg Arg	cta Leu	cta Leu	ccc Pro 230	gat Asp	cta Leu	agt Ser	726
act Thr	cag Gln 235	gaa Glu	caa Gln	cta Leu	ccc Pro	aaa Lys 240	att Ile	aat Asn	caa Gln	gaa Glu	aac Asn 245	cct Pro	att Ile	aat Asn	caa Gln	774
att Ile 250	gct Ala	ttt Phe	tca Ser	cct Pro	agt Ser 255	ccg Pro	ttc Phe	gtc Val	gtc Val	acg Thr 260	tgc Cys	caa Gln	acg Thr	gaa Glu	aga Arg 265	822
tcc Ser	cta Leu	tct Ser	caa Gln	acg Thr 270	tgg Trp	tga	ccgt	gcad	ecg g	gcac	ggtga	aa aa	agto	cgaco	2	873
ggat	cgad	cg a	ccga	aaago	ec to	jctco	gctgç	g aca	aaaa	aaag	agct	ttt	ag g	geett	tcgct	933
ttt	ttga	ag a	aaaa	aaggo	ct co	gcgaa	aaaa	a aaa	aaago	ctcg	aaat	ca				979
<213 <213	0> 72 l> 27 2> PI 3> As	71 RT	lopsi	is th	nalia	ına										
)> 72			_,	_	_		_								
met 1	116	Cys	Arg	11e 5	Arg	Leu	Gly	Ser	Met 10	Asn	Gly	Asp	Glu	Cys 15	Ala	
Asn	Val	Ala	Thr 20	Cys	Trp	Val	Thr	Ser 25	Leu	Ala	Cys	Val	Val 30	Asp	Ala	
Gly	Ara	ጥህተ	m1	_	-	1701	0							_	D	
	•••	35	THE	ГÀЗ	гуs	vai	40	His	Asp	Arg	Arg	Thr 45	Arg	Trp	Pro	
Ala		35					40		Asp			45				
	Trp 50	35 Lys	Ala	Arg	Arg	Asp 55	40 Arg	His		Val	Arg 60	45 Ser	Asp	Ser	Gly	
Leu 65	Trp 50 Asp	35 Lys Ser	Ala His	Arg Ala	Arg Leu 70	Asp 55 Glu	40 Arg Gly	His Gly	Ser	Val Arg 75	Arg 60 Arg	45 Ser Glu	Asp Ser	Ser Cys	Gly Val 80	

Glu Lys His Thr Arg Asp Val Glu Ala Val Arg Phe Ser Pro Arg Asp

```
120
Arg Leu Ile Val Ser Ala Gly Ala Asp Gly Val Ile Ala Val Cys Pro
    130
Val Ala Gly Glu Cys Asp Asp Asp Asp Ala Arg Asp Gly His Glu Asp
                     150
Cys Val Ser Ser Ile Cys Phe Ser Pro Ser Leu Glu His Pro Ile Leu
                                     170
Phe Ser Gly Ser Cys Ile Tyr Phe Ile Lys Val Trp Asn Val Asn Gly
Lys Lys Cys Arg Thr Pro Leu Lys Lys His Ser Asn Pro Val Ser Thr
        195
                            200
Arg Thr Gln Ser Glu Glu Gly Arg Leu Cys Ala Lys Gly Gly Lys Ser
                        215
Gly Ala Arg Leu Leu Pro Asp Leu Ser Thr Gln Glu Gln Leu Pro Lys
                                         235
Ile Asn Gln Glu Asn Pro Ile Asn Gln Ile Ala Phe Ser Pro Ser Pro
Phe Val Val Thr Cys Gln Thr Glu Arg Ser Leu Ser Gln Thr Trp
            260
                                265
<210> 73
<211> 1260
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (101)..(155)
<220>
<221> CDS
<222> (254)..(660)
<220>
<221> CDS
<222> (750)..(1193)
gctcaattat gtttacaaca ttgttgtaat ttcaaaaactt cataagaatt tctctgataa 60
taaagaaaaa gctggagtag aactatttta aagtgtcatc atg aag aga cta agc
                                            Met Lys Arg Leu Ser
                                              1
                                                              5
```

agc Ser	tca Ser	gat Asp	tca Ser	atg Met 10	Cys	ggt Gly	cta Leu	atc Ile	tcc Ser 15	act Thr	tct Ser	aca Thr	g g A	ttct	tatta	165
cca	tctt	tgt	tctt	tcta	ct t	tttg	ctaa	t gt	caga	caaa	acc	catg	tga	tcct	ttcttc	225
act	ttcc	act	gttt	cttt	ta t	tgac	aag	at t	ca t	tt a	at t	ac a	ca a	ca d	at gaa	279
								sp S	er P 20	he G	1у т	yr T	hr T	hr A 25	sp Glu	213
Gln	Ser	Pro 30	Arg	Gly	Tyr	Gly	Ser 35	Asn	Tyr	Gln	Ser	Met 40	Leu	gaa Glu	Gly	327
tac Tyr	gat Asp 45	gaa Glu	gat Asp	gct Ala	aca Thr	cta Leu 50	atc Ile	gag Glu	gaa Glu	tat Tyr	tcc Ser 55	ggc	aac Asn	cac His	cac His	375
cac His 60	atg Met	ggt Gly	cta Leu	tcg Ser	gag Glu 65	aag Lys	aag Lys	aga Arg	aga Arg	tta Leu 70	aaa Lys	gtt Val	gac Asp	caa Gln	gtc Val 75	423
aaa Lys	gct Ala	ctt Leu	gag Glu	aag Lys 80	aat Asn	ttc Phe	gaa Glu	ctt Leu	gag Glu 85	aat Asn	aaa Lys	ctc Leu	gaa Glu	cct Pro 90	gag Glu	471
agg Arg	aaa Lys	act Thr	aaa Lys 95	Leu	gca Ala	caa Gln	gag Glu	ctt Leu 100	gga Gly	ctt Leu	caa Gln	cct Pro	cgt Arg 105	caa Gln	gta Val	519
gct Ala	gtt Val	tgg Trp 110	ttt Phe	cag Gln	aac Asn	cgt Arg	cgt Arg 115	gca Ala	cgg Arg	tgg Trp	aaa Lys	aca Thr 120	aaa Lys	cag Gln	ctt Leu	567
gaa Glu	aaa Lys 125	gat Asp	tac Tyr	ggt Gly	gtt Val	ctt Leu 130	aag Lys	ggt Gly	caa Gln	tac Tyr	gat Asp 135	tct Ser	ctc Leu	cgc Arg	cac His	615
aat Asn 140	ttc Phe	gat Asp	tct Ser	ctc Leu	cgc Arg 145	cgt Arg	gac Asp	aat Asn	gat Asp	tcc Ser 150	ctt Leu	ctc Leu	caa Gln	gag Glu		660
gta	caata	att a	agaga	actt	ca aa	accat	aaaa	a att	gaaa	actt	caga	agac	gaa a	aatgo	caaaaa	720
ggt	ttgat	tt 1	taaa	agtti	t to	gttg	jcag	att Ile 155	agt Ser	aaa Lys	atc Ile	aaa Lys	gct Ala 160	aag Lys	gta Val	773
aac Asn	ggt Gly	gaa Glu 165	gaa Glu	gat Asp	aac Asn	aac Asn	aac Asn 170	aac Asn	aaa Lys	gct Ala	att Ile	acg Thr 175	gag Glu	ggt Gly	gtt Val	821
aag Lys	gaa Glu 180	gag Glu	gaa Glu	gtt Val	cac His	aag Lys 185	acg Thr	.gat Asp	tcg Ser	att Ile	cct Pro 190	tcg Ser	tct Ser	cct Pro	ctg Leu	869
cag	ttt	cta	gaa	cat	tcc	tct	ggt	ttt	aac	tac	cgg	cga	agc	ttc	act	917

195	Phe	Leu	Glu	His	Ser 200	Ser	Gly	Phe	Asn	Tyr 205	Arg	Arg	Ser	Phe	Thr 210	
gac Asp	ctc Leu	cgt Arg	gac Asp	ctt Leu 215	cta Leu	ccg Pro	aat Asn	tcc Ser	acc Thr 220	gtt Val	gtc Val	gag Glu	gct Ala	gga Gly 225	tct Ser	965
tcc Ser	gat Asp	agt Ser	tgc Cys 230	gat Asp	tca Ser	agc Ser	gcc Ala	gtt Val 235	ctt Leu	aac Asn	gac Asp	gaa Glu	aca Thr 240	agt Ser	tct Ser	1013
gat Asp	aac Asn	gga Gly 245	aga Arg	ttg Leu	acg Thr	ccg Pro	cct Pro 250	gtg Val	acg Thr	gtt Val	act Thr	ggc Gly 255	ggg Gly	agt Ser	ttc Phe	1061
tta Leu	cag Gln 260	ttt Phe	gtg Val	aaa Lys	aca Thr	gag Glu 265	caa Gln	aca Thr	gag Glu	gat Asp	cac His 270	gag Glu	gat Asp	ttt Phe	cta Leu	1109
agc Ser 275	ggt Gly	gaa Glu	gaa Glu	gct Ala	tgt Cys 280	ggt Gly	ttc Phe	ttc Phe	tcc Ser	gat Asp 285	gaa Glu	cag Gln	ccg Pro	ccg Pro	tca Ser 290	1157
ctt Leu	cat His	tgg Trp	tac Tyr	tct Ser 295	gct Ala	tca Ser	gat Asp	cat His	tgg Trp 300	act Thr	tga	gaat	ttgtt	ta		1203
+	aatto	act c	70+a1		~+		t ~ .	- ~								
LCa	 .,	99- 1	gctct	-gcc	a gi	LCLC	acy	y ya	iaaca	agag	aaga	aggg	caa a	aggto	gga	1260
<21 <21 <21	0> 74 1> 30 2> PI	4 01 RT					acy	y ga	iaaca	agag	aaga	aggg	caa a	iggt	gga J	1260
<21: <21: <21: <21:	0> 74 1> 30	4 01 RT rabio					aa c g ç	y ga	iaaca	agag	aaga	aggg	caa a	iggt	gga	1260
<21 <21 <21 <21 <40 Met	0> 74 1> 36 2> PI 3> Ai 0> 74 Lys	4 01 RT rabio 4 Arg	lopsi Leu	is th Ser 5	nalia Ser	ana Ser	Asp	Ser	Met 10	Cys	Gly	Leu	Ile	Ser 15	Thr	1260
<21 <21 <21 <21 <40 Met	0> 74 1> 30 2> PI 3> Ai	4 01 RT rabio 4 Arg	lopsi Leu	is th Ser 5	nalia Ser	ana Ser	Asp	Ser	Met 10	Cys	Gly	Leu	Ile	Ser 15	Thr	1260
<21: <21: <21: <40: Met 1	0> 74 1> 36 2> PI 3> Ai 0> 74 Lys	4 01 RT rabio 4 Arg	Leu Ser 20	Ser 5 Phe	nalia Ser Gly	ana Ser Tyr	Asp	Ser Thr 25	Met 10 Asp	Cys Glu	Gly Gln	Leu Ser	Ile Pro 30	Ser 15 Arg	Thr	1260
<210<211<211<211<2400 Met 1 Ser	0> 74 1> 36 2> PI 3> Ar 0> 74 Lys	1 01 RT rabio 4 Arg Asp Ser 35	Leu Ser 20 Asn	Ser 5 Phe Tyr	Ser Gly Gln	ana Ser Tyr Ser	Asp Thr Met 40	Ser Thr 25 Leu	Met 10 Asp Glu	Cys Glu Gly	Gly Gln Tyr	Leu Ser Asp 45	Ile Pro 30 Glu	Ser 15 Arg Asp	Thr Gly Ala	1260
<21: <21: <21: <40: Met 1 Ser	0> 7/ 1> 3(2> PI 3> AI 0> 7/ Lys Thr Gly	1 01 RT rabio 4 Arg Asp Ser 35	Leu Ser 20 Asn Glu	Ser 5 Phe Tyr	Ser Gly Gln Tyr	Ser Tyr Ser Ser	Asp Thr Met 40	Ser Thr 25 Leu Asn	Met 10 Asp Glu His	Cys Glu Gly His	Gly Gln Tyr His 60	Leu Ser Asp 45 Met	Ile Pro 30 Glu Gly	Ser 15 Arg Asp	Thr Gly Ala Ser	1260
<21: <21: <21: <40: Met 1 Ser Tyr Thr	0> 74 1> 36 2> PP 3> An 0> 74 Lys Thr Gly Leu 50	1 01 RT rabio 4 Arg Asp Ser 35 Ile	Leu Ser 20 Asn Glu	Ser 5 Phe Tyr Glu	Ser Gly Gln Tyr Leu 70	Ser Tyr Ser Ser 55	Asp Thr Met 40 Gly Val	Ser Thr 25 Leu Asn	Met 10 Asp Glu His	Cys Glu Gly His Val 75	Gly Gln Tyr His 60 Lys	Leu Ser Asp 45 Met	Ile Pro 30 Glu Gly Leu	Ser 15 Arg Asp Leu Glu	Thr Gly Ala Ser Lys 80	1260

Asn Arg Arg Ala Arg Trp Lys Thr Lys Gln Leu Glu Lys Asp Tyr Gly Val Leu Lys Gly Gln Tyr Asp Ser Leu Arg His Asn Phe Asp Ser Leu Arg Arg Asp Asn Asp Ser Leu Leu Gln Glu Ile Ser Lys Ile Lys Ala 150 Lys Val Asn Gly Glu Glu Asp Asn Asn Asn Lys Ala Ile Thr Glu Gly Val Lys Glu Glu Glu Val His Lys Thr Asp Ser Ile Pro Ser Ser 185 Pro Leu Gln Phe Leu Glu His Ser Ser Gly Phe Asn Tyr Arg Arg Ser Phe Thr Asp Leu Arg Asp Leu Leu Pro Asn Ser Thr Val Val Glu Ala Gly Ser Ser Asp Ser Cys Asp Ser Ser Ala Val Leu Asn Asp Glu Thr 230 Ser Ser Asp Asn Gly Arg Leu Thr Pro Pro Val Thr Val Thr Gly Gly Ser Phe Leu Gln Phe Val Lys Thr Glu Gln Thr Glu Asp His Glu Asp 265 Phe Leu Ser Gly Glu Glu Ala Cys Gly Phe Phe Ser Asp Glu Gln Pro 280 Pro Ser Leu His Trp Tyr Ser Ala Ser Asp His Trp Thr 290 295 300 <210> 75 <211> 1122 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (22)..(1122) <400> 75 acgtagctaa agtccgtttg a atg aac caa cgt gct gac cgt gct Met Asn Gln Arg Ala Asp Arg Asp Arg Ala age teg ate egt tgg ttt gee aac ega tta gtg agt ggt age etg tta Ser Ser Ile Arg Trp Phe Ala Asn Arg Leu Val Ser Gly Ser Leu Leu 20 ttg tgt gct aac gcc tac agt cgt cgt act ccc gcg tcc ggg gcc gca

Leu	Суз	Ala	Asn 30	Ala	Tyr	Ser	Arg	Arg 35	Thr	Pro	Ala	Ser	Gly 40	Ala	Ala	
tta Leu	cag Gln	cag Gln 45	atg Met	aac Asn	cgt Arg	gcc Ala	agt Ser 50	cag Gln	tca Ser	gtg Val	aat Asn	tac Tyr 55	cga Arg	cga Arg	cgt Arg	195
gag Glu	ctg Leu 60	tca Ser	tta Leu	atc Ile	agc Ser	ggc Gly 65	cgg Arg	aaa Lys	cag Gln	ggt Gly	gtc Val 70	cag Gln	tct Ser	ctg Leu	ggt Gly	243
tat Tyr 75	aga Arg	ctt Leu	gca Ala	cgc Arg	ctc Leu 80	gat Asp	aac Asn	cgc Arg	gct Ala	ctt Leu 85	gca Ala	caa Gln	ttg Leu	ttg Leu	cac His 90	291
agg Arg	gat Asp	ggc	cag Gln	ccc Pro 95	gag Glu	gaa Glu	gtg Val	gta Val	cag Gln 100	cgc Arg	ggc Gly	aat Asn	gaa Glu	atc Ile 105	agc Ser	339
tat Tyr	ttc Phe	gaa Glu	acg Thr 110	gga Gly	ctt Leu	gaa Glu	ccg Pro	acc Thr 115	acg Thr	ctt Leu	aga Arg	cgt Arg	gtg Val 120	cgc Arg	gat Asp	387
tgt Cys	gtt Val	gtt Val 125	gcc Ala	gct Ala	ctg Leu	cca Pro	acc Thr 130	gtt Val	atc Ile	tat Tyr	acc Thr	gga Gly 135	ttc Phe	aaa Lys	cgt Arg	435
gtt Val	tct Ser 140	cct Pro	tac Tyr	tac Tyr	gaa Glu	ttt Phe 145	atc Ile	tcc Ser	gtc Val	ggg ggg	cgc Arg 150	acg Thr	agg Arg	gtt Val	gct Ala	483
gat Asp 155	cgt Arg	ctt Leu	agc Ser	gaa Glu	gtc Val 160	acg Thr	caa Gln	gtg Val	gtt Val	ccc Pro 165	cga Arg	gat Asp	gat Asp	aca Thr	cgc Arg 170	531
tac Tyr	gtc Val	tac Tyr	atc Ile	gtg Val 175	tgg Trp	cgg Arg	gaa Glu	tcc Ser	gaa Glu 180	cga Arg	tcg Ser	aaa Lys	tta Leu	gag Glu 185	gcg Ala	579
cgg Arg	ggg Gly	gat Asp	ctc Leu 190	cgt Arg	gat Asp	cgc Arg	gat Asp	ggt Gly 195	gaa Glu	acg Thr	ctg Leu	gaa Glu	aag Lys 200	ttt Phe	cgc Arg	627
gtg Val	att Ile	gct Ala 205	ttt Phe	aac Asn	gtc Val	acg Thr	ctg Leu 210	gat Asp	atc Ile	agc Ser	agc Ser	agt Ser 215	atg Met	gag Glu	ċcg Pro	675
ctg Leu	gcg Ala 220	aag Lys	gga Gly	gat Asp	ttg Leu	ccg Pro 225	ccg Pro	ttg Leu	ctt Leu	gct Ala	gtt Val 230	cct Pro	gta Val	ggt Gly	gaa Glu	723
caa Gln 235	gct Ala	aga Arg	ttc Phe	agc Ser	ttg Leu 240	acg Thr	cca Pro	acc Thr	tgg Trp	ttg Leu 245	cca Pro	cag Gln	ggt Gly	cgt Arg	agc Ser 250	771
gat Asp	gtt Val	tcc Ser	agt Ser	agt Ser	cga Arg	cgt Arg	ggg Gly	cta Leu	ccg Pro	cgg Arg	atg Met	gac Asp	aaa Lys	gtg Val	cct Pro	819

255 260 265 atc gaa tcc cgt ctc tcg acc gac gga gta ttc agc ttc tcg gta aac Ile Glu Ser Arg Leu Ser Thr Asp Gly Val Phe Ser Phe Ser Val Asn 270 275 gtt aac ggc gct acg cca tcg agg tgg gat cag atg ttg cgc acc gga 915 Val Asn Gly Ala Thr Pro Ser Arg Trp Asp Gln Met Leu Arg Thr Gly 290 295 cgc agg ccc gtc agt aga agc gta cgt gat gtc gcc gaa aac acc att 963 Arg Arg Pro Val Ser Arg Ser Val Arg Asp Val Ala Glu Asn Thr Ile 305 ggc ggt gaa ctg ccg cgt agc tgc tcg cga ccc gat ccg ttg acc 1011 Gly Gly Glu Leu Pro Pro Arg Ser Cys Ser Arg Pro Asp Pro Leu Thr 325 get gac ege ege ege tge get age etg age etg eec age etg eea get 1059 Ala Asp Arg Arg Cys Ala Ser Leu Ser Leu Pro Ser Leu Pro Ala 340 cga cag ccc tcc caa acg gag aaa cgc att gtc gag aat att aag tac 1107 Arg Gln Pro Ser Gln Thr Glu Lys Arg Ile Val Glu Asn Ile Lys Tyr 355 ggg gca gcg cca tga 1122 Gly Ala Ala Pro 365 <210> 76 <211> 366 <212> PRT <213> Arabidopsis thaliana Met Asn Gln Arg Ala Asp Arg Asp Arg Ala Ser Ser Ile Arg Trp Phe Ala Asn Arg Leu Val Ser Gly Ser Leu Leu Leu Cys Ala Asn Ala Tyr 25 Ser Arg Arg Thr Pro Ala Ser Gly Ala Ala Leu Gln Gln Met Asn Arg Ala Ser Gln Ser Val Asn Tyr Arg Arg Glu Leu Ser Leu Ile Ser Gly Arg Lys Gln Gly Val Gln Ser Leu Gly Tyr Arg Leu Ala Arg Leu Asp Asn Arg Ala Leu Ala Gln Leu Leu His Arg Asp Gly Gln Pro Glu Glu Val Val Gln Arg Gly Asn Glu Ile Ser Tyr Phe Glu Thr Gly Leu 105

Glu Pro Thr Thr Leu Arg Arg Val Arg Asp Cys Val Val Ala Ala Leu 115 120 125

Pro Thr Val Ile Tyr Thr Gly Phe Lys Arg Val Ser Pro Tyr Tyr Glu 130 135 140

Phe Ile Ser Val Gly Arg Thr Arg Val Ala Asp Arg Leu Ser Glu Val 145 150 155 160

Thr Gln Val Val Pro Arg Asp Asp Thr Arg Tyr Val Tyr Ile Val Trp
165 170 175

Arg Glu Ser Glu Arg Ser Lys Leu Glu Ala Arg Gly Asp Leu Arg Asp 180 185 190

Arg Asp Gly Glu Thr Leu Glu Lys Phe Arg Val Ile Ala Phe Asn Val 195 200 205

Thr Leu Asp Ile Ser Ser Ser Met Glu Pro Leu Ala Lys Gly Asp Leu 210 215 220

Pro Pro Leu Leu Ala Val Pro Val Gly Glu Gln Ala Arg Phe Ser Leu 225 230 230 235 240

Thr Pro Thr Trp Leu Pro Gln Gly Arg Ser Asp Val Ser Ser Ser Arg
245 250 255

Arg Gly Leu Pro Arg Met Asp Lys Val Pro Ile Glu Ser Arg Leu Ser 260 265 270

Thr Asp Gly Val Phe Ser Phe Ser Val Asn Val Asn Gly Ala Thr Pro 275 280 285

Ser Arg Trp Asp Gln Met Leu Arg Thr Gly Arg Arg Pro Val Ser Arg 290 295 300

Ser Val Arg Asp Val Ala Glu Asn Thr Ile Gly Gly Glu Leu Pro Pro 305 310 315 320

Arg Ser Cys Ser Arg Pro Asp Pro Leu Thr Ala Asp Arg Arg Cys 325 330 335

Ala Ser Leu Ser Leu Pro Ser Leu Pro Ala Arg Gln Pro Ser Gln Thr 340 345 350

Glu Lys Arg Ile Val Glu Asn Ile Lys Tyr Gly Ala Ala Pro 355 360 365

<210> 77

<211> 1650

<212> DNA

<213> Arabidopsis thaliana

<220>

```
<221> CDS
<222> (21)..(203)
<220>
<221> CDS
<222> (291)..(482)
<220>
<221> CDS
<222> (633)..(838)
<220>
<221> CDS
<222> (1044)..(1605)
attcagagaa gaactcaccg atg agt atg gat ttt tca cct ttg tta acg gtt 53
                      Met Ser Met Asp Phe Ser Pro Leu Leu Thr Val
ctt gag gga gat ttc aac aag gat aat act tct tct gca aca gaa att
Leu Glu Gly Asp Phe Asn Lys Asp Asn Thr Ser Ser Ala Thr Glu Ile
                                 20
gat act tta gag aac tta gat gac act agg cag ata agt aaa gga aaa
                                                                   149
Asp Thr Leu Glu Asn Leu Asp Asp Thr Arg Gln Ile Ser Lys Gly Lys
                             35
cct ccg agg cac ctc aca agc agt gct act agg ctg cag ctt gca gcc
                                                                   197
Pro Pro Arg His Leu Thr Ser Ser Ala Thr Arg Leu Gln Leu Ala Ala
     45
                         50
                                              55
aat gcg gtaatatact tgaccctgct ttttcttttt ccttttcttt gttacaatgg
                                                                   253
Asn Ala
 60
gattcgaatg atgtaactgg tttctgtttg tgcgcag gat gtg gat gtt tgt aac
                                         Asp Val Asp Val Cys Asn
                                                       65
ttg gtt atg aag tca ctt gat gac aaa tca gag ttt cta cct gta tac
Leu Val Met Lys Ser Leu Asp Asp Lys Ser Glu Phe Leu Pro Val Tyr
                             75
cga tca gga agt tgt gct gag caa ggg gca aaa cag ttc atg gaa gat
                                                                   404
Arg Ser Gly Ser Cys Ala Glu Gln Gly Ala Lys Gln Phe Met Glu Asp
                         90
                                             95
gaa cac att tgc atc gat gat ctt gtt aat cat ctt ggt gca gct att
                                                                   452
Glu His Ile Cys Ile Asp Asp Leu Val Asn His Leu Gly Ala Ala Ile
100
                    105
caa tgc tct tct ctt gga gcc ttc tat ggg gtgagtttat cttccaatct
                                                                   502
Gln Cys Ser Ser Leu Gly Ala Phe Tyr Gly
```

tacccaaaga agcataaaag caattcacta geetgattet tetteettet eetetttgt 562

actagtacga tataagaggt attacttcaa aaactcttct aacatttgtt gattgtgtgt 622 cctttggcag gta ttt gat ggc cac ggt ggc aca gat gca gca cac ttt 671 Val Phe Asp Gly His Gly Gly Thr Asp Ala Ala His Phe 130 gtt aga aag aac att ctg aga ttc att gta gag gac tcc tcc ttc cca 719 Val Arg Lys Asn Ile Leu Arg Phe Ile Val Glu Asp Ser Ser Phe Pro 140 145 cta tgc gta aag aaa gca att aag agt gct ttc tta aaa gct gat tat 767 Leu Cys Val Lys Lys Ala Ile Lys Ser Ala Phe Leu Lys Ala Asp Tyr 155 165 gaa tit gca gat gat tot tot ott gac atc tot tot ggg acc act gcg Glu Phe Ala Asp Asp Ser Ser Leu Asp Ile Ser Ser Gly Thr Thr Ala 175 180 ctt aca gct ttt att ttt gga cg gtaagagcat ttaaattcgt atttatgaac Leu Thr Ala Phe Ile Phe Gly Ar 190 ttgggaagct atatatgtta tcacctgtat aatcatcaat acttatcagg ttgcctgtgt 928 gtataagata gagaataagg cttagtgtaa agacttatgt aacgggctgt tttaccatgt 988 ttctttgtag ttttgatgtg attttgaata gaattgctac tttctttctt tacag g 1044 agg ttg ata att gca aat gct ggt gat tgc cga gca gta ctg ggg aga 1092 Arg Leu Ile Ile Ala Asn Ala Gly Asp Cys Arg Ala Val Leu Gly Arg 195 200 205 aga ggt agg gca att gag ttg tcc aaa gat cac aaa cca aac tgc aca 1140 Arg Gly Arg Ala Ile Glu Leu Ser Lys Asp His Lys Pro Asn Cys Thr 215 225 gcc gag aaa gta aga ata gaa aag tta ggt gga gtt gtg tat gac ggt 1188 Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr Asp Gly 230 235 tac ctc aac ggg caa cta tca gtt gca cgt gcc att gga gac tgg cac 1236 Tyr Leu Asn Gly Gln Leu Ser Val Ala Arg Ala Ile Gly Asp Trp His 245 250 255 atg aaa ggt ccc aaa ggc tct gct tgt ccg cta agc cca gag cca gag 1284 Met Lys Gly Pro Lys Gly Ser Ala Cys Pro Leu Ser Pro Glu Pro Glu 260 265 ttg caa gag aca gac ctg agt gaa gac gag ttc ttg ata atg gga 1332 Leu Gln Glu Thr Asp Leu Ser Glu Asp Asp Glu Phe Leu Ile Met Gly 280 285 tgt gat ggt ctg tgg gat gtg atg agc agc cag tgc gct gtg aca ata 1380 Cys Asp Gly Leu Trp Asp Val Met Ser Ser Gln Cys Ala Val Thr Ile 295 300 305

Ala A	agg Arg	aag Lys	gaa Glu 310	ctg Leu	atg Met	att Ile	cat His	aat Asn 315	gat Asp	cca Pro	gag Glu	aga Arg	tgc Cys 320	tct Ser	aga Arg	1428
gag c Glu L	eu '	gtg Val 325	agg Arg	gag Glu	gcc Ala	ctt Leu	aaa Lys 330	cgg Arg	aat Asn	aca Thr	tgt Cys	gac Asp 335	aat Asn	ttg Leu	aca Thr	1476
gtg a Val I 3	le 11e 140	gtt Val	gtg Val	tgc Cys	ttc Phe	tct Ser 345	ccg Pro	gat Asp	cct Pro	cca Pro	cag Gln 350	agg Arg	ata Ile	gag Glu	atc Ile	1524
cga a Arg M 355	atg Met	cag Gln	tca Ser	cgg Arg	gtg Val 360	agg Arg	cgg Arģ	agc Ser	ata Ile	tct Ser 365	gcg Ala	gaa Glu	GJÀ aaa	tta Leu	aac Asn 370	1572
cta c Leu L	tc Leu	aaa Lys	ggc Gly	gtg Val 375	ctc Leu	gat Asp	ggc Gly	tat Tyr	ccg Pro 380	tga	gcat	gtta	atg (tgta	acgtta	1625
ctttg	gtga	ga c	tatt	gcca	aa gt	tag										1650
<210><211><211><212><213>	> 38 > PR	0 .T	lopsi	is th	nalia	ana										
<400>			Non-	Dho	C	D	.	•	æ,					_	_•	
<400> Met S 1			Asp	Phe 5	Ser	Pro	Leu	Leu	Thr 10	Val	Leu	Glu	Gly	Asp 15	Phe	
Met S 1 Asn L	Ser Lys	Met Asp	Asn 20	5 Thr	Ser	Ser	Ala	Thr 25	10 Glu	Ile	Asp	Thr	Leu 30	15 Glu	Asn	
Met S	Ser Lys	Met Asp	Asn 20	5 Thr	Ser	Ser	Ala	Thr 25	10 Glu	Ile	Asp	Thr	Leu 30	15 Glu	Asn	
Met S 1 Asn L Leu A Thr S	Ser Lys Asp	Met Asp Asp 35	Asn 20 Thr	5 Thr Arg	Ser Gln	Ser	Ala Ser 40	Thr 25 Lys	10 Glu Gly	Ile Lys	Asp Pro	Thr Pro 45	Leu 30 Arg	15 Glu His	Asn Leu	
Met S 1 Asn L Leu A Thr S	Ser Lys Asp Ser 50	Asp Asp 35 Ser	Asn 20 Thr	5 Thr Arg Thr	Ser Gln Arg	Ser Ile Leu 55	Ala Ser 40 Gln	Thr 25 Lys Leu	10 Glu Gly Ala	Ile Lys Ala	Asp Pro Asn 60	Thr Pro 45 Ala	Leu 30 Arg Asp	15 Glu His Val	Asn Leu Asp	
Met S 1 Asn L Leu A Thr S Val C	Ser Asp Ser 50	Asp Asp 35 Ser	Asn 20 Thr Ala Leu	5 Thr Arg Thr	Ser Gln Arg Met 70	Ser Ile Leu 55 Lys	Ala Ser 40 Gln Ser	Thr 25 Lys Leu Leu	10 Glu Gly Ala Asp	Ile Lys Ala Asp 75	Asp Pro Asn 60 Lys	Thr Pro 45 Ala	Leu 30 Arg Asp	15 Glu His Val	Asn Leu Asp Leu 80	
Met S 1 Asn L Leu A Thr S Val C 65	Asp Ger 50 Cys	Met Asp Asp 35 Ser Asn	Asn 20 Thr Ala Leu	5 Thr Arg Thr Val Ser 85	Ser Gln Arg Met 70 Gly	Ser Ile Leu 55 Lys	Ala Ser 40 Gln Ser Cys	Thr 25 Lys Leu Leu	Glu Gly Ala Asp Glu 90	Lys Ala Asp 75	Asp Pro Asn 60 Lys Gly	Thr Pro 45 Ala Ser Ala	Leu 30 Arg Asp Glu Lys	Glu His Val Phe Gln 95	Asn Leu Asp Leu 80 Phe	
Met S 1 Asn L Leu A Thr S Val C 65 Pro V	Asp Ser 50 Cys Allu Ala	Asp Asp 35 Ser Asn Tyr	Asn 20 Thr Ala Leu Arg Glu 100	5 Thr Arg Thr Val Ser 85 His	Ser Gln Arg Met 70 Gly Ile	Ser Ile Leu 55 Lys Ser Cys	Ala Ser 40 Gln Ser Cys	Thr 25 Lys Leu Leu Ala Asp 105	Glu Gly Ala Asp Glu 90 Asp	Ile Lys Ala Asp 75 Gln	Asp Pro Asn 60 Lys Gly Val	Thr Pro 45 Ala Ser Ala Asn	Leu 30 Arg Asp Glu Lys His	Glu His Val Phe Gln 95 Leu	Asn Leu Asp Leu 80 Phe	

Arg Phe Ile Val Glu Asp Ser Ser Phe Pro Leu Cys Val Lys Lys Ala Ile Lys Ser Ala Phe Leu Lys Ala Asp Tyr Glu Phe Ala Asp Asp Ser Ser Leu Asp Ile Ser Ser Gly Thr Thr Ala Leu Thr Ala Phe Ile Phe 180 185 Gly Arg Arg Leu Ile Ile Ala Asn Ala Gly Asp Cys Arg Ala Val Leu Gly Arg Arg Gly Arg Ala Ile Glu Leu Ser Lys Asp His Lys Pro Asn 220 Cys Thr Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr Asp Gly Tyr Leu Asn Gly Gln Leu Ser Val Ala Arg Ala Ile Gly Asp 245 Trp His Met Lys Gly Pro Lys Gly Ser Ala Cys Pro Leu Ser Pro Glu 265 Pro Glu Leu Gln Glu Thr Asp Leu Ser Glu Asp Asp Glu Phe Leu Ile Met Gly Cys Asp Gly Leu Trp Asp Val Met Ser Ser Gln Cys Ala Val 290 295 Thr Ile Ala Arg Lys Glu Leu Met Ile His Asn Asp Pro Glu Arg Cys 315 Ser Arg Glu Leu Val Arg Glu Ala Leu Lys Arg Asn Thr Cys Asp Asn 325 Leu Thr Val Ile Val Val Cys Phe Ser Pro Asp Pro Pro Gln Arg Ile 340 345 Glu Ile Arg Met Gln Ser Arg Val Arg Arg Ser Ile Ser Ala Glu Gly 360 Leu Asn Leu Leu Lys Gly Val Leu Asp Gly Tyr Pro 375

<210> 79 <211> 589 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(575) <400> 79

acc		LCC (gata									gtt Val				50
gag Glu	gtg Val	cca Pro	aag Lys 15	gta Val	gca Ala	aca Thr	gag Glu	gaa Glu 20	Ser	tcg Ser	gca Ala	gag Glu	gtt Val 25	Thr	gat Asp	98
cgt Arg	gga Gly	ttg Leu 30	ttc Phe	gat Asp	ttc Phe	ttg Leu	gga Gly 35	Lys	aag Lys	aaa Lys	gac Asp	gaa Glu 40	aca Thr	aaa Lys	cca Pro	146
gag Glu	gag Glu 45	act Thr	ccg Pro	atc Ile	gct Ala	tca Ser 50	Glu	ttt Phe	gag Glu	cag Gln	aag Lys 55	Val	cat	att	tca Ser	194
gag Glu 60	ccg Pro	gag Glu	cca Pro	gag Glu	gtt Val 65	aaa Lys	cac His	gaa Glu	agt Ser	ctt Leu 70	ctt Leu	gaa Glu	aag Lys	ctt Leu	cac His 75	242
cga Arg	agc Ser	gac Asp	agt Ser	tct Ser 80	tct Ser	agc Ser	tcc Ser	tca Ser	agt Ser 85	Glu	gaa Glu	gaa Glu	ggt Gly	tca Ser	Asp	290
ggt Gly	gag Glu	aag Lys	agg Arg 95	aag Lys	aag Lys	aag Lys	aag Lys	gag Glu 100	aag Lys	aag Lys	aag Lys	cca Pro	act Thr 105	Thr	gaa Glu	338
gtt Val	gag Glu	gta Val 110	aag Lys	gag Glu	gaa Glu	gag Glu	aag Lys 115	aaa Lys	Gly	ttt Phe	atg Met	gag Glu 120	aag Lys	ttg Leu	aaa Lys	386
gag Glu	aag Lys 125	ctt Leu	cct Pro	gga Gly	cac His	aag Lys 130	aaa Lys	cct Pro	gaa Glu	gac Asp	ggt Gly 135		gcc Ala	gtc Val	gct Ala	434
gcg Ala 140	gca Ala	ccg Pro	gtg Val	gtt Val	gtt Val 145	cct Pro	cct Pro	cct Pro	gtg Val	gaa Glu 150	gaa Glu	gcg Ala	cat His	cca Pro	gtg Val 155	482
gag Glu	aag Lys	aaa Lys	GJÀ āāā	att Ile 160	ctt Leu	gag Glu	aag Lys	att Ile	aag Lys 165	gag Glu	aag Lys	ctt Leu	cca Pro	gga Gly 170		530
cac His	cct Pro	aag Lys	acc Thr 175	acc Thr	gta Val	gag Glu	gag Glu	gag Glu 180	aag Lys	aaa Lys	gat Asp	aaa Lys	gaa Glu 185			575
gaag	gatta	atc a	attaa	à												590
)> 80 L> 18															

<212> PRT <213> Arabidopsis thaliana

<400> 80

Met Ala Glu Glu Ile Lys Asn Val Pro Glu Gln Glu Val Pro Lys Val Ala Thr Glu Glu Ser Ser Ala Glu Val Thr Asp Arg Gly Leu Phe Asp Phe Leu Gly Lys Lys Lys Asp Glu Thr Lys Pro Glu Glu Thr Pro Ile 35 40 Ala Ser Glu Phe Glu Gln Lys Val His Ile Ser Glu Pro Glu Pro Glu Val Lys His Glu Ser Leu Leu Glu Lys Leu His Arg Ser Asp Ser Ser 70 Ser Ser Ser Ser Glu Glu Glu Gly Ser Asp Gly Glu Lys Arg Lys Lys Lys Lys Glu Lys Lys Pro Thr Thr Glu Val Glu Val Lys Glu 105 Glu Glu Lys Lys Gly Phe Met Glu Lys Leu Lys Glu Lys Leu Pro Gly 120 His Lys Lys Pro Glu Asp Gly Ser Ala Val Ala Ala Ala Pro Val Val Val Pro Pro Pro Val Glu Glu Ala His Pro Val Glu Lys Lys Gly Ile 145 150 Leu Glu Lys Ile Lys Glu Lys Leu Pro Gly Tyr His Pro Lys Thr Thr 170 Val Glu Glu Lys Lys Asp Lys Glu <210> 81 <211> 1376 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(1366) <400> 81 agcaatcgag aaaaaagca atg gcg tca gac aaa caa aag gcg gag aga gcc 52 Met Ala Ser Asp Lys Gln Lys Ala Glu Arg Ala 5 gag gtt gcg gcg agg cta gcg gct gag gac ttg cat gac att aac aaa 100 Glu Val Ala Ala Arg Leu Ala Ala Glu Asp Leu His Asp Ile Asn Lys 20 tcc ggt ggt gct gat gtc aca atg tat aag gtg acg gag aga aca act

Ser	Gly	Gly 30	Ala	Asp	Val	Thr	Met 35	Tyr	Lys	Val	Thr	Glu 40	Arg	Thr	Thr	
gaa Glu	cat His 45	cca Pro	ccg Pro	gag Glu	caa Gln	gat Asp 50	agg Arg	ccc Pro	ggt Gly	gtg Val	ata Ile 55	ggt Gly	tca Ser	gtg Val	ttc Phe	196
agg Arg 60	gct Ala	gtc Val	caa Gln	gga Gly	acg Thr 65	tat Tyr	gag Glu	cat His	gcg Ala	aga Arg 70	gac Asp	gct Ala	gta Val	gtt Val	gga Gly 75	244
aaa Lys	acc Thr	cac His	gaa Glu	gcg Ala 80	gct Ala	gag Glu	tct Ser	acc Thr	aaa Lys 85	gaa Glu	gga Gly	gct Ala	cag Gln	ata Ile 90	gct Ala	292
tca Ser	gag Glu	aaa Lys	gcg Ala 95	gtt Val	gga Gly	gca Ala	aag Lys	gac Asp 100	gca Ala	acc Thr	gtc Val	gag Glu	aaa Lys 105	gct Ala	aag Lys	340
gaa Glu	acc Thr	gct Ala 110	gat Asp	tat Tyr	act Thr	gcg Ala	gag Glu 115	aag Lys	gtg Val	ggt Gly	gag Glu	tat Tyr 120	aaa Lys	gac Asp	tat Tyr	388
acg Thr	gtt Val 125	gat Asp	aaa Lys	gct Ala	aaa Lys	gag Glu 130	gct Ala	aag Lys	gac Asp	aca Thr	act Thr 135	gca Ala	gag Glu	aag Lys	gcg Ala	436
aag Lys 140	gag Glu	act Thr	gct Ala	aat Asn	tat Tyr 145	act Thr	gcg Ala	gat Asp	aag Lys	gcg Ala 150	gtg Val	gaa Glu	gca Ala	aag Lys	gat Asp 155	484
aag Lys	acg Thr	gcg Ala	gag Glu	aag Lys 160	att Ile	ggt Gly	gag Glu	tac Tyr	aaa Lys 165	gac Asp	tat Tyr	gcg Ala	gtg Val	gat Asp 170	aag Lys	532
gca Ala	gta Val	gaa Glu	gct Ala 175	aaa Lys	gat Asp	aag Lys	aca Thr	gcg Ala 180	gag Glu	aag Lys	gcg Ala	aag Lys	gag Glu 185	act Thr	tcg Ser	580
aat Asn	tat Tyr	acg Thr 190	gcg Ala	gat Asp	aag Lys	gct Ala	aaa Lys 195	gag Glu	gct Ala	aag Lys	gac Asp	aag Lys 200	acg Thr	gct Ala	gag Glu	628
aag Lys	gtt Val 205	ggt Gly	gag Glu	tat Tyr	aag Lys	gat Asp 210	tac Tyr	acg Thr	gtg Val	gac Asp	aag Lys 215	gcc Ala	gtg Val	gaa Glu	gct Ala	676
agg Arg 220	gat Asp	tac Tyr	aca Thr	gcg Ala	gag Glu 225	aag Lys	gct Ala	att Ile	gaa Glu	gca Ala 230	aag Lys	gat Asp	aag Lys	aca Thr	gct Ala 235	724
gag Glu	aag Lys	act Thr	gga Gly	gag Glu 240	tat Tyr	aag Lys	gac Asp	tat Tyr	acg Thr 245	gtg Val	gag Glu	aag Lys	gcg Ala	acg Thr 250	gag Glu	772
ggg	aaa Lys	gat Asp	gtt Val	acg Thr	gtg Val	agt Ser	aag Lys	cta Leu	gga Gly	gag Glu	ctg Leu	aag Lys	gat Asp	agt Ser	gcc Ala	820

	255	260		265	
gtt gag aca Val Glu Thr 270	Ala Lys Arg	gct atg ggt t Ala Met Gly I 275	ttc ttg tcg ggg Phe Leu Ser Gly 280	aag aca gag 868 Lys Thr Glu	
gag gcc aaa Glu Ala Lys 285	gga aaa gct Gly Lys Ala	gtg gag acc a Val Glu Thr I 290	aaa gat act gcc Lys Asp Thr Ala 295	aag gaa aac 916 Lys Glu Asn	
atg gag aaa Met Glu Lys 300	gct gga gaa Ala Gly Glu 305	gta aca aga o Val Thr Arg (caa aag atg gag Gln Lys Met Glu 310	gaa atg aga 964 Glu Met Arg 315	
Leu Glu Gly	Lys Glu Leu 320	Lys Glu Glu A	gct gga gca aaa Ala Gly Ala Lys 325	Ala Gln Glu 330	2
Ala Ser Gln	Lys Thr Arg	Glu Ser Thr G	gag tcg gga gct Glu Ser Gly Ala	Gln Lys Ala 345	0
Glu Glu Thr 350	Lys Asp Ser	Pro Ala Val A 355	agg gga aat gaa Arg Gly Asn Glu 360	Ala Lys Gly	8
Thr Ile Phe 365	Gly Ala Leu	Gly Asn Val 1 370	acg gaa gca ata Thr Glu Ala Ile 375	Lys Ser Lys	6
ctg aca atg Leu Thr Met 380	cca tca gac Pro Ser Asp 385	att gtg gag g Ile Val Glu G	gaa aca cgc gcg Glu Thr Arg Ala 390	gca cgt gag 120 Ala Arg Glu 395	4
cat gga ggg His Gly Gly	acg ggt agg Thr Gly Arg 400	Thr Val Val C	gaa gtc aag gtc Glu Val Lys Val 405	gag gat tca 125 Glu Asp Ser 410	2
aag ccg ggt Lys Pro Gly	aag gtg gcg Lys Val Ala 415	act tca ctg a Thr Ser Leu I 420	aag gcg tcg gat Lys Ala Ser Asp	caa atg acc 130 Gln Met Thr 425	0
ggt caa aca Gly Gln Thr 430	ttc aac gac Phe Asn Asp	gtt gga cgg a Val Gly Arg M 435	atg gat gat gat Met Asp Asp Asp 440	gct cgg aaa 134 Ala Arg Lys	8
gat aag gga Asp Lys Gly 445	aag ctg tga Lys Leu	gaatactaga		137	6

<210> 82

<211> 448 <212> PRT <213> Arabidopsis thaliana

<400> 82

Met Ala Ser Asp Lys Gln Lys Ala Glu Arg Ala Glu Val Ala Ala Arg Leu Ala Ala Glu Asp Leu His Asp Ile Asn Lys Ser Gly Gly Ala Asp Val Thr Met Tyr Lys Val Thr Glu Arg Thr Thr Glu His Pro Pro Glu 40 Gln Asp Arg Pro Gly Val Ile Gly Ser Val Phe Arg Ala Val Gln Gly Thr Tyr Glu His Ala Arg Asp Ala Val Val Gly Lys Thr His Glu Ala Ala Glu Ser Thr Lys Glu Gly Ala Gln Ile Ala Ser Glu Lys Ala Val Gly Ala Lys Asp Ala Thr Val Glu Lys Ala Lys Glu Thr Ala Asp Tyr 105 Thr Ala Glu Lys Val Gly Glu Tyr Lys Asp Tyr Thr Val Asp Lys Ala Lys Glu Ala Lys Asp Thr Thr Ala Glu Lys Ala Lys Glu Thr Ala Asn Tyr Thr Ala Asp Lys Ala Val Glu Ala Lys Asp Lys Thr Ala Glu Lys 150 155 Ile Gly Glu Tyr Lys Asp Tyr Ala Val Asp Lys Ala Val Glu Ala Lys Asp Lys Thr Ala Glu Lys Ala Lys Glu Thr Ser Asn Tyr Thr Ala Asp Lys Ala Lys Glu Ala Lys Asp Lys Thr Ala Glu Lys Val Gly Glu Tyr 200 Lys Asp Tyr Thr Val Asp Lys Ala Val Glu Ala Arg Asp Tyr Thr Ala Glu Lys Ala Ile Glu Ala Lys Asp Lys Thr Ala Glu Lys Thr Gly Glu Tyr Lys Asp Tyr Thr Val Glu Lys Ala Thr Glu Gly Lys Asp Val Thr Val Ser Lys Leu Gly Glu Leu Lys Asp Ser Ala Val Glu Thr Ala Lys 265 Arg Ala Met Gly Phe Leu Ser Gly Lys Thr Glu Glu Ala Lys Gly Lys

Ala Val Glu Thr Lys Asp Thr Ala Lys Glu Asn Met Glu Lys Ala Gly

295

290

Glu Val Thr Arg Gln Lys Met Glu Glu Met Arg Leu Glu Gly Lys Glu 305 315 Leu Lys Glu Glu Ala Gly Ala Lys Ala Gln Glu Ala Ser Gln Lys Thr 330 Arg Glu Ser Thr Glu Ser Gly Ala Gln Lys Ala Glu Glu Thr Lys Asp 340 Ser Pro Ala Val Arg Gly Asn Glu Ala Lys Gly Thr Ile Phe Gly Ala 360 Leu Gly Asn Val Thr Glu Ala Ile Lys Ser Lys Leu Thr Met Pro Ser 375 380 Asp Ile Val Glu Glu Thr Arg Ala Ala Arg Glu His Gly Gly Thr Gly 390 Arg Thr Val Val Glu Val Lys Val Glu Asp Ser Lys Pro Gly Lys Val 405 Ala Thr Ser Leu Lys Ala Ser Asp Gln Met Thr Gly Gln Thr Phe Asn 425 Asp Val Gly Arg Met Asp Asp Asp Ala Arg Lys Asp Lys Gly Lys Leu 440 <210> 83 <211> 561 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(548) aaccacacaa atacaaa atg aat gaa atg tcg ttc ttt ggt tat agt ttc Met Asn Glu Met Ser Phe Phe Gly Tyr Ser Phe atc gta gta gca tta ttc ttc gat tta act caa gcc tat cgt cac act 98 Ile Val Val Ala Leu Phe Phe Asp Leu Thr Gln Ala Tyr Arg His Thr 15 ccc gct caa ccg cca aaa gca aac gca aac ggt gat gtc aaa ccg caa 146 Pro Ala Gln Pro Pro Lys Ala Asn Ala Asn Gly Asp Val Lys Pro Gln 30 35 gaa acg ctc gtg gtt cac aac aag gcc cga gcc atg gtc gga gtc gga Glu Thr Leu Val Val His Asn Lys Ala Arg Ala Met Val Gly Val Gly 50 cca atg gtg tgg aac gaa act ctt gcg acc tat gca cag agc tac gca 242 Pro Met Val Trp Asn Glu Thr Leu Ala Thr Tyr Ala Gln Ser Tyr Ala

60					65					70					75	
cat His	gaa Glu	cga Arg	gcc Ala	aga Arg 80	gac Asp	tgt Cys	gcc Ala	atg Met	aag Lys 85	cat His	tcc Ser	ttg Leu	gga Gly	cca Pro 90	ttc Phe	290
ggc Gly	gag Glu	aat Asn	cta Leu 95	gcc Ala	gcg Ala	ggt Gly	tgg Trp	gga Gly 100	acg Thr	atg Met	agc Ser	ggt Gly	ccg Pro 105	gta Val	gca Ala	338
act Thr	gag Glu	tat Tyr 110	tgg Trp	atg Met	acg Thr	gag Glu	aag Lys 115	gaa Glu	aat Asn	tac Tyr	gat Asp	tat Tyr 120	gat Asp	agt Ser	aac Asn	386
acg Thr	tgt Cys 125	ggt Gly	ggt Gly	gat Asp	ggt Gly	gtg Val 130	tgt Cys	gga Gly	cac His	tac Tyr	act Thr 135	cag Gln	atc Ile	gtg Val	tgg Trp	434
cgt Arg 140	gac Asp	tcg Ser	gtt Val	cga Arg	ctt Leu 145	ggt Gly	tgt Cys	gcc Ala	tcc Ser	gtg Val 150	aga Arg	tgt Cys	aag Lys	aat Asn	gat Asp 155	482
gag Glu	tat Tyr	att Ile	tgg Trp	gtg Val 160	att Ile	tgt Cys	agc Ser	tat Tyr	gat Asp 165	cct Pro	ccg Pro	GJA aaa	aat Asn	tac Tyr 170	atc Ile	530
ggt Gly	caa Gln	cgt Arg	cca Pro 175	tat Tyr	tag	tgat	tgga	att t	ta							561
<210> 84 <211> 176 <212> PRT <213> Arabidopsis thaliana																
)> 84															
Met 1	Asn	Glu	Met	Ser 5	Phe	Phe	Gly	Tyr	Ser 10	Phe	Ile	Val	Val	Ala 15	Leu	
			20		Gln			25					30			
Lys		Asn 35		Asn	Gly	Asp	Val 40	Lys	Pro	Gln	Glu	Thr 45	Leu	Val	Val	
His	Asn 50	Lys	Ala	Arg	Ala	Met 55	Val	Gly	Val	Gly	Pro 60	Met	Val	Trp	Asn	
Glu 65	Thr	Leu	Ala	Thr	Tyr 70	Ala	Gln	Ser	Tyr	Ala 75	His	Glu	Arg	Ala	Arg 80	
Asp	Cys	Ala	Met	Lys 85	His	Ser	Leu	Gly	Pro 90	Phe	Gly	Glu	Asn	Leu 95	Ala	
Ala	Gly	Trp	Gly 100	Thr	Met	Ser	Gly	Pro 105	Val	Ala	Thr	Glu	Tyr 110	Trp	Met	

Thr Glu Lys Glu Asn Tyr Asp Tyr Asp Ser Asn Thr Cys Gly Gly Asp Gly Val Cys Gly His Tyr Thr Gln Ile Val Trp Arg Asp Ser Val Arg 135 Leu Gly Cys Ala Ser Val Arg Cys Lys Asn Asp Glu Tyr Ile Trp Val Ile Cys Ser Tyr Asp Pro Pro Gly Asn Tyr Ile Gly Gln Arg Pro Tyr 165 170 <210> 85 <211> 988 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(977) <400> 85 tttttaagaa a atg gca gct tct aag cga cta gtt gtc tct tgc ttg ttc 50 Met Ala Ala Ser Lys Arg Leu Val Val Ser Cys Leu Phe tta gtt ttg ttt gct caa gcc aat tcg caa ggt ttg aaa gta ggt Leu Val Leu Leu Phe Ala Gln Ala Asn Ser Gln Gly Leu Lys Val Gly 20 ttc tac agc aaa aca tgc cca caa ctc gag ggt ata gtt aaa aag gtc Phe Tyr Ser Lys Thr Cys Pro Gln Leu Glu Gly Ile Val Lys Lys Val 35 gtg ttc gat gcg atg aac aaa gca cca aca ctt ggt gct cct ttg ctt Val Phe Asp Ala Met Asn Lys Ala Pro Thr Leu Gly Ala Pro Leu Leu 50 55 aga atg ttc ttc cac gac tgc ttc gtt cgg gga tgt gac gga tca gtt 242 Arg Met Phe Phe His Asp Cys Phe Val Arg Gly Cys Asp Gly Ser Val 70 ttg tta gat aaa cca aac aat caa ggt gag aag agt gca gtt cct aac 290 Leu Leu Asp Lys Pro Asn Asn Gln Gly Glu Lys Ser Ala Val Pro Asn 80 85 cta agt ctt cga ggg ttt ggc atc ata gac gat tcc aag gcg gct cta Leu Ser Leu Arg Gly Phe Gly Ile Ile Asp Asp Ser Lys Ala Ala Leu 95 100 gaa aaa gtg tgt ccg gga att gtt tct tgc tct gat atc ttg gca ctt Glu Lys Val Cys Pro Gly Ile Val Ser Cys Ser Asp Ile Leu Ala Leu 110 115 120

gtc Val	gct Ala	aga Arg	gac Asp	gca Ala 130	atg Met	gtt Val	gca Ala	ctt Leu	gaa Glu 135	gga Gly	cca Pro	tca Ser	tgg Trp	gaa Glu 140	gtt Val	434
gaa Glu	acg Thr	gga Gly	aga Arg 145	aga Arg	gac Asp	ggt Gly	agg Arg	gtt Val 150	tct Ser	aac Asn	atc Ile	aac Asn	gaa Glu 155	gtc Val	aac Asn	482
ttg Leu	cca Pro	tca Ser 160	cct Pro	ttt Phe	gat Asp	aac Asn	atc Ile 165	acc Thr	aag Lys	ctt Leu	atc Ile	agc Ser 170	gat Asp	ttt Phe	cgc Arg	530
tca Ser	aag Lys 175	ggc Gly	ctc Leu	aac Asn	gag Glu	aag Lys 180	gat Asp	cta Leu	gtc Val	att Ile	ctc Leu 185	tcg Ser	ggt Gly	ggt Gly	cac His	578
aca Thr 190	att Ile	gga Gly	atg Met	gga Gly	cat His 195	tgt Cys	cct Pro	tta Leu	ttg Leu	aca Thr 200	aac Asn	cgg Arg	ctt Leu	tac Tyr	aac Asn 205	626
ttc Phe	acc Thr	gga Gly	aaa Lys	gga Gly 210	gac Asp	agc Ser	gac Asp	cca Pro	agt Ser 215	ttg Leu	gac Asp	tcg Ser	gag Glu	tac Tyr 220	gcc Ala	674
gct Ala	aag Lys	ctc Leu	agg Arg 225	aag Lys	aaa Lys	tgc Cys	aag Lys	ccc Pro 230	acc Thr	gat Asp	acg Thr	acg Thr	acg Thr 235	gct Ala	cta Leu	722
gag Glu	atg Met	gat Asp 240	ccg Pro	Gly ggg	agt Ser	ttc Phe	aaa Lys 245	aca Thr	ttt Phe	gac Asp	ttg Leu	agc Ser 250	tac Tyr	ttc Phe	acg Thr	770
cta Leu	gtg Val 255	gct Ala	aag Lys	aga Arg	aga Arg	gga Gly 260	ctt Leu	ttc Phe	cag Gln	tcg Ser	gat Asp 265	gct Ala	gct Ala	cta Leu	ctc Leu	818
gac Asp 270	aac Asn	tcc Ser	aag Lys	act Thr	agg Arg 275	gct Ala	tat Tyr	gtc Val	ttg Leu	caa Gln 280	cag Gln	ata Ile	aga Arg	act Thr	cat His 285	866
Gly ggg	tca Ser	atg Met	ttc Phe	ttt Phe 290	aac Asn	gac Asp	ttt Phe	ggt Gly	gtc Val 295	tct Ser	atg Met	gtg Val	aaa Lys	atg Met 300	ggt Gly	914
cgg Arg	act Thr	gga Gly	gtt Val 305	ctt Leu	acg Thr	ggt Gly	aag Lys	gcc Ala 310	ggg Gly	gag Glu	atc Ile	cgt Arg	aag Lys 315	acg Thr	tgt Cys	962
	tct Ser			taa	gaga	tata	iga a	ıa								989

<210> 86 <211> 321 <212> PRT

<213> Arabidopsis thaliana

<400> 86 Met Ala Ala Ser Lys Arg Leu Val Val Ser Cys Leu Phe Leu Val Leu Leu Phe Ala Gln Ala Asn Ser Gln Gly Leu Lys Val Gly Phe Tyr Ser Lys Thr Cys Pro Gln Leu Glu Gly Ile Val Lys Lys Val Val Phe Asp Ala Met Asn Lys Ala Pro Thr Leu Gly Ala Pro Leu Leu Arg Met Phe Phe His Asp Cys Phe Val Arg Gly Cys Asp Gly Ser Val Leu Leu Asp Lys Pro Asn Asn Gln Gly Glu Lys Ser Ala Val Pro Asn Leu Ser Leu Arg Gly Phe Gly Ile Ile Asp Asp Ser Lys Ala Ala Leu Glu Lys Val 100 105 Cys Pro Gly Ile Val Ser Cys Ser Asp Ile Leu Ala Leu Val Ala Arg 120 125 Asp Ala Met Val Ala Leu Glu Gly Pro Ser Trp Glu Val Glu Thr Gly Arg Arg Asp Gly Arg Val Ser Asn Ile Asn Glu Val Asn Leu Pro Ser 150 Pro Phe Asp Asn Ile Thr Lys Leu Ile Ser Asp Phe Arg Ser Lys Gly 170 Leu Asn Glu Lys Asp Leu Val Ile Leu Ser Gly Gly His Thr Ile Gly Met Gly His Cys Pro Leu Leu Thr Asn Arg Leu Tyr Asn Phe Thr Gly 200 Lys Gly Asp Ser Asp Pro Ser Leu Asp Ser Glu Tyr Ala Ala Lys Leu 215 Arg Lys Lys Cys Lys Pro Thr Asp Thr Thr Thr Ala Leu Glu Met Asp 235 Pro Gly Ser Phe Lys Thr Phe Asp Leu Ser Tyr Phe Thr Leu Val Ala Lys Arg Arg Gly Leu Phe Gln Ser Asp Ala Ala Leu Leu Asp Asn Ser 260 265 Lys Thr Arg Ala Tyr Val Leu Gln Gln Ile Arg Thr His Gly Ser Met 280 Phe Phe Asn Asp Phe Gly Val Ser Met Val Lys Met Gly Arg Thr Gly

290 295 300 Val Leu Thr Gly Lys Ala Gly Glu Ile Arg Lys Thr Cys Arg Ser Ala 310 315 Asn <210> 87 <211> 650 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (8)..(634) <400> 87 agegaca atg geg teg att aeg aae ete gee tet tet ete tea ete Met Ala Ser Ile Thr Asn Leu Ala Ser Ser Leu Ser Ser Leu 5 teg tte tee tee caa gtt tet caa aga eet aac ace att tee tte eec Ser Phe Ser Ser Gln Val Ser Gln Arg Pro Asn Thr Ile Ser Phe Pro cgc gcg aat tca gta ttc gca tta ccg gcg aaa tcc gca cgc cgc gct Arg Ala Asn Ser Val Phe Ala Leu Pro Ala Lys Ser Ala Arg Arg Ala tet eta tet ate ace gee acg gta tet get eea eeg gag gag gag gag 193 Ser Leu Ser Ile Thr Ala Thr Val Ser Ala Pro Pro Glu Glu Glu Glu 55 ata gtt gaa ctg aag aaa tac gtc aaa tcg agg ctt ccc gga gga ttt 241 Ile Val Glu Leu Lys Lys Tyr Val Lys Ser Arg Leu Pro Gly Gly Phe 70 gct gct cag aag att att ggc act gga cga cgt aag tgc gca atc gct Ala Ala Gln Lys Ile Ile Gly Thr Gly Arg Arg Lys Cys Ala Ile Ala 85 aga gtt gtt ctt cag gaa ggt act ggg aag gtt atc atc aac tat cgt Arg Val Val Leu Gln Glu Gly Thr Gly Lys Val Ile Ile Asn Tyr Arg 100 105 gat gcc aag gag tac ctt cag gga aat cca ttg tgg ctt cag tat gtt 385 Asp Ala Lys Glu Tyr Leu Gln Gly Asn Pro Leu Trp Leu Gln Tyr Val 115 120 aaa gta cca ttg gtg act tta gga tat gag aat agc tac gac ata ttt 433 Lys Val Pro Leu Val Thr Leu Gly Tyr Glu Asn Ser Tyr Asp Ile Phe 130 135 gtg aaa gcc cat gga ggc ggt ctc tca ggt caa gct caa gca att acc Val Lys Ala His Gly Gly Gly Leu Ser Gly Gln Ala Gln Ala Ile Thr

145 150 ttg gga gtc gca cgt gca ctc ctg aag gta agt gca gac cac aga tcg Leu Gly Val Ala Arg Ala Leu Leu Lys Val Ser Ala Asp His Arg Ser 160 165 cct ttg aag aag gaa ggt ttg ctc act aga gat gcg aga gtg gtt gaa 577 Pro Leu Lys Lys Glu Gly Leu Leu Thr Arg Asp Ala Arg Val Val Glu 180 185 aga aag aag gcc ggg ctc aag aag gcg cgt aaa gcc cca caa ttc tcc 625 Arg Lys Lys Ala Gly Leu Lys Lys Ala Arg Lys Ala Pro Gln Phe Ser 195 200 aag cgt taa gagttttata tatcat 650 Lys Arg <210> 88 <211> 208 <212> PRT <213> Arabidopsis thaliana <400> 88 Met Ala Ser Ile Thr Asn Leu Ala Ser Ser Leu Ser Ser Leu Ser Phe Ser Ser Gln Val Ser Gln Arg Pro Asn Thr Ile Ser Phe Pro Arg Ala 20 25 Asn Ser Val Phe Ala Leu Pro Ala Lys Ser Ala Arg Arg Ala Ser Leu Ser Ile Thr Ala Thr Val Ser Ala Pro Pro Glu Glu Glu Glu Ile Val Glu Leu Lys Lys Tyr Val Lys Ser Arg Leu Pro Gly Gly Phe Ala Ala 70 Gln Lys Ile Ile Gly Thr Gly Arg Arg Lys Cys Ala Ile Ala Arg Val Val Leu Gln Glu Gly Thr Gly Lys Val Ile Ile Asn Tyr Arg Asp Ala Lys Glu Tyr Leu Gln Gly Asn Pro Leu Trp Leu Gln Tyr Val Lys Val Pro Leu Val Thr Leu Gly Tyr Glu Asn Ser Tyr Asp Ile Phe Val Lys 130 135 Ala His Gly Gly Gly Leu Ser Gly Gln Ala Gln Ala Ile Thr Leu Gly 155 Val Ala Arg Ala Leu Leu Lys Val Ser Ala Asp His Arg Ser Pro Leu 165 170

Lys Lys Glu Gly Leu Leu Thr Arg Asp Ala Arg Val Val Glu Arg Lys

180

Lys Ala Gly Leu Lys Lys Ala Arg Lys Ala Pro Gln Phe Ser Lys Arg 200 <210> 89 <211> 1223 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (16)..(1215) <400> 89 aacaagtgaa gcaca atg ggg atc atc gaa agg att aaa gaa atc gag gcc 51 Met Gly Ile Ile Glu Arg Ile Lys Glu Ile Glu Ala 5 gag atg gct cgg act cag aag aat aaa gct aca gag tat cat ctt ggt Glu Met Ala Arg Thr Gln Lys Asn Lys Ala Thr Glu Tyr His Leu Gly 15 20 cag ctc aag gca aag att gca aaa ctc agg aca caa ctg ttg gag cct Gln Leu Lys Ala Lys Ile Ala Lys Leu Arg Thr Gln Leu Leu Glu Pro 30 cca aaa ggt gct agt gga ggc ggg gaa ggt ttt gaa gtt acc aag tat 195 Pro Lys Gly Ala Ser Gly Gly Glu Gly Phe Glu Val Thr Lys Tyr 45 55 ggt cat gga cgt gtt gca ctt ata gga ttt cct agt gtc gga aag tcc Gly His Gly Arg Val Ala Leu Ile Gly Phe Pro Ser Val Gly Lys Ser 65 acg ctt ttg act atg tta act gga aca cat tct gaa gca gcc tca tat Thr Leu Leu Thr Met Leu Thr Gly Thr His Ser Glu Ala Ala Ser Tyr 80 85 gaa ttt aca aca ctt aca tgc atc cct ggt gta att cac tac aac gac Glu Phe Thr Thr Leu Thr Cys Ile Pro Gly Val Ile His Tyr Asn Asp aca aag att cag ctt ctc gat ctt cct ggg att att gaa ggt gct tcg 387 Thr Lys Ile Gln Leu Leu Asp Leu Pro Gly Ile Ile Glu Gly Ala Ser 110 gaa gga aag ggg cga gga agg cag gtt att gct gtt gca aag tct tcc 435 Glu Gly Lys Gly Arg Gly Arg Gln Val Ile Ala Val Ala Lys Ser Ser 130

150

gac ctt gta ttg atg gtt ctt gat gcc tca aaa agc gaa ggc cac agg Asp Leu Val Leu Met Val Leu Asp Ala Ser Lys Ser Glu Gly His Arg

145

caa Gln	ata Ile	ttg Leu	act Thr 160	aag Lys	gaa Glu	ctt Leu	gag Glu	gca Ala 165	gtg Val	ggc Gly	ttg Leu	cga Arg	cta Leu 170	aac Asn	aaa Lys	531
act Thr	cct Pro	ccg Pro 175	cag Gln	ata Ile	tac Tyr	ttt Phe	aaa Lys 180	aag Lys	aaa Lys	aag Lys	act Thr	ggt Gly 185	gga Gly	atc Ile	tct Ser	5,79
ttc Phe	aac Asn 190	act Thr	aca Thr	gca Ala	ccc Pro	ttg Leu 195	act Thr	cac His	att Ile	gat Asp	gag Glu 200	aag Lys	ctc Leu	tgt Cys	tat Tyr	627
caa Gln 205	atc Ile	ctg Leu	cat His	gaa Glu	tac Tyr 210	aag Lys	att Ile	cac His	aat Asn	gct Ala 215	gag Glu	gtg Val	cta Leu	ttt Phe	cgt Arg 220	675
gag Glu	aat Asn	gcc Ala	aca Thr	gtg Val 225	gat Asp	gac Asp	ttt Phe	att Ile	gat Asp 230	gtc Val	att Ile	gaa Glu	ggc Gly	aac Asn 235	cgc Arg	723
aag Lys	tat Tyr	att Ile	aag Lys 240	tgt Cys	gtt Val	tat Tyr	gtc Val	tac Tyr 245	atc Ile	aaa Lys	ata Ile	gat Asp	gtt Val 250	gtt Val	gga Gly	771
att Ile	gat Asp	gat Asp 255	gtg Val	gat Asp	aga Arg	cta Leu	ser 260	cgg Arg	cag Gln	cca Pro	aat Asn	tcc Ser 265	att Ile	gtt Val	att Ile	819
agc Ser	tgc Cys 270	aat Asn	ctt Leu	aag Lys	ctt Leu	aac Asn 275	tta Leu	gac Asp	aga Arg	cta Leu	ctt Leu 280	gct Ala	agg Arg	atg Met	tgg Trp	867 .
gac Asp 285	gaa Glu	atg Met	ggc Gly	ctt Leu	gtg Val 290	aga Arg	gtt Val	tac Tyr	tcg Ser	aag Lys 295	ccg Pro	caa Gln	ggc Gly	cag Gln	caa Gln 300	915
cca Pro	gat Asp	ttc Phe	gat Asp	gag Glu 305	cct Pro	ttt Phe	gtc Val	ctc Leu	tca Ser 310	tct Ser	gat Asp	cga Arg	ggt Gly	ggc Gly 315	tgc Cys	963
aca Thr	gtg Val	gaa Glu	gac Asp 320	ttc Phe	tgt Cys	aac Asn	cac His	gtc Val 325	cac His	agg Arg	act Thr	ctg Leu	gtg Val 330	aag Lys	gat Asp	1011
atg Met	aag Lys	tat Tyr 335	gca Ala	ctc Leu	gtt Val	tgg Trp	ggc Gly 340	aca Thr	agc Ser	aca Thr	agg Arg	cac His 345	aat Asn	cca Pro	cag Gln	1059
aat Asn	tgt Cys 350	ggt Gly	ctt Leu	tct Ser	caa Gln	cat His 355	ctt Leu	gaa Glu	gac Asp	gaa Glu	gat Asp 360	gtt Val	gtt Val	cag Gln	atc Ile	1107
gtc Val 365	aag Lys	aaa Lys	aag Lys	gag Glu	aga Arg 370	gac Asp	gaa Glu	gga Gly	gga Gly	aga Arg 375	ggc Gly	cgg Arg	ttc Phe	aag Lys	tca Ser 380	1155

cac tca aac gcc cct gct aga att gca gac aga gag aaa aaa gct cct 1203 His Ser Asn Ala Pro Ala Arg Ile Ala Asp Arg Glu Lys Lys Ala Pro 385 390 395

ctt aag caa taa gcttttag Leu Lys Gln

1223

400

<210> 90 <211> 399 <212> PRT

<213> Arabidopsis thaliana

<400> 90

Met Gly Ile Ile Glu Arg Ile Lys Glu Ile Glu Ala Glu Met Ala Arg

1 5 10 15

Thr Gln Lys Asn Lys Ala Thr Glu Tyr His Leu Gly Gln Leu Lys Ala 20 25 30

Lys Ile Ala Lys Leu Arg Thr Gln Leu Leu Glu Pro Pro Lys Gly Ala 35 40 45

Ser Gly Gly Glu Gly Phe Glu Val Thr Lys Tyr Gly His Gly Arg 50 60

Val Ala Leu Ile Gly Phe Pro Ser Val Gly Lys Ser Thr Leu Leu Thr 65 70 75 80

Met Leu Thr Gly Thr His Ser Glu Ala Ala Ser Tyr Glu Phe Thr Thr 85 90 95

Leu Thr Cys Ile Pro Gly Val Ile His Tyr Asn Asp Thr Lys Ile Gln 100 105 110

Leu Leu Asp Leu Pro Gly Ile Ile Glu Gly Ala Ser Glu Gly Lys Gly 115 120 125

Arg Gly Arg Gln Val Ile Ala Val Ala Lys Ser Ser Asp Leu Val Leu 130 135 140

Met Val Leu Asp Ala Ser Lys Ser Glu Gly His Arg Gln Ile Leu Thr 145 150 155 160

Lys Glu Leu Glu Ala Val Gly Leu Arg Leu Asn Lys Thr Pro Pro Gln 165 170 175

Ile Tyr Phe Lys Lys Lys Lys Thr Gly Gly Ile Ser Phe Asn Thr Thr 180 185 190

Ala Pro Leu Thr His Ile Asp Glu Lys Leu Cys Tyr Gln Ile Leu His

Glu Tyr Lys Ile His Asn Ala Glu Val Leu Phe Arg Glu Asn Ala Thr 210 215 220

Val Asp Asp Phe Ile Asp Val Ile Glu Gly Asn Arg Lys Tyr Ile Lys 235 Cys Val Tyr Val Tyr Ile Lys Ile Asp Val Val Gly Ile Asp Asp Val Asp Arg Leu Ser Arg Gln Pro Asn Ser Ile Val Ile Ser Cys Asn Leu 265 Lys Leu Asn Leu Asp Arg Leu Leu Ala Arg Met Trp Asp Glu Met Gly 280 Leu Val Arg Val Tyr Ser Lys Pro Gln Gly Gln Gln Pro Asp Phe Asp 295 300 Glu Pro Phe Val Leu Ser Ser Asp Arg Gly Gly Cys Thr Val Glu Asp 310 Phe Cys Asn His Val His Arg Thr Leu Val Lys Asp Met Lys Tyr Ala 330 Leu Val Trp Gly Thr Ser Thr Arg His Asn Pro Gln Asn Cys Gly Leu 340 345 Ser Gln His Leu Glu Asp Glu Asp Val Val Gln Ile Val Lys Lys 360 Glu Arg Asp Glu Gly Gly Arg Gly Arg Phe Lys Ser His Ser Asn Ala Pro Ala Arg Ile Ala Asp Arg Glu Lys Lys Ala Pro Leu Lys Gln 385 390 <210> 91 <211> 536 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(524) <400> 91 aaataaaaac a atg aca agc tcc gat caa tct cca tcg cac gac gtc ttc 50 Met Thr Ser Ser Asp Gln Ser Pro Ser His Asp Val Phe gtc tac ggc agt ttc caa gaa cca gcc gtt gtt aat tta att ctc gaa 98 Val Tyr Gly Ser Phe Gln Glu Pro Ala Val Val Asn Leu Ile Leu Glu 15 tgt gct ccg gtc atg gtt tcc gct caa ctc cac ggc tat cac ttg tat Cys Ala Pro Val Met Val Ser Ala Gln Leu His Gly Tyr His Leu Tyr 30 35

Arg	Leu	Lys	Gly	Arg 50	Leu	His	Pro	tgt Cys	Ile 55	Ser	Pro	tcc Ser	gac Asp	aat Asn 60	gga Gly	194
tta Leu	atc Ile	aat Asn	ggc Gly 65	aag Lys	ata Ile	cta Leu	act Thr	gga Gly 70	tta Leu	aca Thr	gat Asp	tct Ser	cag Gln 75	tta Leu	gag Glu	242
agt Ser	tta Leu	gat Asp 80	atg Met	att Ile	gaa Glu	gga Gly	act Thr 85	gaa Glu	tat Tyr	gtg Val	agg Arg	aag Lys 90	act Thr	gtt Val	gaa Glu	290
gtt Val	gtt Val 95	ttg Leu	act Thr	gat Asp	act Thr	ttg Leu 100	gag Glu	aag Lys	aag Lys	caa Gln	gtt Val 105	gaa Glu	aca Thr	att Ile	gta Val	338
tgg Trp 110	gca Ala	aac Asn	aag Lys	gat Asp	gat Asp 115	cct Pro	aat Asn	atg Met	tat Tyr	gga Gly 120	gaa Glu	tgg Trp	gat Asp	ttc Phe	gag Glu 125	386
gaa Glu	tgg Trp	aag Lys	agg Arg	ctt Leu 130	cat His	atg Met	gag Glu	aaa Lys	ttt Phe 135	ata Ile	gag Glu	gcg Ala	gcg Ala	acg Thr 140	aaa Lys	434
ttc Phe	atg Met	gag Glu	tgg Trp 145	aag Lys	aag Lys	aat Asn	ccg Pro	aat Asn 150	Gly ggg	aga Arg	agt Ser	agg Arg	gaa Glu 155	gag Glu	ttt Phe	482
gag Glu	aag Lys	ttt Phe 160	gta Val	caa Gln	gat Asp	gat Asp	tct Ser 165	tct Ser	ccg Pro	gct Ala	tcg Ser	gct Ala 170	tga			524
agaa	gttg	jtt t	a													536
<211 <212)> 92 L> 17 2> PF 3> Ar	70 RT	lopsi	is th	nalia	ana										
)> 92 Thr		Ser	Asp	Gln	Ser	Pro	Ser	Vic	λεη	Va 1	Dho	Val	M	C 1	
1		•••	502	5	U 1	DCI	110	Der	10	vaħ	Val	FIIG	vaı	15	GIÀ	
Ser	Phe	Gln	Glu 20	Pro	Ala	Val	Val	Asn 25	Leu	Ile	Leu	Glu	Cys 30	Ala	Pro	
Val	Met	Val 35	Ser	Ala	Gln	Leu	His 40	Gly	Tyr	His	Leu	Tyr 45	Arg	Leu	Lys	
Gly	Arg 50	Leu	His	Pro	Суѕ	Ile 55	Ser	Pro	Ser	Asp	Asn 60	Gly	Leu	Ile	Asn	
Gly 65	Lys	Ile	Leu	Thr	Gly 70	Leu	Thr	Asp	Ser	Gln 75	Leu	Glu	Ser	Leu	Asp 80	
Met	Ile	Glu	Gly	Thr	Glu	Tyr	Val	Arg	Lys	Thr	Val	Glu	Val	Val	Leu	

	85		90	95	
Thr Asp Thr	Leu Glu Lys 100	Lys Gln Val 105	Glu Thr Ile	Val Trp Ala Ass	n
Lys Asp Asp 115	Pro Asn Met	Tyr Gly Glu 120	Trp Asp Phe	Glu Glu Trp Ly 125	S
Arg Leu His 130	Met Glu Lys	Phe Ile Glu 135	Ala Ala Thr 140	Lys Phe Met Gl	u
Trp Lys Lys 145	Asn Pro Asn 150	Gly Arg Ser	Arg Glu Glu 155	Phe Glu Lys Pho	
Val Gln Asp	Asp Ser Ser 165	Pro Ala Ser	Ala 170		
				•	
<210> 93 <211> 293 <212> DNA <213> Arabid	dopsis thalia	ana			
<220> <221> CDS <222> (16)	. (71)				
<220> <221> CDS <222> (197).	(278)				
<400> 93					
agagaagtaa g	yagaa atg gca Met Ala 1	a ggt tct aac a Gly Ser Asn 5	Cys Gly Cys	ggc tcc tcc tg Gly Ser Ser Cy 10	gc 51 ys
aaa tgt ggt Lys Cys Gly 15	gat tcg tgc Asp Ser Cys	ag gtaaaccct Se	a gattctctct	tcattaactt	101
atcatgcata t	atatoctaa ta	atacatgtg gtt	acatatt cctt	aagata aattttga	aaa 161
			ag t tgc gag	aag aac tac aa Lys Asn Tyr As	ac 215
aag gag tgt Lys Glu Cys	gat aac tgt Asp Asn Cys	agc tgt gga Ser Cys Gly	tca aac toc	agc tgc ggg tca Ser Cys Gly Ser	263

<210> 94

Ser Cys Asn Cys

30

agc tgt aac tgt tga agaaattatc agcat

293

<211> 45 <212> PRT <213> Arabidopsis thaliana Met Ala Gly Ser Asn Cys Gly Cys Gly Ser Ser Cys Lys Cys Gly Asp Ser Cys Ser Cys Glu Lys Asn Tyr Asn Lys Glu Cys Asp Asn Cys Ser 20 25 Cys Gly Ser Asn Cys Ser Cys Gly Ser Ser Cys Asn Cys 40 <210> 95 <211> 880 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (14)..(868) <400> 95 cacaccaaca cca atg tct gct tct tct tta ttt aat ctc cca ttg att Met Ser Ala Ser Ser Leu Phe Asn Leu Pro Leu Ile 1 ege etc aga tet etc get ett teg tet tet tet tet tet tec ega ttt Arg Leu Arg Ser Leu Ala Leu Ser Ser Ser Phe Ser Ser Phe Arg Phe 15 20 gcc cat cgt cct ctg tca tcg att tca ccg aga aag tta ccg aat ttt Ala His Arg Pro Leu Ser Ser Ile Ser Pro Arg Lys Leu Pro Asn Phe 30 35 cgt gct ttc tct ggt acc gct atg aca gat act aaa gat gct ggt atg Arg Ala Phe Ser Gly Thr Ala Met Thr Asp Thr Lys Asp Ala Gly Met 45 50 gat gct gtt cag aga cgt ctc atg ttt gag gat gaa tgc att ctt gtt Asp Ala Val Gln Arg Arg Leu Met Phe Glu Asp Glu Cys Ile Leu Val 65 gat gaa act gat cgt gtt gtg ggg cat gac agc aag tat aat tgt cat Asp Glu Thr Asp Arg Val Val Gly His Asp Ser Lys Tyr Asn Cys His 80 ctg atg gaa aat att gaa gcc aag aat ttg ctg cac agg gct ttt agt 337 Leu Met Glu Asn Ile Glu Ala Lys Asn Leu Leu His Arg Ala Phe Ser 100 gta ttt tta ttc aac tcg aag tat gag ttg ctt ctc cag caa agg tca . 385 Val Phe Leu Phe Asn Ser Lys Tyr Glu Leu Leu Leu Gln Gln Arg Ser 115

120

aac Asn 125	aca Thr	aag Lys	gtt Val	acg Thr	ttc Phe 130	cct Pro	cta Leu	gtg Val	tgg Trp	act Thr 135	aac Asn	act Thr	tgt Cys	tgc Cys	agc Ser 140	433
cat His	cct Pro	ctt Leu	tac Tyr	cgt Arg 145	gaa Glu	tca Ser	gag Glu	ctt Leu	atc Ile 150	cag Gln	gac Asp	aat Asn	gca Ala	cta Leu 155	ggt Gly	481
gtg Val	agg Arg	aat Asn	gct Ala 160	gca Ala	caa Gln	aga Arg	aag Lys	ctt Leu 165	ctc Leu	gat Asp	gag Glu	ctt Leu	ggt Gly 170	att Ile	gta Val	529
gct Ala	gaa Glu	gat Asp 175	gta Val	cca Pro	gtc Val	gat Asp	gag Glu 180	ttc Phe	act Thr	ccc Pro	ttg Leu	gga Gly 185	cgt Arg	atg Met	ctg Leu	577
tac Tyr	aag Lys 190	gct Ala	cct Pro	tct Ser	gat Asp	ggc Gly 195	aaa Lys	tgg Trp	gga Gly	gag Glu	cat His 200	gaa Glu	ctt Leu	gat Asp	tac Tyr	625
ttg Leu 205	ctc Leu	ttc Phe	atc Ile	gtg Val	cga Arg 210	gac Asp	gtg Val	aag Lys	gtt Val	caa Gln 215	cca Pro	aac Asn	cca Pro	gat Asp	gaa Glu 220	673
gta Val	gct Ala	gag Glu	atc Ile	aag Lys 225	tat Tyr	gtg Val	agc Ser	cgg Arg	gaa Glu 230	gag Glu	ctg Leu	aag Lys	gag Glu	ctg Leu 235	gtg Val	721
aag Lys	aaa Lys	gca Ala	gat Asp 240	gca Ala	ggt Gly	gag Glu	gaa Glu	ggt Gly 245	ttg Leu	aaa Lys	ctg Leu	tca Ser	cca Pro 250	tgg Trp	ttc Phe	769
aga Arg	ttg Leu	gtg Val 255	gtg Val	gac Asp	aat Asn	ttc Phe	ttg Leu 260	atg Met	aag Lys	tgg Trp	tgg Trp	gat Asp 265	cat His	gta Val	gag Glu	817
aaa Lys	gga Gly 270	act Thr	ttg Leu	gtt Val	gaa Glu	gct Ala 275	ata Ile	gac Asp	atg Met	aaa Lys	acc Thr 280	atc Ile	cac His	aaa Lys	ctc Leu	865
tga	acat	ctt	tt t	:t												880
285																
<211 <212)> 96 l> 28 2> Pi 3> Ai	34 RT	lopsi	is tl	nalia	ana										
<400)> 96	5	-													
Met 1	Ser	Ala	Ser	Ser 5	Leu	Phe	Asn	Leu	Pro 10	Leu	Ile	Arg	Leu	Arg 15	Ser	
Leu	Ala	Leu	Ser 20	Ser	Ser	Phe	Ser	Ser 25	Phe	Arg	Phe	Ala	His 30	Arg	Pro	

Leu Ser Ser Ile Ser Pro Arg Lys Leu Pro Asn Phe Arg Ala Phe Ser 35 40 45

Gly Thr Ala Met Thr Asp Thr Lys Asp Ala Gly Met Asp Ala Val Gln 50 60

Arg Arg Leu Met Phe Glu Asp Glu Cys Ile Leu Val Asp Glu Thr Asp 65 70 75 80

Arg Val Val Gly His Asp Ser Lys Tyr Asn Cys His Leu Met Glu Asn 85 90 95

Ile Glu Ala Lys Asn Leu Leu His Arg Ala Phe Ser Val Phe Leu Phe 100 105 110

Asn Ser Lys Tyr Glu Leu Leu Gln Gln Arg Ser Asn Thr Lys Val

Thr Phe Pro Leu Val Trp Thr Asn Thr Cys Cys Ser His Pro Leu Tyr 130 135 140

Arg Glu Ser Glu Leu Ile Gln Asp Asn Ala Leu Gly Val Arg Asn Ala 145 150 155 160

Ala Gln Arg Lys Leu Leu Asp Glu Leu Gly Ile Val Ala Glu Asp Val 165 170 175

Pro Val Asp Glu Phe Thr Pro Leu Gly Arg Met Leu Tyr Lys Ala Pro 180 185 190

Ser Asp Gly Lys Trp Gly Glu His Glu Leu Asp Tyr Leu Leu Phe Ile 195 200 205

Val Arg Asp Val Lys Val Gln Pro Asn Pro Asp Glu Val Ala Glu Ile 210 215 220

Lys Tyr Val Ser Arg Glu Glu Leu Lys Glu Leu Val Lys Lys Ala Asp 225 230 235 240

Ala Gly Glu Glu Gly Leu Lys Leu Ser Pro Trp Phe Arg Leu Val Val 245 250 255

. Asp Asn Phe Leu Met Lys Trp Trp Asp His Val Glu Lys Gly Thr Leu 260 265 270

Val Glu Ala Ile Asp Met Lys Thr Ile His Lys Leu 275 280

<210> 97

<211> 831

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS <222> (18)..(821) <400> 97 tgcactactc aacctca atg gcc gcc tca aca atg gct ctc tcc tcc cct Met Ala Ala Ser Thr Met Ala Leu Ser Ser Pro gee tte gee ggt aag gee gte aag ett tee eec geg gea tea gaa gte 98 Ala Phe Ala Gly Lys Ala Val Lys Leu Ser Pro Ala Ala Ser Glu Val 20 ctt gga agc ggc cgt gtg aca atg agg aag act gtt gcc aag cca aag 146 Leu Gly Ser Gly Arg Val Thr Met Arg Lys Thr Val Ala Lys Pro Lys 35 ggc cca tca ggc agc cca tgg tac gga tct gac cgt gtc aag tac ttg Gly Pro Ser Gly Ser Pro Trp Tyr Gly Ser Asp Arg Val Lys Tyr Leu 50 ggt cca ttc tct ggc gaa tca ccg agc tac ctt acc gga gag ttc ccc 242 Gly Pro Phe Ser Gly Glu Ser Pro Ser Tyr Leu Thr Gly Glu Phe Pro 70 gga gac tac gga tgg gac acc gcc gga ctt tca gct gac ccc gag aca 290 Gly Asp Tyr Gly Trp Asp Thr Ala Gly Leu Ser Ala Asp Pro Glu Thr ttc gca agg aac cgt gaa cta gaa gtt atc cac agc agg tgg gct atg Phe Ala Arg Asn Arg Glu Leu Glu Val Ile His Ser Arg Trp Ala Met . 95 100 ctc gga gcc cta ggc tgc gtc ttc cct gag ctt ttg gct aga aac gga Leu Gly Ala Leu Gly Cys Val Phe Pro Glu Leu Leu Ala Arg Asn Gly 110 gtc aag ttc gga gag gcg gtt tgg ttc aag gcc ggt tca cag atc ttc Val Lys Phe Gly Glu Ala Val Trp Phe Lys Ala Gly Ser Gln Ile Phe 125 age gat gga ggg etc gat tae ttg gga aac eet age ttg gtt eac get Ser Asp Gly Gly Leu Asp Tyr Leu Gly Asn Pro Ser Leu Val His Ala 145 150 cag agc att ttg gcc att tgg gcc aca caa gtt att ttg atg gga gcc Gln Ser Ile Leu Ala Ile Trp Ala Thr Gln Val Ile Leu Met Gly Ala 160 gtt gaa ggc tac aga gtc gca gga aat ggg cca ttg gga gag gcc gag Val Glu Gly Tyr Arg Val Ala Gly Asn Gly Pro Leu Gly Glu Ala Glu gac ttg ctt tac ccc ggt ggc agc ttc gac cca ttg ggt ttg gct acc 626 Asp Leu Leu Tyr Pro Gly Gly Ser Phe Asp Pro Leu Gly Leu Ala Thr 195 200 gac cca gag gca ttc gct gag ttg aag gtg aag gag ctc aag aac gga

722

831

Asp Pro Glu Ala Phe Ala Glu Leu Lys Val Lys Glu Leu Lys Asn Gly 205 aga ttg gct atg ttc tct atg ttt gga ttc ttc gtt caa gcc atc gtc Arg Leu Ala Met Phe Ser Met Phe Gly Phe Phe Val Gln Ala Ile Val 220 225 act ggt aag gga ccg ata gag aac ctt gct gac cat ttg gcc gat cca Thr Gly Lys Gly Pro Ile Glu Asn Leu Ala Asp His Leu Ala Asp Pro 240 245 gtt aac aac aca gca tgg gcc ttc gcc acc aac ttt gtt ccc gga aag Val Asn Asn Asn Ala Trp Ala Phe Ala Thr Asn Phe Val Pro Gly Lys 260 tga gccaagtttt <210> 98 <211> 267 <212> PRT <213> Arabidopsis thaliana <400> 98 Met Ala Ala Ser Thr Met Ala Leu Ser Ser Pro Ala Phe Ala Gly Lys 1 Ala Val Lys Leu Ser Pro Ala Ala Ser Glu Val Leu Gly Ser Gly Arg 25 Val Thr Met Arg Lys Thr Val Ala Lys Pro Lys Gly Pro Ser Gly Ser 40 Pro Trp Tyr Gly Ser Asp Arg Val Lys Tyr Leu Gly Pro Phe Ser Gly Glu Ser Pro Ser Tyr Leu Thr Gly Glu Phe Pro Gly Asp Tyr Gly Trp Asp Thr Ala Gly Leu Ser Ala Asp Pro Glu Thr Phe Ala Arg Asn Arg 90 Glu Leu Glu Val Ile His Ser Arg Trp Ala Met Leu Gly Ala Leu Gly 105 Cys Val Phe Pro Glu Leu Leu Ala Arg Asn Gly Val Lys Phe Gly Glu 115 120 Ala Val Trp Phe Lys Ala Gly Ser Gln Ile Phe Ser Asp Gly Gly Leu Asp Tyr Leu Gly Asn Pro Ser Leu Val His Ala Gln Ser Ile Leu Ala 145 155 Ile Trp Ala Thr Gln Val Ile Leu Met Gly Ala Val Glu Gly Tyr Arg 165 170

Val Ala Gly Asn Gly Pro Leu Gly Glu Ala Glu Asp Leu Leu Tyr Pro 185 Gly Gly Ser Phe Asp Pro Leu Gly Leu Ala Thr Asp Pro Glu Ala Phe 195 200 Ala Glu Leu Lys Val Lys Glu Leu Lys Asn Gly Arg Leu Ala Met Phe Ser Met Phe Gly Phe Phe Val Gln Ala Ile Val Thr Gly Lys Gly Pro 225 Ile Glu Asn Leu Ala Asp His Leu Ala Asp Pro Val Asn Asn Asn Ala 245 250 Trp Ala Phe Ala Thr Asn Phe Val Pro Gly Lys 260 <210> 99 <211> 855 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (15)..(164) <220> <221> CDS <222> (257)..(305) <220> <221> CDS <222> (416)..(843) cacagtatta acaa atg gca gga atc aaa gtt ttc ggt cac cca gct tcc Met Ala Gly Ile Lys Val Phe Gly His Pro Ala Ser aca gcc act aga aga gtt ctc atc gct ctt cac gag aag aat gtc gac Thr Ala Thr Arg Arg Val Leu Ile Ala Leu His Glu Lys Asn Val Asp 15 ttt gaa ttc gtt cat gtc gag ctc aaa gat ggt gaa cac aag aaa gag Phe Glu Phe Val His Val Glu Leu Lys Asp Gly Glu His Lys Lys Glu 35 cct ttc atc ctt cgc aac gtgagtacat ataacatctg tcaagccaaa 194 Pro Phe Ile Leu Arg Asn 45

atattgtatt tcatctagat actgaatctt ggtcttaaca atcttgaata atgtttttgc 254

ag	Pro	Phe	Gly	aaa Lys	yal 55	cca Pro	gcc Ala	Phe	gaa Glu	gat Asp 60	gga Gly	gac Asp	ttc Phe	aag Lys	att Ile 65	301
t t c Phe	g g G	rtaaa	taca	a at	atat	atca	i tta	ıtagt	cat	gttt	acaa	at t	tttg	gttt	t	355
atg	atca	ttg	caat	aata	ga a	agca	gaaa	c ac	tcaa	aaat	gtt	tttt	ttt	tggt	gggcag	415
aa lu	tca Ser	aga Arg	gca Ala	att Ile 70	act Thr	caa Gln	tac Tyr	ata Ile	gct Ala 75	cat His	gaa Glu	ttc Phe	tca Ser	gac Asp 80	aaa Lys	462
gga Gly	aac Asr	aac Asn	Ctt Leu 85	Leu	tca Ser	act	ggc Glý	aag Lys 90	Asp	atg Met	gcg Ala	ato Ile	ata Ile 95	Ala	atg Met	510
ggc Gly	att	gaa Glu 100	Ile	gag Glu	tcg Ser	Cat	gag Glu 105	Phe	gac Asp	cca Pro	gtt Val	ggt Gly 110	Ser	aag Lys	ctt Leu	558
gtt Val	tgg Trp 115	Glu	caa Gln	gtc Val	tta Leu	aag Lys 120	Pro	ttg Leu	tat Tyr	ggt Gly	atg Met 125	Thr	aca Thr	gac	aaa Lys	606
act Thr 130	Val	gtt Val	gaa Glu	gaa Glu	gaa Glu 135	gag Glu	gct Ala	aag Lys	cta Leu	gcc Ala 140	Lys	gtc Val	ctc Leu	gat Asp	gtt Val 145	654
tac Tyr	gaa Glu	cac His	agg Arg	ctt Leu 150	Gly	gag Glu	tcc Ser	aag Lys	tat Tyr 155	Leu	gct Ala	tct Ser	gac Asp	cac His 160	Phe	702
act Thr	t t g Leu	gtc Val	gat Asp 165	Leu	cac His	act Thr	atc	cct Pro 170	Val	att	caa Gln	tac Tyr	tta Leu 175	ctt Leu	gga Gly	750
act Thr	Pro	act Thr 180	aag Lys	aaa Lys	ctc Leu	ttc Phe	gac Asp 185	Glu	cgt Arg	cca Pro	cat His	gtg Val 190	Ser	gct Ala	tgg Trp	798
gtt Val	gct Ala 195	gac Asp	atc Ile	act Thr	tca Ser	agg Arg 200	Pro	tct Ser	gct Ala	cag Gln	aag Lys 205	Val	ctt Leu	taa		843
gtg	aato	tca	aa													855
<21 <21	0> 1 1> 2 2> P 3> A	80	dops	is t	halia	ana										
	0> 1 Ala	00 Gly	Ile	Lys 5	Val	Phe	Gly	His	Pro 10		Ser	Thr	Ala	Thr 15	Arg	

Arg Val Leu Ile Ala Leu His Glu Lys Asn Val Asp Phe Glu Phe Val His Val Glu Leu Lys Asp Gly Glu His Lys Lys Glu Pro Phe Ile Leu Arg Asn Pro Phe Gly Lys Val Pro Ala Phe Glu Asp Gly Asp Phe Lys 55 Ile Phe Glu Ser Arg Ala Ile Thr Gln Tyr Ile Ala His Glu Phe Ser Asp Lys Gly Asn Asn Leu Leu Ser Thr Gly Lys Asp Met Ala Ile Ile 85 90 Ala Met Gly Ile Glu Ile Glu Ser His Glu Phe Asp Pro Val Gly Ser 105 Lys Leu Val Trp Glu Gln Val Leu Lys Pro Leu Tyr Gly Met Thr Thr 120 Asp Lys Thr Val Val Glu Glu Glu Ala Lys Leu Ala Lys Val Leu Asp Val Tyr Glu His Arg Leu Gly Glu Ser Lys Tyr Leu Ala Ser Asp His Phe Thr Leu Val Asp Leu His Thr Ile Pro Val Ile Gln Tyr Leu 165 Leu Gly Thr Pro Thr Lys Lys Leu Phe Asp Glu Arg Pro His Val Ser 185 Ala Trp Val Ala Asp Ile Thr Ser Arg Pro Ser Ala Gln Lys Val Leu 200 <210> 101 <211> 512 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(67) <220> <221> CDS <222> (241)..(309) <220> <221> CDS <222> (417)..(492)

<400> 101

tatctgaaaa a atg tca gag acc aac aag aat gcc ttc caa gcc ggt cag 50

net Ser Giu Thr Ash Lys Ash Ala Phe Gin Ala Gly Gi 1 5 10	ln
acc gct ggc aaa gct ga ggtactactc tttctctctt tgacagaact Thr Ala Gly Lys Ala Gl 15	97
cttaaactgg aaaaattgtt gaagctataa ctctttgaaa acagttgaaa cttgatca	att 157
actagaaatt tcagttactt gtttaattta gtttgtcgta attatgtaat tgatgatt	tt 217
atggttacaa tggttgtcat gta g gag aag agc aat gtt ctg ctg gac aag u Glu Lys Ser Asn Val Leu Leu Asp Lys 20 25	g 268 s
gcc aag gat gct gca gct ggt gct gga gca caa ca ggtaaaca Ala Lys Asp Ala Ala Ala Gly Ala Gly Ala Gly Ala Gln Gl 30 35 40	at 319
ccatacacag acacataaca tataatatgt aacgaaataa acgtctttgt aagcttac	at 379
gtacgcagat ttctgatatg gttatgtata tgttata g gcg gga aag agt gta n Ala Gly Lys Ser Val 45	432
tcg gat gcg gca gcg gga ggt gtt aac ttc gtg aag gac aag acc ggc Ser Asp Ala Ala Gly Gly Val Asn Phe Val Lys Asp Lys Thr Gly 50 55 60	480
ctg aac aag tag agattcgggt caaatttggg Leu Asn Lys 65	. 512
<210> 102 <211> 66 <212> PRT <213> Arabidopsis thaliana	
<pre><400> 102 Met Ser Glu Thr Asn Lys Asn Ala Phe Gln Ala Gly Gln Thr Ala Gly 1</pre>	,
Lys Ala Glu Glu Lys Ser Asn Val Leu Leu Asp Lys Ala Lys Asp Ala 20 25 30	ι
Ala Ala Gly Ala Gly Ala Gly Ala Gln Gln Ala Gly Lys Ser Val Ser 35 40 45	
Asp Ala Ala Gly Gly Val Asn Phe Val Lys Asp Lys Thr Gly Leu 50 60	ı
Asn Lys 65	

<211 <212 <213 <220 <221)> l> CI	138 NA cabio			nalia	ana										
<222	?> (1	L1)	. (11	23)												
)> 1(
aaac	caac	ida e	Met A	Ala 1	act (Thr 1	Leu (Jal 1 5	Asp I	ect (Pro A	aat (Asn (ggg (Gly :	ata a Ile A	agg a	aat Asn	49
gaa Glu	ggg Gly 15	aag Lys	cat His	tac Tyr	ttc Phe	tca Ser 20	atg Met	tgg Trp	caa Gln	act Thr	ctg Leu 25	ttc Phe	gag Glu	atc Ile	gac Asp	97
act Thr 30	aag Lys	tac Tyr	atg Met	cct Pro	atc Ile 35	aag Lys	cct Pro	att Ile	ggt Gly	cgt Arg 40	gga Gly	gct Ala	tac Tyr	ggt Gly	gtt Val 45	145
gtc Val	tgc Cys	tcc Ser	tct Ser	gtt Val 50	aac Asn	agt Ser	gac Asp	acc Thr	aac Asn 55	gag Glu	aaa Lys	gtt Val	gct Ala	atc Ile 60	aag Lys	193
aag Lys	att Ile	cac His	aat Asn 65	gtt Val	tat Tyr	gag Glu	aat Asn	agg Arg 70	atc Ile	gat Asp	gcg Ala	ttg Leu	agg Arg 75	act Thr	ctt Leu	241
cgg Arg	gag Glu	ctc Leu 80	aag Lys	ctt Leu	cta Leu	cgc Arg	cat His 85	ctt Leu	cga Arg	cat His	gag Glu	aat Asn 90	gtc Val	att Ile	gct Ala	289
ttg Leu	aaa Lys 95	gat Asp	gtc Val	atg Met	atg Met	cca Pro 100	att Ile	cat His	aag Lys	atg Met	agc Ser 105	ttc Phe	aag Lys	gat Asp	gtt Val	337
tat Tyr 110	ctt Leu	gtt Val	tat Tyr	gag Glu	ctc Leu 115	atg Met	gac Asp	act Thr	gat Asp	ctc Leu 120	cac His	cag Gln	att Ile	atc Ile	aag Lys 125	385
tct Ser	tct Ser	Gln	Arg	ctt Leu 130	agt Ser	Asn	Asp	His	tgc Cys 135	Gln	tac Tyr	ttc Phe	ttg Leu	ttc Phe 140	cag Gln	433
ttg Leu	ctt Leu	cga Arg	ggg Gly 145	ctc Leu	aag Lys	tat Tyr	att Ile	cat His 150	tca Ser	gcc Ala	aat Asn	atc Ile	ctg Leu 155	cac His	cga Arg	481
gat Asp	ttg Leu	aaa Lys 160	cct Pro	ggt Gly	aac Asn	ctt Leu	ctt Leu 165	gtc Val	aac Asn	gca Ala	aac Asn	tgc Cys 170	gat Asp	tta Leu	aag Lys	529
ata Ile	tgc Cys 175	gat Asp	ttt Phe	gga Gly	cta Leu	gcg Ala	cgt Arg	gcg Ala	agc Ser	aac Asn	acc Thr	aag Lys	ggt Gly	cag Gln	ttc Phe	577

atg Met 190	act Thr	gaa Glu	tat Tyr	gtt Val	gtg Val 195	act Thr	cgt Arg	tgg Trp	tac Tyr	cga Arg 200	gcc Ala	cca Pro	gag Glu	ctt Leu	ctc Leu 205	625
ctc Leu	tgt Cys	tgt Cys	gac Asp	aac Asn 210	tat Tyr	gga Gly	aca Thr	tcc Ser	att Ile 215	gat Asp	gtt Val	tgg Trp	tct Ser	gtt Val 220	ggt Gly	673
Cys	att Ile	Phe	Ala 225	Glu	Leu	Leu	Gly	Arg 230	Lys	Pro	Ile	Phe	Gln 235	Gly	Thr	721
GIU	tgt Cys	240	Asn	Gln	Leu	Lys	Leu 245	Ile	Val	Asn	Ile	11e 250	Gly	Ser	Gln	769
Arg	gaa Glu 255	GIu	Asp	Leu	Glu	Phe 260	Ile	Val	Asn	Pro	Lys 265	Ala	Lys	Arg	Tyr	817
270	aga Arg	Ser	Leu	Pro	Tyr 275	Ser	Pro	Gly	Met	Ser 280	Leu	Ser	Arg	Leu	Tyr 285	865
PIO	tgc Cys	Ala	His	Val 290	Leu	Ala	Ile	Asp	Leu 295	Leu	Gln	Lys	Met	Leu 300	Val	913
Pne	gat Asp	Pro	305	Lys	Arg	Ile	Ser	Ala 310	Ser	Glu	Ala	Leu	Gln 315	His	Pro	961
туг	atg Met	320	Pro	Leu	Tyr	Asp	Pro 325	Asn	Ala	Asn	Pro	Pro 330	Ala	Gln	Val	1009
Pro	Ile 335	Asp	Leu	Asp	Val	340	Glu	Asp	Leu	Arg	Glu 345	Glu	Met	Ile	Arg	1057
350	atg Met	TTE	Trp	Asn	G1u 355	Met	Leu	His	Tyr	His 360	cca Pro	caa Gln	gct Ala	tca Ser	acc Thr 365	1105
	aac Asn				tga	gctc	aagt	ct t	gttt	:						1138

<210> 104

<211> 370

<212> PRT

<213> Arabidopsis thaliana

<400> 104

Met Ala Thr Leu Val Asp Pro Pro Asn Gly Ile Arg Asn Glu Gly Lys

1				5					10					15	
His	Tyr	Phe	Ser 20	Met	Trp	Gln	Thr	Leu 25	Phe	Glu	Ile	Asp	Thr 30	Lys	Ту
Met	Pro	Ile 35	Lys	Pro	Ile	Gly	Arg 40	Gly	Ala	Tyr	Gly	Val 45	Val	Cys	Ser
Ser	Val 50	Asn	Ser	Asp	Thr	Asn 55	Glu	Lys	Val	Ala	Ile 60	Lys	Lys	Ile	His
65					70					75				Glu	80
Lys	Leu	Leu	Arg	His 85	Leu	Arg	His	Glu	Asn 90	Val	Ile	Ala	Leu	Lys 95	Asp
Val	Met	Met	Pro 100	Ile	His	Lys	Met	Ser 105	Phe	Lys	Asp	Val	Tyr 110	Leu	Va]
Tyr	Glu	Leu 115	Met	Asp	Thr	Asp	Leu 120	His	Gln	Ile	Ile	Lys 125	Ser	Ser	Glr
Arg	Leu 130	Ser	Asn	Asp	His	Cys 135	Gln	Tyr	Phe	Leu	Phe 140	Gln	Leu	Leu	Arg
Gly 145	Leu	Lys	Tyr	Ile	His 150	Ser	Ala	Asn	Ile	Leu 155	His	Arg	Asp	Leu	Lys 160
Pro	Gly	Asn	Leu	Leu 165	Val	Asn	Ala	Asn	Cys 170	Asp	Leu	Lys	Ile	Cys 175	Asp
Phe	Gly	Leu	Ala 180	Arg	Ala	Ser	Asn	Thr 185	Lys	Gly	Gln	Phe	Met 190	Thr	Glu
Tyr	Val	Val 195	Thr	Arg	Trp	Tyr	Arg 200	Ala	Pro	Glu	Leu	Leu 205	Leu	Суз	Суз
Asp	Asn 210	Tyr	Gly	Thr	Ser	Ile 215	Asp	Val	Trp	Ser	Val 220	Gly	Cys	Ile	Phe
Ala 225	Glu	Leu	Leu	Gly	Arg 230	Lys	Pro	Ile	Phe	Gln 235	Gly	Thr	Glu	Cys	Leu 240
Asn	Gln	Leu	Lys	Leu 245	Ile	Val	Asn	Ile	Ile 250	Gly	Ser	Gln	Arg	Glu 255	Glu
Asp	Leu	Glu	Phe 260	Ile	Val	Asn	Pro	Lys 265	Ala	Lys	Arg	Tyr	Ile 270	Arg	Ser
Leu	Pro	Tyr 275	Ser	Pro	Gly	Met	Ser 280	Leu	Ser	Arg	Leu	Tyr 285	Pro	Cys	Ala
His	Val 290	Leu	Ala	Ile	Asp	Leu 295	Leu	Gln	Lys	Met	Leu 300	Val	Phe	Asp	Pro
Ser	Lys	Arg	Ile	Ser	Ala	Ser	Glu	Ala	Leu	Gln	His	Pro	Tyr	Met	Ala

305					310					315					320	
Pro	Leu	Tyr	Asp	Pro 325	Asn	Ala	Asn	Pro	Pro 330	Ala	Gln	Val	Pro	Ile 335	Asp	
Leu	Asp	Val	Asp 340	Glu	Asp	Leu	Arg	Glu 345	Glu	Met	Ile	Arg	Glu 350	Met	Ile	
Trp	Asn	Glu 355	Met	Leu	His	Tyr	His 360	Pro	Gln	Ala	Ser	Thr 365	Leu	Asn	Thr	
Glu	Leu 370															
<212 <212	0> 10 1> 44 2> Di 3> Ai	15 VA	lops:	is tl	nalia	ina										
	0> 1> CI 2> (2		. (43(0)												
	0> 1(aacaa		caag	gagad	Met	g gca L Ala	a ggo a Gly	c aaa / Lys	s Gly	t gga y Gly	a aaa / Ly:	a gga	a cto / Lei	c gta u Val	gct Ala	52
gcg Ala	aag Lys	acg Thr	atg Met 15	gct Ala	gct Ala	aac Asn	aag Lys	gac Asp 20	aaa Lys	gac Asp	aag Lys	gac Asp	aag Lys 25	aag Lys	aaa Lys	100
ccc Pro	atc Ile	tct Ser 30	cgc Arg	tct Ser	gct Ala	cgt Arg	gct Ala 35	ggt Gly	att Ile	cag Gln	ttt Phe	cca Pro 40	gtt Val	gga Gly	cga Arg	148
att Ile	cac His 45	agg Arg	caa Gln	ctg Leu	aag Lys	acc Thr 50	cga Arg	gtc Val	tcg Ser	gca Ala	cat His 55	ggc Gly	aga Arg	gtt Val	ggt Gly	196
gcc Ala 60	act Thr	gca Ala	gcc Ala	gtc Val	tac Tyr 65	aca Thr	gct Ala	tca Ser	atc Ile	ctg Leu 70	gag Glu	tat Tyr	ctg Leu	aca Thr	gca Ala 75	244
gag Glu	gtt Val	ctt Leu	gag Glu	ttg Leu 80	gct Ala	ggg Gly	aat Asn	gcg Ala	agc Ser 85	aag Lys	gat Asp	ctc Leu	aaa Lys	gtg Val 90	aag Lys	292
agg Arg	ata Ile	acg Thr	cca Pro 95	agg Arg	cat His	ctg Leu	cag Gln	ttg Leu 100	gcg Ala	att Ile	aga Arg	gga Gly	gat Asp 105	gag Glu	gag Glu	340
ctg Leu	gac Asp	aca Thr 110	ctc Leu	atc Ile	aag Lys	gga Gly	acg Thr 115	att Ile	gct Ala	gga Gly	ggt Gly	ggt Gly 120	gtg Val	atc Ile	cct Pro	388

```
cac atc cac aag tot otc atc aac aaa acc acc aag gag tga
                                                                  430
His Ile His Lys Ser Leu Ile Asn Lys Thr Thr Lys Glu
                       130
tgtgtagctt tttat
                                                                  445
<210> 106
<211> 136
<212> PRT
<213> Arabidopsis thaliana
<400> 106
Met Ala Gly Lys Gly Lys Gly Leu Val Ala Ala Lys Thr Met Ala
Ala Asn Lys Asp Lys Asp Lys Lys Lys Pro Ile Ser Arg Ser
Ala Arg Ala Gly Ile Gln Phe Pro Val Gly Arg Ile His Arg Gln Leu
                             40
Lys Thr Arg Val Ser Ala His Gly Arg Val Gly Ala Thr Ala Ala Val
Tyr Thr Ala Ser Ile Leu Glu Tyr Leu Thr Ala Glu Val Leu Glu Leu
Ala Gly Asn Ala Ser Lys Asp Leu Lys Val Lys Arg Ile Thr Pro Arg
                85
                                    90
His Leu Gln Leu Ala Ile Arg Gly Asp Glu Glu Leu Asp Thr Leu Ile
Lys Gly Thr Ile Ala Gly Gly Gly Val Ile Pro His Ile His Lys Ser
                           120
Leu Ile Asn Lys Thr Thr Lys Glu
   130
                       135
<210> 107
<211> 930
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (14)..(916)
<400> 107
gcctccttgg ctt atg tac tta cca aaa cgt ggc aat ttg ttc gaa ctc
                                                                  49
              Met Tyr Leu Pro Lys Arg Gly Asn Leu Phe Glu Leu
                                5
```

tat Tyr	gat Asp	cca Pro 15	ttg Leu	cat His	cag Gln	aag Lys	atg Met 20	tac Tyr	aca Thr	ttg Leu	aat Asn	cta Leu 25	cct Pro	gag Glu	ctt Leu	97
gcc Ala	aaa Lys 30	tct Ser	acg Thr	gtt Val	tgt Cys	tac Tyr 35	tca Ser	aga Arg	gat Asp	gga Gly	tgg Trp 40	tta Leu	cta Leu	atg Met	cgt Arg	145
aaa Lys 45	acc Thr	att Ile	tca Ser	aga Arg	gaa Glu 50	atg Met	ttc Phe	ttc Phe	ttc Phe	aac Asn 55	ccg Pro	ttt Phe	act Thr	cgt Arg	gag Glu 60	193
Leu	Ile	Asn	gta Val	Pro 65	Lys	Cys	Thr	Leu	Ser 70	Tyr	Asp	Ala	Ile	Ala 75	Phe	241
Ser	Cys	Ala	cct Pro 80	Thr	Ser	Gly	Thr	Cys 85	Val	Leu	Leu	Ala	Phe 90	Lys	His	289
Val	Ser	Tyr 95	cgt Arg	Ile	Thr	Thr	Thr 100	Ser	Thr	Суѕ	His	Pro 105	Lys	Āla	Thr	337
Glu	Trp 110	Val	act Thr	Glu	Asp	Leu 115	Gln	Phe	His	Arg	Arg 120	Phe	Arg	Ser	Glu	385
Thr 125	Leu	Asn	cac His	Ser	Asn 130	Val	Val	Tyr	Ala	Lys 135	Arg	Arg	Phe	Tyr	Cys 140	433
Leu	Asp	Gly	caa Gln	Gly 145	Ser	Leu	Tyr	Tyr	Phe 150	Asp	Pro	Ser	Ser	Arg 155	Arg	481
tgg Trp	gat Asp	ttt Phe	agt Ser 160	tac Tyr	acc Thr	tat Tyr	tta Leu	ctg Leu 165	cca Pro	tgt Cys	cct Pro	tat Tyr	atc Ile 170	tcg Ser	gat Asp	529
aga Arg	ttt Phe	agt Ser 175	tac Tyr	cag Gln	tat Tyr	gag Glu	cgg Arg 180	aag Lys	aag Lys	aag Lys	aga Arg	att Ile 185	ttc Phe	ttg Leu	gct Ala	577
gtg Val	cgg Arg 190	aaa Lys	gga Gly	gtg Val	ttc Phe	ttt Phe 195	aag Lys	ata Ile	ttt Phe	aca Thr	tgt Cys 200	gat Asp	ggt Gly	gag Glu	aag Lys	625
ccg Pro 205	ata Ile	gtg Val	cat His	aag Lys	tta Leu 210	gaa Glu	gat Asp	atc Ile	aat Asn	tgg Trp 215	gag Glu	gag Glu	atc Ile	aat Asn	agt Ser 220	673
act Thr	acg Thr	att Ile	gat Asp	gga Gly 225	ttg Leu	aca Thr	atc Ile	ttt Phe	acg Thr 230	ggt Gly	ctt Leu	tat Tyr	tcc Ser	tct Ser 235	gag Glu	721
gtg	aga	ctt	aat	cta	cca	tgg	atg	agg	aat	agt	gtt	tac	ttt	cct	aga	769

Val Arg Leu Asn Leu Pro Trp Met Arg Asn Ser Val Tyr Phe Pro Arg 245 ctt cgt ttt aat gtc aag cgt tgt gta tca tat tcg ctt gat gaa gag 817 Leu Arg Phe Asn Val Lys Arg Cys Val Ser Tyr Ser Leu Asp Glu Glu 260 agg tat tat ccg cgg aag cag tgg caa gaa cag gag gat tta tgt cct 865 Arg Tyr Tyr Pro Arg Lys Gln Trp Gln Glu Gln Glu Asp Leu Cys Pro 270 275 att gag aat ctt tgg att agg cca ccg aag aaa gct gta gat ttc atg Ile Glu Asn Leu Trp Ile Arg Pro Pro Lys Lys Ala Val Asp Phe Met 295 tga agataaaagt aatg 930 <210> 108 <211> 300 <212> PRT <213> Arabidopsis thaliana <400> 108 Met Tyr Leu Pro Lys Arg Gly Asn Leu Phe Glu Leu Tyr Asp Pro Leu His Gln Lys Met Tyr Thr Leu Asn Leu Pro Glu Leu Ala Lys Ser Thr Val Cys Tyr Ser Arg Asp Gly Trp Leu Leu Met Arg Lys Thr Ile Ser 40 Arg Glu Met Phe Phe Phe Asn Pro Phe Thr Arg Glu Leu Ile Asn Val Pro Lys Cys Thr Leu Ser Tyr Asp Ala Ile Ala Phe Ser Cys Ala Pro Thr Ser Gly Thr Cys Val Leu Leu Ala Phe Lys His Val Ser Tyr Arg Ile Thr Thr Thr Ser Thr Cys His Pro Lys Ala Thr Glu Trp Val Thr 105 Glu Asp Leu Gln Phe His Arg Arg Phe Arg Ser Glu Thr Leu Asn His 120 Ser Asn Val Val Tyr Ala Lys Arg Arg Phe Tyr Cys Leu Asp Gly Gln Gly Ser Leu Tyr Tyr Phe Asp Pro Ser Ser Arg Arg Trp Asp Phe Ser 145 150 155 Tyr Thr Tyr Leu Leu Pro Cys Pro Tyr Ile Ser Asp Arg Phe Ser Tyr 170

Gln Tyr Glu Arg Lys Lys Lys Arg Ile Phe Leu Ala Val Arg Lys Gly 185 Val Phe Phe Lys Ile Phe Thr Cys Asp Gly Glu Lys Pro Ile Val His Lys Leu Glu Asp Ile Asn Trp Glu Glu Ile Asn Ser Thr Thr Ile Asp Gly Leu Thr Ile Phe Thr Gly Leu Tyr Ser Ser Glu Val Arg Leu Asn 225 230 Leu Pro Trp Met Arg Asn Ser Val Tyr Phe Pro Arg Leu Arg Phe Asn 250 Val Lys Arg Cys Val Ser Tyr Ser Leu Asp Glu Glu Arg Tyr Tyr Pro 260 270 Arg Lys Gln Trp Gln Glu Glu Asp Leu Cys Pro Ile Glu Asn Leu 280 Trp Ile Arg Pro Pro Lys Lys Ala Val Asp Phe Met 295 <210> 109 <211> 2640 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (145)..(981) <220> <221> CDS <222> (1439)..(1727) <220> <221> CDS <222> (1817)..(2126) <220> <221> CDS <222> (2204)..(2330) <220> <221> CDS <222> (2405)..(2518) <400> 109 tccacggcta caaaagaaca ttctcgacat acacaaaaaa attcgaaatt tcgagaactc 60 tettgtgeet tettetteat etteetetgt ttttaaaaat geaateaage agatteteae 120

gatacctaaa ccaaa	atccaa ttca a	atg gcg gaa Met Ala Glu 1	gaa gca aaa (Glu Ala Lys (5	tcc aaa gga Ser Lys Gly	171
aac gca gct ttc Asn Ala Ala Phe 10	tct tcc ggc Ser Ser Gly 15	gat tac gcc Asp Tyr Ala	acc gca ata Thr Ala Ile 20	acc cat ttc Thr His Phe 25	219
aca gaa gca atc Thr Glu Ala Ile	aac ctt tca Asn Leu Ser 30	cca acc aat Pro Thr Asn 35	His Ile Leu	tac tca aac Tyr Ser Asn 40	267
aga tcc gct tct Arg Ser Ala Ser 45	tac gct tct Tyr Ala Ser	ctc cac cgt Leu His Arg 50	tac gaa gaa Tyr Glu Glu	gct tta tca Ala Leu Ser 55	315
gac gcg aag aag Asp Ala Lys Lys 60	act ata gag Thr Ile Glu	ctt aaa cct Leu Lys Pro 65	gat tgg tct Asp Trp Ser 70	aaa gga tat Lys Gly Tyr	363
agc cga tta ggt Ser Arg Leu Gly 75	gct gcg ttt Ala Ala Phe 80	att gga ttg Ile Gly Leu	tcc aag ttt Ser Lys Phe 85	gat gaa gcg Asp Glu Ala	411
gtt gat tcg tat Val Asp Ser Tyr 90	aag aaa gga Lys Lys Gly 95	tta gag att Leu Glu Ile	gat ccg agt Asp Pro Ser 100	aat gag atg Asn Glu Met 105	459
ctt aaa tcg gga Leu Lys Ser Gly	tta gct gat Leu Ala Asp 110	gct tcg aga Ala Ser Arg 115	Ser Arg Val	tcg tca aag Ser Ser Lys 120	507
tcg aat cct ttt Ser Asn Pro Phe 125	gtt gat gcg Val Asp Ala	ttt caa ggg Phe Gln Gly 130	aag gag atg Lys Glu Met	tgg gag aag Trp Glu Lys 135	555
ttg acg gcg gat Leu Thr Ala Asp 140	ccg ggg act Pro Gly Thr	agg gtt tat Arg Val Tyr 145	ttg gag cag Leu Glu Gln 150	gat gat ttt Asp Asp Phe	603
gtt aag acg atg Val Lys Thr Met 155	aag gag att Lys Glu Ile 160	cag agg aac Gln Arg Asn	cct aat aat Pro Asn Asn 165	ctt aat ttg Leu Asn Leu	651
tat atg aag gat Tyr Met Lys Asp 170	aag aga gtt Lys Arg Val 175	atg aag gct Met Lys Ala	tta ggg gtt Leu Gly Val 180	ttg ttg aat Leu Leu Asn 185	699
gtg aag ttt ggt Val Lys Phe Gly	gga tct agt Gly Ser Ser 190	ggt gaa gat Gly Glu Asp 195	act gag atg Thr Glu Met	aag gag gct Lys Glu Ala 200	747
gat gag agg aaa Asp Glu Arg Lys 205	gag cct gaa Glu Pro Glu	ccg gag atg Pro Glu Met 210	gaa cct atg Glu Pro Met	gag ttg acg Glu Leu Thr 215	795
gag gag gag agg	cag aag aag	gag aga aag	gag aag gct	ttg aag gag	843

Glu Glu Glu Arg Gln Lys Lys Glu Arg Lys Glu Lys Ala Leu Lys Glu 220 225 230	
aaa ggg gaa gga aat gtt gct tat aag aag gat ttt ggg aga gct Lys Gly Glu Gly Asn Val Ala Tyr Lys Lys Lys Asp Phe Gly Arg Ala 235 240 245	891
gtt gaa cat tat act aag gcc atg gag ctc gat gat gag gat att tcg Val Glu His Tyr Thr Lys Ala Met Glu Leu Asp Asp Glu Asp Ile Ser 250 255 260 265	939
tat ttg acg aat cgt gct gct gtt tat ctt gag atg ggg aag Tyr Leu Thr Asn Arg Ala Ala Val Tyr Leu Glu Met Gly Lys 270 275	981
gtattaagtc ttatacttgg cttaaaagtt aaacctttag gtactttaag attaaggagg	1041
agatettggg ttettgaagt agettatetg tttagtatag ettgteacta gttagtacat	1101
ttgtgatgac cttgatgggt tttgataact ttcatctgct tcttgttgga gatttaagag	1161
ttttgaactt aagttttcac ttgtgctgaa agtagttagc tttagatgag gtagaaattt	1221
agggtttatg gcttcatgat ggagtttatt cacttgttct gtagaagtgg ttatctttat	1281
tattactgga atcaattaat cttcaagtat cctgagtggt tcaattccat tggtctatgt	1341
gttcttgcat tagtcttgtt taattaacag ttggttcatc tggatcttac tgtatcttgt	1401
gtgatgtttt acttcatttc tcaaatgaaa ttatcag tac gag gag tgc att gaa Tyr Glu Glu Cys Ile Glu 280 285	1456
gac tgt gac aag gct gtt gaa aga ggc aga gaa ctt cgt tct gac ttc Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe 290 295 300	1504
aag atg ata gca aga gct ctg act aga aaa gga tct gct cta gtg aaa Lys Met Ile Ala Arg Ala Leu Thr Arg Lys Gly Ser Ala Leu Val Lys 305 310 315	1552
Atg gcg aga tgc tcg aaa gac ttt gag cct gcg att gag act ttc cag Met Ala Arg Cys Ser Lys Asp Phe Glu Pro Ala Ile Glu Thr Phe Gln 320 325 330	1600
aaa gct ctt aca gag cat cgt aat cca gat aca ttg aag aaa ctg aac Lys Ala Leu Thr Glu His Arg Asn Pro Asp Thr Leu Lys Lys Leu Asn 335 340 345	1648
Lys Ala Leu Thr Glu His Arg Asn Pro Asp Thr Leu Lys Lys Leu Asn 335 340 345	1648

ttacacttac tatcttgaaa cgtgatttga ttttaggatt aagcatttga cacttcttca 1807 ttgatgcag gt aat gga ttc ttt aaa gaa caa aag tat cca gag gca gtg ly Asn Gly Phe Phe Lys Glu Gln Lys Tyr Pro Glu Ala Val 380 aag cat tat tca gaa gca atc aaa aga aac ccg aac gac gtg agg gca 1905 Lys His Tyr Ser Glu Ala Ile Lys Arg Asn Pro Asn Asp Val Arg Ala 390 tat agc aac aga gct gct tgt tac aca aag tta gga gca tta cca gag 1953 Tyr Ser Asn Arg Ala Ala Cys Tyr Thr Lys Leu Gly Ala Leu Pro Glu 415 gga ttg aaa gat gct gaa aaa tgc att gag ctg gac cca agt ttc acg 2001 Gly Leu Lys Asp Ala Glu Lys Cys Ile Glu Leu Asp Pro Ser Phe Thr 425 430 aaa gga tac agt aga aaa gga gct att caa ttt ttc atg aag gaa tac 2049 Lys Gly Tyr Ser Arg Lys Gly Ala Ile Gln Phe Phe Met Lys Glu Tyr 440 gat aaa gct atg gaa acg tat caa gaa ggg cta aaa cat gat cct aag 2097 Asp Lys Ala Met Glu Thr Tyr Gln Glu Gly Leu Lys His Asp Pro Lys 455 460 465 aac cag gag ttc ctt gat ggt gtt aga ag gtttgcaaat tttggcattc 2146 Asn Gln Glu Phe Leu Asp Gly Val Arg Ar 475 tctctttgtt gtttaacctt gcaaagatcg gtctagtgaa agtgttgttg ttttcag a tgt gtg gaa cag ata aac aaa gcg agc cgt ggt gat ctg act cca gaa 2252 Cys Val Glu Gln Ile Asn Lys Ala Ser Arg Gly Asp Leu Thr Pro Glu 485 490 gaa ttg aag gag aga caa gca aag gca atg caa gat cct gaa gtt cag 2300 Glu Leu Lys Glu Arg Gln Ala Lys Ala Met Gln Asp Pro Glu Val Gln 505 aac ata tta tcg gat cca gtg atg aga cag gtaaaagcag tggcaagcat 2350 Asn Ile Leu Ser Asp Pro Val Met Arg Gln 520 tgtgttctaa ctcgtaagct gtctgtgaga cttgtgtgat gatgtctatt gtag gta 2407 Val cta gtg gac ttt caa gag aat ccg aaa gct gca caa gag cat atg aag 2455 Leu Val Asp Phe Gln Glu Asn Pro Lys Ala Ala Gln Glu His Met Lys 530 aac cca atg gta atg aac aag att cag aag ctg gtt agt gcc gga att 2503 Asn Pro Met Val Met Asn Lys Ile Gln Lys Leu Val Ser Ala Gly Ile 545 gtt cag gtc cgg taa attggttatg ctaaaccgga gtggtatatt gaatcaaacc 2558

Val Gln Val Arg 555

gaagatgttt ccaaattttc actgcgttct tttgggcttt tgttaaactg atgaaactct 2618
gatttggttt gggtcatgtt tg 2640

<210> 110

<211> 558

<212> PRT

<213> Arabidopsis thaliana

<400> 110

Met Ala Glu Glu Ala Lys Ser Lys Gly Asn Ala Ala Phe Ser Ser Gly

1 5 10 15

Asp Tyr Ala Thr Ala Ile Thr His Phe Thr Glu Ala Ile Asn Leu Ser 20 25 30

Pro Thr Asn His Ile Leu Tyr Ser Asn Arg Ser Ala Ser Tyr Ala Ser 35 40 45

Leu His Arg Tyr Glu Glu Ala Leu Ser Asp Ala Lys Lys Thr Ile Glu 50 60

Leu Lys Pro Asp Trp Ser Lys Gly Tyr Ser Arg Leu Gly Ala Ala Phe 65 70 75 80

Ile Gly Leu Ser Lys Phe Asp Glu Ala Val Asp Ser Tyr Lys Lys Gly 85 90 95

Leu Glu Ile Asp Pro Ser Asn Glu Met Leu Lys Ser Gly Leu Ala Asp 100 105 110

Ala Ser Arg Ser Arg Val Ser Ser Lys Ser Asn Pro Phe Val Asp Ala 115 120 125

Phe Gln Gly Lys Glu Met Trp Glu Lys Leu Thr Ala Asp Pro Gly Thr 130 135 140

Arg Val Tyr Leu Glu Gln Asp Asp Phe Val Lys Thr Met Lys Glu Ile 145 150 155 160

Gln Arg Asn Pro Asn Asn Leu Asn Leu Tyr Met Lys Asp Lys Arg Val 165 170 175

Met Lys Ala Leu Gly Val Leu Leu Asn Val Lys Phe Gly Gly Ser Ser 180 185 190

Gly Glu Asp Thr Glu Met Lys Glu Ala Asp Glu Arg Lys Glu Pro Glu 195 200 205

Pro Glu Met Glu Pro Met Glu Leu Thr Glu Glu Glu Arg Gln Lys Lys 210 225 220

Glu Arg Lys Glu Lys Ala Leu Lys Glu Lys Gly Glu Gly Asn Val Ala

225 230 235 240 Tyr Lys Lys Lys Asp Phe Gly Arg Ala Val Glu His Tyr Thr Lys Ala 250 Met Glu Leu Asp Asp Glu Asp Ile Ser Tyr Leu Thr Asn Arg Ala Ala Val Tyr Leu Glu Met Gly Lys Tyr Glu Glu Cys Ile Glu Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe Lys Met Ile Ala Arg Ala Leu Thr Arg Lys Gly Ser Ala Leu Val Lys Met Ala Arg 305 315 Cys Ser Lys Asp Phe Glu Pro Ala Ile Glu Thr Phe Gln Lys Ala Leu 325 Thr Glu His Arg Asn Pro Asp Thr Leu Lys Lys Leu Asn Asp Ala Glu 345 Lys Val Lys Lys Glu Leu Glu Gln Gln Glu Tyr Phe Asp Pro Thr Ile 360 Ala Glu Glu Glu Arg Glu Lys Gly Asn Gly Phe Phe Lys Glu Gln Lys Tyr Pro Glu Ala Val Lys His Tyr Ser Glu Ala Ile Lys Arg Asn Pro 390 Asn Asp Val Arg Ala Tyr Ser Asn Arg Ala Ala Cys Tyr Thr Lys Leu 405 Gly Ala Leu Pro Glu Gly Leu Lys Asp Ala Glu Lys Cys Ile Glu Leu 425 Asp Pro Ser Phe Thr Lys Gly Tyr Ser Arg Lys Gly Ala Ile Gln Phe 440 Phe Met Lys Glu Tyr Asp Lys Ala Met Glu Thr Tyr Gln Glu Gly Leu Lys His Asp Pro Lys Asn Gln Glu Phe Leu Asp Gly Val Arg Arg Cys 470 Val Glu Gln Ile Asn Lys Ala Ser Arg Gly Asp Leu Thr Pro Glu Glu Leu Lys Glu Arg Gln Ala Lys Ala Met Gln Asp Pro Glu Val Gln Asn 505 Ile Leu Ser Asp Pro Val Met Arg Gln Val Leu Val Asp Phe Gln Glu 520 Asn Pro Lys Ala Ala Gln Glu His Met Lys Asn Pro Met Val Met Asn

530 535 540 Lys Ile Gln Lys Leu Val Ser Ala Gly Ile Val Gln Val Arg 545 550 <210> 111 <211> 1560 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (130)..(265) <220> <221> CDS <222> (386)..(515) <220> <221> CDS <222> (622)..(1480) <400> 111 tatataaacc tcacacacgc attatcatac accatcctcc tcattctctt catcatcaac 60 ataagagaga gagaagaaaa aaagaattac aattaataag aacaagatca agaatcaaga 120 atcaagaaa atg gga aga gca ccg tgt tgt gat aag gcc aac gtg aag aaa 171 Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys ggg cct tgg tct cct gag gaa gac gcc aaa ctc aaa gat tac atc gag 219 Gly Pro Trp Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu 20 aat agt ggc aca gga ggc aac tgg att gct ttg cct cag aaa att g 265 Asn Ser Gly Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile G gtatgtatta cttaaaactc acttttgatt taaaattggc actgagagtt tccaaatagt 325 actitgagac cgtggtcgtg ttaaatttgt gtgttgatga tatttattta catggtatag 385 gt tta agg aga tgt ggg aag agt tgc agg cta agg tgg ctc aac tat ly Leu Arg Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Leu Asn Tyr 50 ttg aga cca aac atc aaa cat ggt ggc ttc tcc gag gaa gaa gac aac 480 Leu Arg Pro Asn Ile Lys His Gly Gly Phe Ser Glu Glu Glu Asp Asn 65 atc att tgt aac ctc tat gtt act att ggt agc ag gtactatata 525 Ile Ile Cys Asn Leu Tyr Val Thr Ile Gly Ser Ar 80

85

cttacatata tatcatcata tgcatggatg aatattatta attgacacac ttattcttga 585 cttagagact cactatgtat ctttgtttaa ttctag g tgg tct ata att gct gca 640 g Trp Ser Ile Ile Ala Ala 90 caa ttg ccg gga aga acc gac aac gat atc aaa aac tat tgg aac acg 688 Gln Leu Pro Gly Arg Thr Asp Asn Asp Ile Lys Asn Tyr Trp Asn Thr 100 105 agg ctg aag aag ctt ctg aac aaa caa agg aaa gag ttc caa gaa 736 Arg Leu Lys Lys Leu Leu Asn Lys Gln Arg Lys Glu Phe Gln Glu 115 120 gcg cga atg aag caa gag atg gtg atg atg aaa agg caa caa caa gga 784 Ala Arg Met Lys Gln Glu Met Val Met Met Lys Arg Gln Gln Gly 130 135 caa gga caa ggt caa agt aat ggt agt acg gat ctt tat ctt aac aac 832 Gln Gly Gln Gly Gln Ser Asn Gly Ser Thr Asp Leu Tyr Leu Asn Asn 150 155 atg ttt gga tca tca cca tgg cca tta cta cca caa ctt cct cct cca 880 Met Phe Gly Ser Ser Pro Trp Pro Leu Leu Pro Gln Leu Pro Pro Pro 165 170 cat cat caa ata cct ctt gga atg atg gaa cca aca agc tgt aac tac His His Gln Ile Pro Leu Gly Met Met Glu Pro Thr Ser Cys Asn Tyr 180 185 tac caa acg aca ccg tct tgt aac cta gaa caa aag cca ttg atc aca 976 Tyr Gln Thr Thr Pro Ser Cys Asn Leu Glu Gln Lys Pro Leu Ile Thr 195 200 ctc aag aac atg gtc aag att gaa gaa gaa cag gaa agg aca aac cct 1024 Leu Lys Asn Met Val Lys Ile Glu Glu Glu Glu Glu Arg Thr Asn Pro 210 220 gat cat cat caa gat tot gtc aca aac cot ttt gat ttc tot ttc 1072 Asp His His Gln Asp Ser Val Thr Asn Pro Phe Asp Phe Ser Phe 225 tot cag off the gat coo aat tac tat off gga toa ggg gga 1120 Ser Gln Leu Leu Asp Pro Asn Tyr Tyr Leu Gly Ser Gly Gly Gly 240 245 250 gga gaa gga gat ttt gct atc atg agc agc agc aca aac tca cca tta Gly Glu Gly Asp Phe Ala Ile Met Ser Ser Ser Thr Asn Ser Pro Leu 260 cca aac aca agt agt gat caa cat cca agt caa cag caa gag att ctt 1216 Pro Asn Thr Ser Ser Asp Gln His Pro Ser Gln Gln Gln Glu Ile Leu 275 caa tgg ttt ggg agc agt aac ttt cag aca gaa gca atc aac gat atg Gln Trp Phe Gly Ser Ser Asn Phe Gln Thr Glu Ala Ile Asn Asp Met 290 295 300

ttc ata aac aac aac aac aac ata gtg aat ctt gag acc atc gag aac Phe Ile Asn Asn Asn Asn Ile Val Asn Leu Glu Thr Ile Glu Asn 305 310 315	1312
aca aaa gtc tat gga gac gcc tca gta gcc gga gcc gct gtc cga gca Thr Lys Val Tyr Gly Asp Ala Ser Val Ala Gly Ala Ala Val Arg Ala 320 325 330 335	1360
get ttg ggc gga ggg aca acg agt aca tcg gcg gat caa agt aca ata Ala Leu Gly Gly Gly Thr Thr Ser Thr Ser Ala Asp Gln Ser Thr Ile 340 345 350	1408
agt tgg gag gat ata act tct cta gtt aat tcc gaa gat gca agt tac Ser Trp Glu Asp Ile Thr Ser Leu Val Asn Ser Glu Asp Ala Ser Tyr 355 360 365	1456
ttc aat gcg cca aat cat gtg taa cattttgttt aaaactttat ttgtacttaa Phe Asn Ala Pro Asn His Val 370 375	1510
atacataaag aggggttttc tattttgtat aaatctgtgt ctttagggag	1560
<210> 112 <211> 374 <212> PRT <213> Arabidopsis thaliana	
<pre><400> 112 Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1</pre>	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1 5 10 15 Trp Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu Asn Ser	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1 5 10 15 Trp Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu Asn Ser 20 25 30 Gly Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile Gly Leu Arg	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1 5 5 Lys Gly Pro 10 15 Trp Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu Asn Ser 20 25 Ser Gly Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile Gly Leu Arg 35 40 Trp Leu Asn Tyr Leu Arg Pro	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1 Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu Asn Ser 25 Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile Gly Leu Arg Asg Cys Gly Lys Ser Cys Arg Leu Arg Trp Leu Asn Tyr Leu Arg Pro 65 To To To To Gly Gly Phe Ser Glu Glu Glu Asp Asn Ile Ile Cys 80 Asn Leu Tyr Val Thr Ile Gly Ser Arg Trp Ser Ile Ile Ala Ala Gln	
Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys Gly Pro 1 10 Ser Pro Gly Gly Asp Ala Lys Leu Lys Asp Tyr Ile Gly Asn Ser 20 Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile Gly Leu Arg Asg Cys Gly Lys Ser Cys Arg Leu Arg Trp Leu Asn Tyr Leu Arg Pro 50 Asn Ile Lys His Gly Gly Phe Ser Glu Glu Glu Asp Asn Ile Ile Cys 80 Asn Leu Tyr Val Thr Ile Gly Ser Arg Trp Ser Ile Ile Ala Ala Gln 95 Leu Pro Gly Arg Thr Asp Asn Asp Ile Lys Asn Tyr Trp Asn Thr Arg	

Gly Gln Gly Gln Ser Asn Gly Ser Thr Asp Leu Tyr Leu Asn Asn Met 150 Phe Gly Ser Ser Pro Trp Pro Leu Leu Pro Gln Leu Pro Pro Pro His 165 170 His Gln Ile Pro Leu Gly Met Met Glu Pro Thr Ser Cys Asn Tyr Tyr 185 Gln Thr Thr Pro Ser Cys Asn Leu Glu Gln Lys Pro Leu Ile Thr Leu Lys Asn Met Val Lys Ile Glu Glu Glu Glu Glu Arg Thr Asn Pro Asp 210 His His His Gln Asp Ser Val Thr Asn Pro Phe Asp Phe Ser Phe Ser Gln Leu Leu Asp Pro Asn Tyr Tyr Leu Gly Ser Gly Gly Gly 245 Glu Gly Asp Phe Ala Ile Met Ser Ser Ser Thr Asn Ser Pro Leu Pro 265 Asn Thr Ser Ser Asp Gln His Pro Ser Gln Gln Gln Glu Ile Leu Gln 280 Trp Phe Gly Ser Ser Asn Phe Gln Thr Glu Ala Ile Asn Asp Met Phe Ile Asn Asn Asn Asn Ile Val Asn Leu Glu Thr Ile Glu Asn Thr Lys Val Tyr Gly Asp Ala Ser Val Ala Gly Ala Ala Val Arg Ala Ala 325 330 Leu Gly Gly Gly Thr Thr Ser Thr Ser Ala Asp Gln Ser Thr Ile Ser 345 Trp Glu Asp Ile Thr Ser Leu Val Asn Ser Glu Asp Ala Ser Tyr Phe 360

Asn Ala Pro Asn His Val

<210> 113 <211> 3790 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (38)..(1597) <220>

```
<221> CDS
<222> (1717)..(1943)
<220>
<221> CDS
<222> (2052)..(2384)
<220>
<221> CDS
<222> (2468)..(2714)
<220>
<221> CDS
<222> (2800)..(2928)
<220>
<221> CDS
<222> (3020)..(3203)
<220>
<221> CDS
<222> (3532)..(3773)
<400> 113
ttgtatggtt cgttgttact gatagattac ttaagct atg gtt tgg ttt aga atc
                                         Met Val Trp Phe Arg Ile
ggt tot tot gtg gca aag ott gcc ata aga agg aca ctg tot cag tot
Gly Ser Ser Val Ala Lys Leu Ala Ile Arg Arg Thr Leu Ser Gln Ser
                                 15
cgt tgt ggt tca tat gcc act aga aca agg gtt ttg cct tgt caa acc
Arg Cys Gly Ser Tyr Ala Thr Arg Thr Arg Val Leu Pro Cys Gln Thr
         25
                             30
aga tgt ttt cac tct aca ata ctc aaa tca aag gca gag tct gct gca
                                                                   199
Arg Cys Phe His Ser Thr Ile Leu Lys Ser Lys Ala Glu Ser Ala Ala
     40
                         45
cct gtt cca cgt cct gtc cca ctt tct aag cta act gat agc ttc tta
Pro Val Pro Arg Pro Val Pro Leu Ser Lys Leu Thr Asp Ser Phe Leu
55
                                         65
gat gga aca agc agt gtg tat cta gag gag tta caa aga gct tgg gag
                                                                   295
Asp Gly Thr Ser Ser Val Tyr Leu Glu Glu Leu Gln Arg Ala Trp Glu
                 75
                                     80
gct gat ccc aac agt gtt gat gag tcg tgg gat aac ttt ttt agg aat
Ala Asp Pro Asn Ser Val Asp Glu Ser Trp Asp Asn Phe Phe Arg Asn
ttt gtg ggt cag gct tct aca tcg cct ggt atc tcg ggg caa acc att
Phe Val Gly Gln Ala Ser Thr Ser Pro Gly Ile Ser Gly Gln Thr Ile
       105
                                                115
caa gaa agc atg cgt ttg ttg cta gtt aga gct tac cag gtt aat
                                                                   439
```

Gln	Glu 120	Ser	Met	Arg	Leu	Leu 125	Leu	Leu	Val	Arg	Ala 130	Tyr	Gln	Val	Asn	
ggc Gly 135	cac His	atg Met	aag Lys	gcc Ala	aag Lys 140	ctt Leu	gat Asp	cct Pro	tta Leu	ggt Gly 145	cta Leu	gag Glu	aag Lys	aga Arg	gag Glu 150	487
att Ile	cca Pro	gag Glu	gat Asp	ctc Leu 155	acg Thr	cca Pro	ggt Gly	ctt Leu	tat Tyr 160	GJÅ āāā	ttt Phe	act Thr	gag Glu	gct Ala 165	gat Asp	535
ctt Leu	gat Asp	cgg Arg	gaa Glu 170	ttc Phe	ttt Phe	Leu	ggt Gly	gta Val 175	tgg Trp	agg Arg	atg Met	tcg Ser	ggt Gly 180	ttt Phe	ctc Leu	583
tct Ser	gag Glu	aac Asn 185	cgc Arg	ccg Pro	gtt Val	caa Gln	aca Thr 190	ctg Leu	agg Arg	tcg Ser	ata Ile	ctg Leu 195	tcg Ser	agg Arg	ctt Leu	631
gag Glu	caa Gln 200	gct Ala	tac Tyr	tgt Cys	GJÀ âââ	act Thr 205	ata Ile	ggg	tat Tyr	gag Glu	tac Tyr 210	atg Met	cac His	att Ile	gct Ala	679
gat Asp 215	agg Arg	gat Asp	aaa Lys	tgt Cys	aac Asn 220	tgg Trp	ttg Leu	aga Arg	gac Asp	aag Lys 225	atc Ile	gag Glu	acc Thr	cca Pro	act Thr 230	727
cct Pro	cga Arg	cag Gln	tac Tyr	aat Asn 235	agt Ser	gag Glu	cgt Arg	cgg Arg	atg Met 240	gtt Val	att Ile	tat Tyr	gat Asp	agg Arg 245	ctt Leu	775
acc Thr	tgg Trp	agc Ser	aca Thr 250	cag Gln	ttt Phe	gag Glu	aat Asn	ttc Phe 255	ttg Leu	gct Ala	act Thr	aag Lys	tgg Trp 260	acc Thr	acg Thr	823
gct Ala	aaa Lys	agg Arg 265	ttt Phe	gga Gly	ctg Leu	gaa Glu	ggt Gly 270	gct Ala	gaa Glu	tct Ser	ttg Leu	att Ile 275	cct Pro	ggc Gly	atg Met	871
aag Lys	gag Glu 280	atg Met	ttc Phe	gat Asp	agg Arg	tct Ser 285	gca Ala	gat Asp	ctc Leu	Gly ggg	gta Val 290	gag Glu	aac Asn	ata Ile	gtt Val	919
atc Ile 295	ggt Gly	atg Met	ccc Pro	cat His	agg Arg 300	ggt Gly	cga Arg	ctt Leu	aat Asn	gtt Val 305	ttg Leu	ggt Gly	aat Asn	gtt Val	gtt Val 310	967
aga Arg	aaa Lys	cct Pro	cta Leu	cgc Arg 315	caa Gln	ata Ile	ttc Phe	agc Ser	gag Glu 320	ttt Phe	agc Ser	ggt Gly	ggt Gly	act Thr 325	agg Arg	1015
cca Pro	gta Val	gat Asp	gaa Glu 330	gtt Val	Gly ggg	ctt Leu	tac Tyr	acc Thr 335	gga Gly	aca Thr	ggt Gly	gat Asp	gtg Val 340	aaa Lys	tac Tyr	1063
cac His	ttg Leu	ggt Gly	aca Thr	tct Ser	tat Tyr	gat Asp	cgt Arg	cca Pro	act Thr	aga Arg	gga Gly	ggc	aaa Lys	cat His	ctc Leu	1111

345 350 355 cac ttg tct ttg gta gca aat ccc agt cac ttg gaa gca gta gat cct 1159 His Leu Ser Leu Val Ala Asn Pro Ser His Leu Glu Ala Val Asp Pro 365 gtt gtg ata ggt aaa acc aga gcg aaa caa tat tac acg aaa gac gag 1207 Val Val Ile Gly Lys Thr Arg Ala Lys Gln Tyr Tyr Thr Lys Asp Glu 380 aac aga aca aag aac atg ggt att ttg atc cat ggg gat ggt agc ttt 1255 Asn Arg Thr Lys Asn Met Gly Ile Leu Ile His Gly Asp Gly Ser Phe 400 gcc gga caa gga gtg gtg tat gaa act ctc cat ctt agt gca ctt cct 1303 Ala Gly Gln Gly Val Val Tyr Glu Thr Leu His Leu Ser Ala Leu Pro 410 415 aac tac tgt acc ggt gga aca gtg cac att gtg gtg aat aat caa gtg 1351 Asn Tyr Cys Thr Gly Gly Thr Val His Ile Val Val Asn Asn Gln Val 425 430 gct ttc aca acc gat ccc agg gaa gga agg tct tca cag tat tgc act 1399 Ala Phe Thr Thr Asp Pro Arg Glu Gly Arg Ser Ser Gln Tyr Cys Thr 440 445 450 gat gtt gca aag gct ttg agc gcc cca att ttc cat gtc aat gca gat 1447 Asp Val Ala Lys Ala Leu Ser Ala Pro Ile Phe His Val Asn Ala Asp 455 465 gac att gaa gca gta gtg cat gct tgt gag ctt gct gct gag tgg cgc 1495 Asp Ile Glu Ala Val Val His Ala Cys Glu Leu Ala Ala Glu Trp Arg 475 480 485 cag acg ttc cat tct gat gtt gtt gtt gat tta gta tgc tac cgt cgc 1543 Gln Thr Phe His Ser Asp Val Val Val Asp Leu Val Cys Tyr Arg Arg 490 ttt ggg cat aac gag ata gac gaa ccg tca ttc aca caa cca aaa atg 1591 Phe Gly His Asn Glu Ile Asp Glu Pro Ser Phe Thr Gln Pro Lys Met 505 tac aag gtctggctat tatatcatcc atctctgtga aataatctaa taaccaattc 1647 Tvr Lvs 520 aagtttccat ttcatacttt tcttgtactt tttttttgtt taaaaacgga tgttacttgt 1707 tggtgatag gtg ata cgc agt cat ccc tcg tca ctt caa atc tac cag gag 1758 Val Ile Arg Ser His Pro Ser Ser Leu Gln Ile Tyr Gln Glu aag ctc ttg caa tct gga cag gta acc caa gaa gat att gat aag att 1806 Lys Leu Leu Gln Ser Gly Gln Val Thr Gln Glu Asp Ile Asp Lys Ile 545 caa aag aaa gta agc tct atc ctc aat gaa gaa tat gag gca agt aaa 1854

Gln	Lys	Lys	Val	Ser 555	Ser	Ile	Leu	Asn	Glu 560	Glu	Tyr	Glu	Ala	Ser 565	Lys	
gat Asp	tat Tyr	att Ile	cca Pro 570	caa Gln	aaa Lys	cgt Arg	gac Asp	tgg Trp 575	ctg Leu	gca Ala	agt Ser	cac His	tgg Trp 580	act Thr	gga Gly	1902
ttc Phe	aag Lys	tct Ser 585	ccg Pro	gag Glu	cag Gln	att Ile	tct Ser 590	agg Arg	att Ile	cga Arg	aac Asn	acc Thr 595	gg (gtaaa	aaaca	1953
tttt	tatt	tc a	attta	agtt	g to	caato	gcctt	tt	ggcct	ttt	ttci	ttt	ett	tttca	aatgta	2013
acat	tttg	gct (ggaaa	acta	at to	ccti	gtţ	e tti	tgca					gag Glu 600		2067
ttg Leu	aag Lys	aat Asn	gtg Val 605	gga Gly	aag Lys	gca Ala	atc Ile	tca Ser 610	acc Thr	ttc Phe	cct Pro	gag Glu	aac Asn 615	ttt Phe	aag Lys	2115
cca Pro	cac His	aga Arg 620	gga Gly	gtt Val	aaa Lys	aga Arg	gtt Val 625	tat Tyr	gaa Glu	caa Gln	cgt Arg	gct Ala 630	caa Gln	atg Met	att Ile	2163
gaa Glu	tcg Ser 635	gga Gly	gaa Glu	ggc Gly	att Ile	gac Asp 640	tgg Trp	gga Gly	ctt Leu	gga Gly	gaa Glu 645	gca Ala	ctt Leu	gct Ala	ttt Phe	2211
gct Ala 650	aca Thr	ctg Leu	gtt Val	gtg Val	gaa Glu 655	G]A aaa	aac Asn	cat His	gtt Val	cgg Arg 660	cta Leu	agt Ser	ggt Gly	caa Gln	gat Asp 665	2259
gtt Val	gaa Glu	aga Arg	gga Gly	act Thr 670	ttc Phe	agt Ser	cat His	aga Arg	cac His 675	tca Ser	gtg Val	ctt Leu	cat. His	gat Asp 680	caa Gln	2307
gaa Glu	acc Thr	Gly ggg	gag Glu 685	gaa Glu	tat Tyr	tgt Cys	ccc Pro	ctc Leu 690	gat Asp	cac His	cta Leu	atc Ile	aaa Lys 695	aac Asn	caa Gln	2355
gac Asp	cct Pro	gaa Glu 700	atg Met	ttc Phe	act Thr	gtc Val	agc Ser 705	aac Asn	ag g Se	jtato	gcatt	it t	ttt	taato	:	2404
tcta	agaga	atg a	ataad	cact	c tt	caat	tgtt	ttt	acat	gat	cttt	acgt	tg t	ttgt	gtatg	2464
cag	c to	cc ct Ser	t to Leu 71	Ser	aa tt Glu	t go Phe	gt gt Gly	t ct Val 71	Leu	gt tt Gly	c ga Phe	a ct Glu	Leu	gt ta Gly 20	t tcg Tyr S∈	2513 •
atg r Me	gaa et Gl	lu As	ccc sn Pi 25	aat co As	tct sn Se	ctg er Le	gtg eu Va _ 73	al II	tgg le Ti	gaa np Gl	gct lu Al	cag la Gl 73	n Pl	gga ne Gl	gac y As	2561
ttt p Pl	gct ne Al	aat la As	ggc sn Gl	gca ly Al	caa la G]	gtt In Va	atg	ttt et Ph	gat ne As	cag	ttc in Ph	ata ne Il	agc .e Sf	agt er Se	ggg er Gl	2609

gaa gcc aaa tgg ctc cgt caa act ggt cta gta gtt tta ctt cct cat y Glu Ala Lys Trp Leu Arg Gln Thr Gly Leu Val Val Leu Leu Pro Hi 755 760 765 770	2657
gga tat gat ggt cag ggt cct gaa cat tcc agt gga aga ttg gaa cgt s Gly Tyr Asp Gly Gln Gly Pro Glu His Ser Ser Gly Arg Leu Glu Ar 775 780 785	2705
ttc ctt cag gtatattata tgaccgatac ttaccgttaa gattctctcc g Phe Leu Gln	2754
actttttgta tttgtttccc tctcatttga aaattttaac tgcag atg agt gat gac Met Ser Asp As 790	2811
aat cct tac gtt atc cct gag atg gac cca act ctt cga aag cag att p Asn Pro Tyr Val Ile Pro Glu Met Asp Pro Thr Leu Arg Lys Gln Il 795 800 805	2859
caa gaa tgt aat tgg caa gtt gtt aat gtt act aca cct gcc aac tat e Gln Glu Cys Asn Trp Gln Val Val Asn Val Thr Thr Pro Ala Asn Ty 810 815 820 825	2907
ttc cat gtt ctg cgt cgg cag gtaaaatatc tatttatccc aagttcgtaa r Phe His Val Leu Arg Arg Gln 830	2958
aatgttgtta cttaattttc gtattcttca cactcacatg cttgatatca tccatttgca	3018
g ata cac agg gac ttt cgc aag cct ctt ata gtg atg gcc ccc aaa aac : Ile His Arg Asp Phe Arg Lys Pro Leu Ile Val Met Ala Pro Lys As 835 840 845	3067
ttg ctt cgt cac aaa cag tgt gta tct aat ctc tcg gaa ttc gat gat n Leu Leu Arg His Lys Gln Cys Val Ser Asn Leu Ser Glu Phe Asp As 850 855 860	3115
gtt aaa gga cat cct gga ttt gac aag caa gga act cga ttt aaa cgg p Val Lys Gly His Pro Gly Phe Asp Lys Gln Gly Thr Arg Phe Lys Ar 865 870 875 880	3163
ttg atc aaa gat caa agt ggc cac tct gat ctt gaa gaa g gtatcagacg : g Leu Ile Lys Asp Gln Ser Gly His Ser Asp Leu Glu Glu A 885 890	3213
tctagtcctc tgctctggga aggtataaaa aaaaagatcc actttttccg tcattaacta	3273
acaaagttcc cacattctga aatttaatac tttaaatgtc aatgaatcag gtctactatg	3333
agcttgacga agagcgaaag aagtctgaaa caaaggatgt agccatttgc agagtagagc	3393
agctttgccc atttccatat gatctcatcc aaagagaact aaagcgatat ccaagtaggc	
gtcgaaaact caagtttgtg ttcaatagtt ttggttgatt atggaattct ttgaaacttt ;	3513

tgttcttgtg tttaacag at gca gag atc gtg tgg tgt caa gaa gag ccg sp Ala Glu Ile Val Trp Cys Gln Glu Glu Pro 895 900 atg aac atg gga gga tac caa tac ata gcc cta agg ctt tgc acc gcg 3611 Met Asn Met Gly Gly Tyr Gln Tyr Ile Ala Leu Arg Leu Cys Thr Ala 910 915 atg aaa gca ctg caa aga gga aac ttc aac gac atc aaa tac gtt ggt Met Lys Ala Leu Gln Arg Gly Asn Phe Asn Asp Ile Lys Tyr Val Gly 925 930 cgt ctt ccc tca gct gct aca gcc aca gga ttt tac cag ctt cat gtt 3707 Arg Leu Pro Ser Ala Ala Thr Ala Thr Gly Phe Tyr Gln Leu His Val 940 945 aag gag cag act gat ctt gtg aag aaa gct ctt caa cct gac ccc atc 3755 Lys Glu Gln Thr Asp Leu Val Lys Lys Ala Leu Gln Pro Asp Pro Ile 960 acc ccc gtc atc cct taa aaaaacacag cttgaga 3790 Thr Pro Val Ile Pro 970 <210> 114 <211> 947 <212> PRT <213> Arabidopsis thaliana <400> 114 Met Val Trp Phe Arg Ile Gly Ser Ser Val Ala Lys Leu Ala Ile Arg Arg Thr Leu Ser Gln Ser Arg Cys Gly Ser Tyr Ala Thr Arg Thr Arg Val Leu Pro Cys Gln Thr Arg Cys Phe His Ser Thr Ile Leu Lys Ser 40 Lys Ala Glu Ser Ala Ala Pro Val Pro Arg Pro Val Pro Leu Ser Lys Leu Thr Asp Ser Phe Leu Asp Gly Thr Ser Ser Val Tyr Leu Glu Glu Leu Gln Arg Ala Trp Glu Ala Asp Pro Asn Ser Val Asp Glu Ser Trp Asp Asn Phe Phe Arg Asn Phe Val Gly Gln Ala Ser Thr Ser Pro Gly 105 Ile Ser Gly Gln Thr Ile Gln Glu Ser Met Arg Leu Leu Leu Val 120 Arg Ala Tyr Gln Val Asn Gly His Met Lys Ala Lys Leu Asp Pro Leu 130

Gly Leu Glu Lys Arg Glu Ile Pro Glu Asp Leu Thr Pro Gly Leu Tyr 150 Gly Phe Thr Glu Ala Asp Leu Asp Arg Glu Phe Phe Leu Gly Val Trp 170 Arg Met Ser Gly Phe Leu Ser Glu Asn Arg Pro Val Gln Thr Leu Arg 185 Ser Ile Leu Ser Arg Leu Glu Gln Ala Tyr Cys Gly Thr Ile Gly Tyr Glu Tyr Met His Ile Ala Asp Arg Asp Lys Cys Asn Trp Leu Arg Asp 215 Lys Ile Glu Thr Pro Thr Pro Arg Gln Tyr Asn Ser Glu Arg Arg Met 235 Val Ile Tyr Asp Arg Leu Thr Trp Ser Thr Gln Phe Glu Asn Phe Leu Ala Thr Lys Trp Thr Thr Ala Lys Arg Phe Gly Leu Glu Gly Ala Glu 260 Ser Leu Ile Pro Gly Met Lys Glu Met Phe Asp Arg Ser Ala Asp Leu 280 Gly Val Glu Asn Ile Val Ile Gly Met Pro His Arg Gly Arg Leu Asn Val Leu Gly Asn Val Val Arg Lys Pro Leu Arg Gln Ile Phe Ser Glu 305 315 Phe Ser Gly Gly Thr Arg Pro Val Asp Glu Val Gly Leu Tyr Thr Gly Thr Gly Asp Val Lys Tyr His Leu Gly Thr Ser Tyr Asp Arg Pro Thr 345 350 Arg Gly Gly Lys His Leu His Leu Ser Leu Val Ala Asn Pro Ser His 360 Leu Glu Ala Val Asp Pro Val Val Ile Gly Lys Thr Arg Ala Lys Gln 370 375 Tyr Tyr Thr Lys Asp Glu Asn Arg Thr Lys Asn Met Gly Ile Leu Ile 390 395 His Gly Asp Gly Ser Phe Ala Gly Gln Gly Val Val Tyr Glu Thr Leu His Leu Ser Ala Leu Pro Asn Tyr Cys Thr Gly Gly Thr Val His Ile Val Val Asn Asn Gln Val Ala Phe Thr Thr Asp Pro Arg Glu Gly Arg 435 440

Ser Ser Gln Tyr Cys Thr Asp Val Ala Lys Ala Leu Ser Ala Pro Ile Phe His Val Asn Ala Asp Asp Ile Glu Ala Val Val His Ala Cys Glu Leu Ala Ala Glu Trp Arg Gln Thr Phe His Ser Asp Val Val Val Asp Leu Val Cys Tyr Arg Arg Phe Gly His Asn Glu Ile Asp Glu Pro Ser 505 Phe Thr Gln Pro Lys Met Tyr Lys Val Ile Arg Ser His Pro Ser Ser 520 Leu Gln Ile Tyr Gln Glu Lys Leu Leu Gln Ser Gly Gln Val Thr Gln Glu Asp Ile Asp Lys Ile Gln Lys Lys Val Ser Ser Ile Leu Asn Glu 555 Glu Tyr Glu Ala Ser Lys Asp Tyr Ile Pro Gln Lys Arg Asp Trp Leu 565 570 Ala Ser His Trp Thr Gly Phe Lys Ser Pro Glu Gln Ile Ser Arg Ile 585 Arg Asn Thr Gly Val Lys Pro Glu Ile Leu Lys Asn Val Gly Lys Ala 600 Ile Ser Thr Phe Pro Glu Asn Phe Lys Pro His Arg Gly Val Lys Arg 615 Val Tyr Glu Gln Arg Ala Gln Met Ile Glu Ser Gly Glu Gly Ile Asp 635 Trp Gly Leu Gly Glu Ala Leu Ala Phe Ala Thr Leu Val Val Glu Gly 645 Asn His Val Arg Leu Ser Gly Gln Asp Val Glu Arg Gly Thr Phe Ser 665 His Arg His Ser Val Leu His Asp Gln Glu Thr Gly Glu Glu Tyr Cys Pro Leu Asp His Leu Ile Lys Asn Gln Asp Pro Glu Met Phe Thr Val 695 Ser Asn Ser Ser Leu Ser Glu Phe Gly Val Leu Gly Phe Glu Leu Gly Tyr Ser Met Glu Asn Pro Asn Ser Leu Val Ile Trp Glu Ala Gln 730 Phe Gly Ap Phe Ala Asn Gly Ala Gln Val Met Phe Asp Gln Phe Ile 740 745

Ser Ser Gy Glu Ala Lys Trp Leu Arg Gln Thr Gly Leu Val Val Leu 755 760 765

- Leu Pro Hs Gly Tyr Asp Gly Gln Gly Pro Glu His Ser Ser Gly Arg 770 775 780
- Leu Glu Ag Phe Leu Gln Met Ser Asp Asp Asn Pro Tyr Val Ile Pro
 785 790 795
- Glu Met Asp Pro Thr Leu Arg Lys Gln Ile Gln Glu Cys Asn Trp Gln 800 805 810
- Val Val Asn Val Thr Thr Pro Ala Asn Trp Phe His Val Leu Arg Arg 815 820 825
- Gln Ile His Arg Asp Phe Arg Lys Pro Leu Ile Val Met Ala Pro Lys 830 835 840
- Asn Leu Leu Arg His Lys Gln Cys Val Ser Asn Leu Ser Glu Phe Asp 845 850 855
- Asp Val Lys Gly His Pro Gly Phe Asp Lys Gln Gly Thr Arg Phe Lys 860 865 870
- Arg Leu Ile Lys Asp Gln Ser Gly His Ser Asp Leu Glu Glu 875 880 885
- Asp Ala Glu Ile Val Trp Cys Gln Glu Glu Pro Met Asn Met Gly Gly 890 895 900
- Tyr Gln Tyr Ile Ala Leu Arg Leu Cys Thr Ala Met Lys Ala Leu Gln 905 910 915
- Arg Gly Asn Phe Asn Asp Ile Lys Tyr Val Gly Arg Leu Pro Ser Ala 920 925 930
- Ala Thr Ala Thr Gly Phe Tyr Gln Leu His Val Lys Glu Gln Thr Asp 935

Leu Val Lys Lys Ala Leu Gln

Pro Asp Pro Ile Thr Pro Val Ile Pro

<210> 115

<211> 1200

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (25)..(151)

<220>

<221> CDS

<222> (257)..(357) <220> <221> CDS <222> (465)..(662) <220> <221> CDS <222> (783)..(1166) <400> 115 tgcattttta ctctcttgac gcta atg ttc att cgg gtt tcc gct cga ccc 51 Met Phe Ile Arg Val Ser Ala Arg Pro gcg aca ttc gtc gag gat ttc aaa gcc gcc tgg tcg gaa tct cac atc 99 Ala Thr Phe Val Glu Asp Phe Lys Ala Ala Trp Ser Glu Ser His Ile 10 20 cgt caa atg gaa gac gga aaa gct atc cag ctc gtc ctt gat cag agc Arg Gln Met Glu Asp Gly Lys Ala Ile Gln Leu Val Leu Asp Gln Ser 35 act g gtacaccaac gccacagtta tatttttaaa cggaaacatt ttgaaattaa 201 tggtgttttt atgtaatata ctctcactgt acatgttcat atttgtcttt taaag ga 258 tgt gga ttt gct tcc aaa aga aaa tat cta ttc gga cga gtg agc atg 306 Cys Gly Phe Ala Ser Lys Arg Lys Tyr Leu Phe Gly Arg Val Ser Met 45 aag atc aaa ctc att ccc gga gac tct gcc ggt acg gtc acc gct ttc 354 Lys Ile Lys Leu Ile Pro Gly Asp Ser Ala Gly Thr Val Thr Ala Phe 70 tac gtaagtctat cattttactc cactagtttt gaaattttac acattcacac 407 Tyr aataaaaaat aacattttct tgaaacacta acggtcaaat cattgatatg tctatag 464 atg aac tcc gat acg gcc acg gtg aga gac gag cta gat ttt gag ttc Met Asn Ser Asp Thr Ala Thr Val Arg Asp Glu Leu Asp Phe Glu Phe 80 85 ttg gga aac aga agt ggt caa cct tac tca gtg caa aca aac ata ttt 560 Leu Gly Asn Arg Ser Gly Gln Pro Tyr Ser Val Gln Thr Asn Ile Phe 100 105 gct cat ggc aaa gga gat aga gaa caa aga gtt aat ctt tgg ttc gac Ala His Gly Lys Gly Asp Arg Glu Gln Arg Val Asn Leu Trp Phe Asp 110 115 cca tct atg gat tac cac act tac act atc tta tgg tca cac aaa cac Pro Ser Met Asp Tyr His Thr Tyr Thr Ile Leu Trp Ser His Lys His 130 135

Ile	gtg Val	taa	gctt	ttc	tcta	attg	ta c	tttc	aact	a ga	atca	acat	tta	ctgt	ttc	712
aaaa	acaaa	aaa a	atca	ccat	tt a	ctgt	ttaa	a aa	aacc	ttag	ttt	aacg	tgg	ggtt	gttttg	772
gtta	actca	igt 1	ttt Phe '	tac Tyr	gta (Val / 145	gac Asp	gat Asp	gtg Val	cca Pro	ata Ile 150	aga Arg	gaa Glu	tac Tyr	Lys	aac Asn 155	821
aac Asn	gaa Glu	gcc Ala	aag Lys	aac Asn 160	ata Ile	gct Ala	tac Tyr	cca Pro	aca Thr 165	Ser	caa Gln	cct Pro	atg Met	gga Gly 170	gta Val	869
tac Tyr	tca Ser	aca Thr	tta Leu 175	tgg Trp	gaa Glu	gca Ala	gat Asp	gac Asp 180	tgg Trp	gca Ala	aca Thr	cgt Arg	ggt Gly 185	Gly	tta Leu	917
gag Glu	aaa Lys	att Ile 190	gat Asp	tgg Trp	agc Ser	aaa Lys	gct Ala 195	cca Pro	ttt Phe	tat Tyr	gct Ala	tat Tyr 200	Tyr	aaa Lys	gat Asp	965
ttc Phe	gac Asp 205	atc Ile	gaa Glu	ggt Gly	tgt Cys	Pro 210	Val	cct Pro	gga Gly	cca Pro	acc Thr 215	Phe	tgt Cys	cca Pro	tcg Ser	1013
aac Asn 220	.cct Pro	cat His	aat Asn	tgg Trp	tgg Trp 225	gaa Glu	ggt Gly	tat Tyr	gcc Ala	tat Tyr 230	cag Gln	tct Ser	ctt Leu	aac Asn	gcc Ala 235	1061
gtt Val	gaa Glu	gct Ala	cga Arg	cgt Arg 240	tac Tyr	cgg Arg	tgg Trp	gtt Val	aga Arg 245	Val	aac Asn	cat His	atg Met	gtt Val 250	tat Tyr	1109
gat Asp	tat Tyr	tgt Cys	act Thr 255	gac Asp	cgg Arg	tct Ser	agg Arg	ttt Phe 260	cct Pro	gtc Val	cca Pro	cca Pro	ccc Pro 265	gag Glu	tgt Cys	1157
cgt Arg	gct Ala	tga 270	aaa	taat	tgc a	atac	gtac	gt t	gcaa	tgat	c at	gt				1200
<211 <212)> 11 .> 26 !> PF !> Ar	9 T	dops:	is t	halia	ana										
)> 11 Phe		Arg	Val 5	Ser	Ala	Arg	Pro	Ala 10		Phe	Val	Glu	Asp 15	Phe	
ГÀЗ	Ala	Ala	Trp 20		Glu	Ser	His	Ile 25			Met	Glu	Asp 30		Lys	
Ala	Ile	Gln 35	Leu	Val	Leu	Asp	Gln 40	Ser	Thr	Gly	Cys	Gly 45	Phe	Ala	Ser	

Lys Arg Lys Tyr Leu Phe Gly Arg Val Ser Met Lys Ile Lys Leu Ile 50 60

Pro Gly Asp Ser Ala Gly Thr Val Thr Ala Phe Tyr Met Asn Ser Asp 65 70 75 80

Thr Ala Thr Val Arg Asp Glu Leu Asp Phe Glu Phe Leu Gly Asn Arg 85 90 95

Ser Gly Gln Pro Tyr Ser Val Gln Thr Asn Ile Phe Ala His Gly Lys 100 105 110

Gly Asp Arg Glu Gln Arg Val Asn Leu Trp Phe Asp Pro Ser Met Asp 115 120 125

Tyr His Thr Tyr Thr Ile Leu Trp Ser His Lys His Ile Val Phe Tyr 130 135 140

Val Asp Asp Val Pro Ile Arg Glu Tyr Lys Asn Asn Glu Ala Lys Asn 145 150 155 160

Ile Ala Tyr Pro Thr Ser Gln Pro Met Gly Val Tyr Ser Thr Leu Trp 165 170 175

Glu Ala Asp Asp Trp Ala Thr Arg Gly Gly Leu Glu Lys Ile Asp Trp 180 185 190

Ser Lys Ala Pro Phe Tyr Ala Tyr Tyr Lys Asp Phe Asp Ile Glu Gly 195 200 205

Cys Pro Val Pro Gly Pro Thr Phe Cys Pro Ser Asn Pro His Asn Trp 210 215 220

Trp Glu Gly Tyr Ala Tyr Gln Ser Leu Asn Ala Val Glu Ala Arg Arg 225 230 235 240

Tyr Arg Trp Val Arg Val Asn His Met Val Tyr Asp Tyr Cys Thr Asp 245 250 255

Arg Ser Arg Phe Pro Val Pro Pro Pro Glu Cys Arg Ala 260 265

<210> 117

<211> 1399

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (25)..(1386)

<400> 117 aacacaaacc gaggttttag aaac atg gcg tct aag gta atc tct gcc aca Met Ala Ser Lys Val Ile Ser Ala Thr atc cgc aga acc cta acc aaa cca cac ggc act ttt tcc cgg tgt cgc Ile Arg Arg Thr Leu Thr Lys Pro His Gly Thr Phe Ser Arg Cys Arg tac tta tca acc gcc gct gct gcg acg gag gtg aat tac gag gat gaa 147 Tyr Leu Ser Thr Ala Ala Ala Ala Thr Glu Val Asn Tyr Glu Asp Glu tcg att atg atg aaa gga gtt cga att tca ggt aga cct ctt tac tta Ser Ile Met Met Lys Gly Val Arg Ile Ser Gly Arg Pro Leu Tyr Leu 45 gat atg caa gcg acg act ccg att gat cct aga gta ttc gat gcg atg 243 Asp Met Gln Ala Thr Thr Pro Ile Asp Pro Arg Val Phe Asp Ala Met 60 aat gct tca cag atc cat gag tat ggg aat cct cac tcg cga acg cat Asn Ala Ser Gln Ile His Glu Tyr Gly Asn Pro His Ser Arg Thr His ctc tac ggc tgg gaa gct gag aac gcc gtc gag aac gca cga aac cag Leu Tyr Gly Trp Glu Ala Glu Asn Ala Val Glu Asn Ala Arg Asn Gln 100 gtc gcg aaa ctg atc gaa gct tca ccg aag gag atc gta ttc gtg tcc Val Ala Lys Leu Ile Glu Ala Ser Pro Lys Glu Ile Val Phe Val Ser 110 ggt gca acg gag gcg aac aat atg gcg gtg aaa gga gtg atg cac ttt Gly Ala Thr Glu Ala Asn Asn Met Ala Val Lys Gly Val Met His Phe 125 tac aag gac acg aag aaa cat gtg ata act aca cag act gag cat aag 483 Tyr Lys Asp Thr Lys Lys His Val Ile Thr Thr Gln Thr Glu His Lys 145 tgt gtg ctt gat tcg tgt agg cat ttg cag caa gaa gga ttt gag gta 531 Cys Val Leu Asp Ser Cys Arg His Leu Gln Gln Glu Gly Phe Glu Val 160 act tat tta cct gtg aaa act gat gga ttg gtt gat tta gag atg ttg Thr Tyr Leu Pro Val Lys Thr Asp Gly Leu Val Asp Leu Glu Met Leu 175 180 aga gaa gct att agg cca gac aca ggg cta gtt tct att atg gct gtg 627 Arg Glu Ala Ile Arg Pro Asp Thr Gly Leu Val Ser Ile Met Ala Val 190 195 aac aat gag att ggt gtg gtt caa cct atg gag gag att ggt atg att Asn Asn Glu Ile Gly Val Val Gln Pro Met Glu Glu Ile Gly Met Ile 205

tgc Cys	aaa Lys	gag Glu 220	cat His	aat Asn	gtt Val	ccg Pro	ttt Phe 225	cat His	act Thr	gat Asp	gct Ala	gct Ala 230	caa Gln	gct Ala	att Ile	723
Gly	aag Lys 235	ata Ile	cct Pro	gtt Val	gat Asp	gtt Val 240	aag Lys	aag Lys	tgg Trp	aat Asn	gtt Val 245	gct Ala	ttg Leu	atg Met	tct Ser	771
atg Met 250	agt Ser	gct Ala	cac His	aag Lys	atc Ile 255	tat Tyr	gga Gly	ccg Pro	aaa Lys	ggt Gly 260	gtt Val	ggt Gly	gct Ala	ttg Leu	tat Tyr 265	819
gtg Val	agg Arg	agg Arg	agg Arg	ccg Pro 270	aga Arg	atc Ile	agg Arg	ctt Leu	gag Glu 275	ccg Pro	ttg Leu	atg Met	aat Asn	ggt Gly 280	gga Gly	867
Gly	Gln	Glu	Arg 285	Gly	Leu	Arg	Ser	Gly 290	Thr	Gly	Ala	Thr	Gln 295	cag Gln	Ile	915
Val	Gly	Phe 300	Gly	Ala	Ala	Cys	Glu 305	Leu	Ala	Met	Lys	Glu 310	Met	gag Glu	Tyr	963
Asp	Glu 315	Lys	Trp	Ile	Lys	Gly 320	Leu	Gln	Glu	Arg	Leu 325	Leu	Asn	Gly	Val	1011
Arg 330	Glu	Lys	Leu	Asp	Gly 335	Val	Val	Val	Asn	Gly 340	Ser	Met	Asp	agt Ser	Arg 345	1059
Tyr	Val	Gly	Asn	Leu 350	Asn	Leu	Ser	Phe	Ala 355	Tyr	Val	Glu	Gly	gag Glu 360	Ser	1107
Leu	Leu	Met	Gly 365	Leu	Lys	Glu	Val	Ala 370	Val	Ser	Ser	Gly	Ser 375	gct Ala	Суѕ	1155
Thr	Ser	Ala 380	Ser	Leu	Glu	Pro	Ser 385	Tyr	Val	Leu	Arg	Ala 390	Leu	ggt Gly	Val	1203
gat Asp	gaa Glu 395	gac Asp	atg Met	gct Ala	cac His	act Thr 400	tcg Ser	att Ile	agg Arg	ttt Phe	ggg Gly 405	att Ile	ggt Gly	agg Arg	t t t Phe	1251
acc Thr 410	acg Thr	aag Lys	gaa Glu	gag Glu	att Ile 415	gat Asp	aaa Lys	gcg Ala	gtc Val	gag Glu 420	ctt Leu	acg Thr	gtt Val	aaa Lys	caa Gln 425	1299
gtt Val	gag Glu	aag Lys	ttg Leu	agg Arg 430	gaa Glu	atg Met	agc Ser	ccg Pro	ctt Leu 435	tat Tyr	gaa Glu	atg Met	gtt Val	aaa Lys 440	gaa Glu	1347
ggt	atc	gat	atc	aag	aac	att	caa	tgg	tct	caa	cac	tga	ttca	acag	rtt	1396

Gly Ile Asp Ile Lys Asn Ile Gln Trp Ser Gln His. 445

cca 1399

<210> 118

<211> 453

<212> PRT

<213> Arabidopsis thaliana

<400> 118

Met Ala Ser Lys Val Ile Ser Ala Thr Ile Arg Arg Thr Leu Thr Lys

1 10 15

 $_{ullet}$ Pro His Gly Thr Phe Ser Arg Cys Arg Tyr Leu Ser Thr Ala Ala Ala 20 25 30

Ala Thr Glu Val Asn Tyr Glu Asp Glu Ser Ile Met Met Lys Gly Val 35 40 45

Arg Ile Ser Gly Arg Pro Leu Tyr Leu Asp Met Gln Ala Thr Thr Pro 50 60

Ile Asp Pro Arg Val Phe Asp Ala Met Asn Ala Ser Gln Ile His Glu
65 70 75 80

Tyr Gly Asn Pro His Ser Arg Thr His Leu Tyr Gly Trp Glu Ala Glu 85 90 95

Asn Ala Val Glu Asn Ala Arg Asn Gln Val Ala Lys Leu Ile Glu Ala 100 105 110

Ser Pro Lys Glu Ile Val Phe Val Ser Gly Ala Thr Glu Ala Asn Asn 115 120 125

Met Ala Val Lys Gly Val Met His Phe Tyr Lys Asp Thr Lys Lys His 130 135 140

Val Ile Thr Thr Gln Thr Glu His Lys Cys Val Leu Asp Ser Cys Arg 145 150 155 160

His Leu Gln Gln Glu Gly Phe Glu Val Thr Tyr Leu Pro Val Lys Thr 165 170 175

Asp Gly Leu Val Asp Leu Glu Met Leu Arg Glu Ala Ile Arg Pro Asp 180 185 190

Thr Gly Leu Val Ser Ile Met Ala Val Asn Asn Glu Ile Gly Val Val 195 200 205

Gln Pro Met Glu Glu Ile Gly Met Ile Cys Lys Glu His Asn Val Pro 210 215 220

Phe His Thr Asp Ala Ala Gln Ala Ile Gly Lys Ile Pro Val Asp Val 225 230 235 240

Lys Lys Trp Asn Val Ala Leu Met Ser Met Ser Ala His Lys Ile Tyr Gly Pro Lys Gly Val Gly Ala Leu Tyr Val Arg Arg Pro Arg Ile Arg Leu Glu Pro Leu Met Asn Gly Gly Gly Gln Glu Arg Gly Leu Arg 280 Ser Gly Thr Gly Ala Thr Gln Gln Ile Val Gly Phe Gly Ala Ala Cys Glu Leu Ala Met Lys Glu Met Glu Tyr Asp Glu Lys Trp Ile Lys Gly 315 Leu Gln Glu Arg Leu Leu Asn Gly Val Arg Glu Lys Leu Asp Gly Val 325 Val Val Asn Gly Ser Met Asp Ser Arg Tyr Val Gly Asn Leu Asn Leu 345 Ser Phe Ala Tyr Val Glu Gly Glu Ser Leu Leu Met Gly Leu Lys Glu 360 Val Ala Val Ser Ser Gly Ser Ala Cys Thr Ser Ala Ser Leu Glu Pro 370 Ser Tyr Val Leu Arg Ala Leu Gly Val Asp Glu Asp Met Ala His Thr 390 395 Ser Ile Arg Phe Gly Ile Gly Arg Phe Thr Thr Lys Glu Glu Ile Asp Lys Ala Val Glu Leu Thr Val Lys Gln Val Glu Lys Leu Arg Glu Met 420 Ser Pro Leu Tyr Glu Met Val Lys Glu Gly Ile Asp Ile Lys Asn Ile 440 Gln Trp Ser Gln His 450

<210> 119
<211> 3180
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (8)..(1781)
<220>
<221> CDS
<222> (221> CDS
<222> (222> (222) (222) (222> (222) (222) (222) (222> (222) (222) (222) (222> (222) (2

<220> <221> CDS <222> (2697)..(3076) <400> 119 caacacg atg ctc acc aat act aat ctc ttc ttc ttt ctc tct tta ctt Met Leu Thr Asn Thr Asn Leu Phe Phe Phe Leu Ser Leu Leu 5 ctt ctt tct tgt ttt ctc caa gtt tct tcc aat gga gac gct gag ata Leu Leu Ser Cys Phe Leu Gln Val Ser Ser Asn Gly Asp Ala Glu Ile 15 ttg agt aga gtt aaa aag acc cga ctt ttc gac ccc gat gga aat tta Leu Ser Arg Val Lys Lys Thr Arg Leu Phe Asp Pro Asp Gly Asn Leu 35 caa gat tgg gtc ata acc gga gat aat cgg agt cca tgt aat tgg acg Gln Asp Trp Val Ile Thr Gly Asp Asn Arg Ser Pro Cys Asn Trp Thr gga atc aca tgc cac atc aga aaa ggt agc tcc ctc gcc gtc act acc Gly Ile Thr Cys His Ile Arg Lys Gly Ser Ser Leu Ala Val Thr Thr att gat ctc tcc ggc tat aat atc tcc ggt ggc ttt ccc tac gga ttc 289 Ile Asp Leu Ser Gly Tyr Asn Ile Ser Gly Gly Phe Pro Tyr Gly Phe 85 tgt cgt atc cgt aca ctc atc aac atc act ctt tct caa aac aat ctc Cys Arg Ile Arg Thr Leu Ile Asn Ile Thr Leu Ser Gln Asn Asn Leu 100 aat ggt acg att gat tot gct cot ctc tcc ctc tgt tot aaa ctt cag 385 Asn Gly Thr Ile Asp Ser Ala Pro Leu Ser Leu Cys Ser Lys Leu Gln 115 aat ttg att ctc aat caa aac aac ttc tcc ggt aaa tta ccg gaa ttc Asn Leu Ile Leu Asn Gln Asn Asn Phe Ser Gly Lys Leu Pro Glu Phe 135 tca ccg gag ttt cgt aaa tta cga gtc ctc gaa ttg gaa tca aac ctc 481 Ser Pro Glu Phe Arg Lys Leu Arg Val Leu Glu Leu Glu Ser Asn Leu 150 ttc acc ggt gag att cct caa agt tac ggg aga ctc act gct ctg caa 529 Phe Thr Gly Glu Ile Pro Gln Ser Tyr Gly Arg Leu Thr Ala Leu Gln 165 gtt ctg aat ctt aat ggt aac ccg ctc agt gga atc gtt ccg gcg ttt Val Leu Asn Leu Asn Gly Asn Pro Leu Ser Gly Ile Val Pro Ala Phe 180 185 ttg ggt tat ctg act gag tta act cgt ctt gat ctc gct tac atc agt Leu Gly Tyr Leu Thr Glu Leu Thr Arg Leu Asp Leu Ala Tyr Ile Ser 195

ttt Phe	gat Asp	cct Pro	agt Ser 210	ccg Pro	att Ile	cca Pro	tca Ser	acc Thr 215	ttg Leu	ggg Gly	aac Asn	ttg Leu	tcg Ser 220	aat 'Asn	ctg Leu	673
act Thr	gat Asp	ctt Leu 225	cgg Arg	cta Leu	act Thr	cac His	tcg Ser 230	aac Asn	ctc Leu	gtc Val	gga Gly	gaa Glu 235	att Ile	cct Pro	gat Asp	721
tcg Ser	atc Ile 240	atg Met	aat Asn	ctg Leu	gtg Val	ttg Leu 245	tta Leu	gag Glu	aat Asn	ctt Leu	gat Asp 250	tta Leu	gct Ala	atg Met	aat Asn	769
agt Ser 255	ctc Leu	acc Thr	gga Gly	gaa Glu	ata Ile 260	cct Pro	gag Gl <u>u</u>	agt Ser	atc Ile	gga Gly 265	aga Arg	ctc Leu	gaa Glu	tcg Ser	gtt Val 270	817
Tyr	Gln	Ile	Glu	Leu 275		Asp	Asn	Arg	Leu 280	Ser	Gly	Lys	Leu	Pro 285	Glu	865
Ser	lie	Gly	Asn 290	Leu	acc Thr	Glu	Leu	Arg 295	Asn	Phe	Asp	Val	Ser 300	Gln	Asn	913
Asn	Leu	Thr 305	Gly	Glu	cta Leu	Pro	Glu 310	Lys	Ile	Ala	Ala	Leu 315	Gln	Leu	Ile	961
Ser	320	Asn	Leu	Asn	gat Asp	Asn 325	Phe	Phe	Thr	Gly	Gly 330	Leu	Pro	Asp	Val	1009
gta Val 335	gct Ala	ttg Leu	aat Asn	cct Pro	aat Asn 340	ctc Leu	gtt Val	gaa Glu	ttc Phe	aaa Lys 345	atc Ile	ttc Phe	aac Asn	aac Asn	agt Ser 350	1057
ttc Phe	acg Thr	GJÀ āāā	acg Thr	tta Leu 355	cca Pro	agg Arg	aat Asn	ctc Leu	360 360	aaa Lys	ttc Phe	tca Ser	gaa Glu	atc Ile 365	tct Ser	1105
gaa Glu	ttc Phe	gat Asp	gtc Val 370	tcg Ser	acg Thr	aac Asn	aga Arg	ttc Phe 375	tcc Ser	ggt Gly	gaa Glu	ttg Leu	ccg Pro 380	ccg Pro	tat Tyr	1153
ttg Leu	tgc Cys	tac Tyr 385	aga Arg	aga Arg	aaa Lys	ctt Leu	cag Gln 390	aag Lys	att Ile	atc Ile	acc Thr	ttc Phe 395	agc Ser	aat Asn	caa Gln	1201
tta Leu	agc Ser 400	ggc	gaa Glu	att Ile	ccg Pro	gaa Glu 405	tct Ser	tac Tyr	ggc Gly	gat Asp	tgt Cys 410	cat His	tcg Ser	ctt Leu	aat Asn	1249
tac Tyr 415	att Ile	cgt Arg	atg Met	gcg Ala	gat Asp 420	aac Asn	aaa Lys	ctc Leu	tcc Ser	ggc Gly 425	gaa Glu	gtt Val	ccg Pro	gct Ala	agg Arg 430	1297
ttt	tgg	gaa	ctt	cct	ctt	act	cgt	ctt	gag	cta	gcc	aac	aac	aat	caa	1345

Phe Tr	p Glu	Leu	Pro 435	Leu	Thr	Arg	Leu	Glu 440	Leu	Ala	Asn	Asn	Asn 445	Gln	
tta ca Leu Gl	a ggt n Gly	tcg Ser 450	att Ile	cct Pro	cct Pro	tcg Ser	att Ile 455	tcc Ser	aaa Lys	gct Ala	cgt Arg	cat His 460	cta Leu	tct Ser	1393
cag ct Gln Le	t gaa u Glu 465	atc Ile	tcc Ser	gct Ala	aac Asn	aac Asn 470	ttc Phe	tcc Ser	ggt Gly	gtg Val	att Ile 475	ccc Pro	gtc Val	aaa Lys	1441
ctt tg Leu Cy 48	s Asp	ctc Leu	cgt Arg	gat Asp	ctc Leu 485	aga Arg	gtc Val	atc Ile	gat Asp	ctt Leu 490	agc Ser	cgc Arg	aac Asn	agt Ser	1489
ttc tt Phe Le 495	a gga u Gly	tca Ser	att Ile	ccg Pro 500	tct Ser	tgc Cys	atc Ile	aac Asn	aaa Lys 505	ttg Leu	aag Lys	aat Asn	cta Leu	gag Glu 510	1537
aga gt Arg Va	a gag 1 Glu	atg Met	cag Gln 515	gag Glu	aac Asn	atg Met	ctc Leu	gac Asp 520	ggc Gly	gag Glu	att Ile	ccg Pro	agt Ser 525	tca Ser	1585
gtg ag Val Se	t tcg r Ser	tgc Cys 530	acc Thr	gag Glu	tta Leu	acc Thr	gaa Glu 535	tta Leu	aat Asn	ctc Leu	tcc Ser	aac Asn 540	aac Asn	cgt Arg	1633
tta cg Leu Ar	a ggc g Gly 545	Gly aaa	ata Ile	cca Pro	ccg Pro	gaa Glu 550	ctc Leu	ggt Gly	gat Asp	tta Leu	ccg Pro 555	gtt Val	tta Leu	aac Asn	1681
tac ct Tyr Le 56	u Asp	ctc Leu	tct Ser	aac Asn	aac Asn 565	caa Gln	ctc Leu	acc Thr	ggt Gly	gag Glu 570	att Ile	ccg Pro	gcg Ala	gag Glu	1729
ctg tt Leu Le 575	g agg u Arg	ctc Leu	aag Lys	ctt Leu 580	aat Asn	caa Gln	ttc Phe	aac Asn	gtc Val 585	tcc Ser	gat Asp	aac Asn	aaa Lys	ctc Leu 590	1777
tat g Tyr G	gtaag	attc	c tto	etgga	attt	cago	caaga	ata 1	tttt	cgad	ec ca	agtti	ctta	a g gt ly	1834
aac co Asn Pr	g aat o Asn 595	ctc Leu	tgt Cys	gcc Ala	cca Pro	aat Asn 600	ttg Leu	gat Asp	ccg Pro	att Ile	aga Arg 605	cct Pro	tgc Cys	cga Arg	1882
tcc aa Ser Ly 61	s Arg	gaa Glu	acc Thr	cgg Arg	tac Tyr 615	att Ile	ctc Leu	cca Pro	atc Ile	tca Ser 620	atc Ile	ctc Leu	tgc Cys	atc Ile	1930
gtt go Val Al 625	a cta a Leu	acc Thr	gga Gly	gct Ala 630	ttg Leu	gtt Val	tgg Trp	cta Leu	ttc Phe 635	atc Ile	aaa Lys	acc Thr	aaa Lys	ccg Pro 640	1978
tta tt Leu Ph	c aag e Lys	aga Arg	aaa Lys 645	ccg Pro	aaa Lys	cgg Arg	acc Thr	aac Asn 650	aaa Lys	ata Ile	acc Thr	atc Ile	ttc Phe 655	cag Gln	2026

cgg gt Arg Va	tc ggg al Gly	ttc Phe 660	acg Thr	gag Glu	gaa Glu	gac Asp	ata Ile 665	tac Tyr	ccg Pro	caa Gln	tta Leu	aca Thr 670	gaa Glu	gat Asp	2074
aac at Asn Il	ta att le Ile 675	GJA aaa	tcg Ser	Gly	ggg Gly	tcg Ser 680	ggt Gly	ttg Leu	gtt Val	tat Tyr	aga Arg 685	gtg Val	aaa Lys	ctc Leu	2122
Lys Se	ca ggt er Gly 90	caa Gln	acg Thr	ctt Leu	gcg Ala 695	gtg Val	aag Lys	aaa Lys	ctc Leu	tgg Trp 700	gga Gly	gaa Glu	acg Thr	ggt Gly	2170
caa aa Gln Ly 705	aa acg ys Thr	gaa Glu	tct Ser	gaa Glu 710	tct Ser	gtt Val	ttt Phe	cga Arg	tcc Ser 715	gaa Glu	gta Val	gag Glu	acg Thr	ttg Leu 720	2218
ggt co	gg gtc rg Val	aga Arg	cat His 725	gga Gly	aac Asn	atc Ile	gtg Val	aaa Lys 730	ctt Leu	ctt Leu	atg Met	tgc Cys	tgc Cys 735	aac Asn	2266
ggc ga	ag gag lu Glu	ttt Phe 740	cgg Arg	ttc Phe	tta Leu	gtg Val	tac Tyr 745	gag Glu	ttc Phe	atg Met	gaa Glu	aac Asn 750	ggc Gly	agc Ser	2314
tta gg Leu Gl	gt gac ly Asp 755	Val	ttg Leu	cat His	tcg Ser	gag Glu 760	aaa Lys	gaa Glu	cat His	cgt Arg	gcc Ala 765	gtt Val	tct Ser	cca Pro	2362
Leu As	at tgg sp Trp 70	acg Thr	aca Thr	cga Arg	ttt Phe 775	tcg Ser	atc Ile	gcg Ala	gtt Val	ggt Gly 780	gct Ala	gct Ala	caa Gln	gga Gly	2410
ctt to Leu Se 785	ct tat er Tyr	cta Leu	cat His	cat His 790	gac Asp	tct Ser	gtt Val	ccg Pro	cct Pro 795	att Ile	gtt Val	cac His	cgt Arg	gac Asp 800	2458
gtc aa Val Ly	aa ago ys Ser	aat Asn	aat Asn 805	ata Ile	ttg Leu	ttg Leu	gac Asp	cat His 810	gag Glu	atg Met	aag Lys	cca Pro	cgt Arg 815	gtc Val	2506
gcc ga Ala As	at tto sp Phe	ggt Gly 820	tta Leu	gct Ala	aaa Lys	ccg Pro	ttg Leu 825	aag Lys	aga Arg	gaa Glu	gac Asp	aat Asn 830	gat Asp	ggt Gly	2554
gtc to Val Se	cc gat er Asp 835	Val	tca Ser	atg Met	tct Ser	tgt Cys 840	gtt Val	gct Ala	gga Gly	tcc Ser	tac Tyr 845	ggc Gly	tac Tyr	att Ile	2602
Ala P	cg g g ro G 50	ttcg	aatto	c tta	agcto	ctac	aata	atcaa	aat (cgtta	aaaa	cc ci	atad	egcaa	2659
gcgtt	ttagt	aaca	ttac	tg t	tctt	ctgt	g ga	gcaç		tat Tyr					2713

aaa Lys	gtg Val	aat Asn	gag Glu 860	aag Lys	agc Ser	gat Asp	gtc Val	tat Tyr 865	agc Ser	ttc Phe	Gly ggg	gtg Val	gtt Val 870	tta Leu	ctc Leu	2761
gaa Glu	ctg Leu	att Ile 875	acg Thr	gga Gly	aaa Lys	aga Arg	ccg Pro 880	aac Asn	gat Asp	tcg Ser	tct Ser	ttt Phe 885	Gly	gag Glu	aat Asn	2809
aag Lys	gac Asp 890	att Ile	gtt Val	aag Lys	ttt Phe	gca Ala 895	atg Met	gaa Glu	gca Ala	gct Ala	ttg Leu 900	tgt Cys	tac Tyr	cct Pro	tct Ser	2857
cca Pro 905	tca Ser	gca Ala	gaa Glu	gac Asp	gga Gly 910	gcc Ala	atg Met	aat Asn	caa Gln	gat Asp 915	tca Ser	ctt Leu	gga Gly	aac Asn	tat Tyr 920	2905
cga Arg	gat Asp	ctt Leu	agc Ser	aag Lys 925	ctt Leu	gtt Val	gat Asp	cca Pro	aag Lys 930	atg Met	aaa Lys	ctt Leu	tcg Ser	acg Thr 935	aga Arg	2953
gag Glu	tat Tyr	gaa Glu	gag Glu 940	ata Ile	gag Glu	aaa Lys	gtt Val	ctt Leu 945	gac Asp	gtt Val	gca Ala	ttg Leu	ctc Leu 950	tgt Cys	acg Thr	3001
tcg Ser	tct Ser	ttt Phe 955	cct Pro	atc Ile	aac Asn	agg Arg	ccg Pro 960	acc Thr	atg Met	agg Arg	aaa Lys	gta Val 965	gta Val	gag Glu	ttg Leu	3049
ctt Leu	aaa Lys 970	gag Glu	aag Lys	aaa Lys	tca Ser	cta Leu 975	gag Glu	tga	tatt	aato	ect a	aggci	ttt	aa		3096
tta	ttagg	gct t	ctat	caato	gt ac	caaaa	atcc	g act	agga	attg	ttad	ctcat	ta 1	tata	agccat	3156
agg	ttgga	act t	tgct	ttaa	aa gt	tt										3180
<21:	0> 12 1> 97 2> PF 3> Ar	76 RT	lopsi	is tl	nalia	ana										
<40	0> 12	20														
Met 1	Leu	Thr	Asn	Thr 5	Asn	Leu	Phe	Phe	Phe 10	Leu	Ser	Leu	Leu	Leu 15	Leu	
Ser	Cys	Phe	Leu 20	Gln	Val	Ser	Ser	Asn 25	Gly	Asp	Ala	Glu	Ile 30	Leu	Ser	
Arg	Val	Lys 35	Lys	Thr	Arg	Leu	Phe 40	Asp	Pro	Asp	Gly	Asn 45	Leu	Gln	Asp	
Trp	Val 50	Ile	Thr	Gly	Asp	Asn 55	Arg	Ser	Pro	Cys	Asn 60	Trp	Thr	Gly	Ile	
Thr 65	Суз	His	Ile	Arg	Lys	Gly	Ser	Ser	Leu	Ala	Val	Thr	Thr	Ile	Asp	

Leu Ser Gly Tyr Asn Ile Ser Gly Gly Phe Pro Tyr Gly Phe Cys Arg 85 Ile Arg Thr Leu Ile Asn Ile Thr Leu Ser Gln Asn Asn Leu Asn Gly 105 Thr Ile Asp Ser Ala Pro Leu Ser Leu Cys Ser Lys Leu Gln Asn Leu 120 Ile Leu Asn Gln Asn Asn Phe Ser Gly Lys Leu Pro Glu Phe Ser Pro Glu Phe Arg Lys Leu Arg Val Leu Glu Leu Glu Ser Asn Leu Phe Thr 150 155 Gly Glu Ile Pro Gln Ser Tyr Gly Arg Leu Thr Ala Leu Gln Val Leu Asn Leu Asn Gly Asn Pro Leu Ser Gly Ile Val Pro Ala Phe Leu Gly Tyr Leu Thr Glu Leu Thr Arg Leu Asp Leu Ala Tyr Ile Ser Phe Asp 200 205 Pro Ser Pro Ile Pro Ser Thr Leu Gly Asn Leu Ser Asn Leu Thr Asp 215 Leu Arg Leu Thr His Ser Asn Leu Val Gly Glu Ile Pro Asp Ser Ile 230 Met Asn Leu Val Leu Leu Glu Asn Leu Asp Leu Ala Met Asn Ser Leu 250 Thr Gly Glu Ile Pro Glu Ser Ile Gly Arg Leu Glu Ser Val Tyr Gln Ile Glu Leu Tyr Asp Asn Arg Leu Ser Gly Lys Leu Pro Glu Ser Ile 280 Gly Asn Leu Thr Glu Leu Arg Asn Phe Asp Val Ser Gln Asn Asn Leu Thr Gly Glu Leu Pro Glu Lys Ile Ala Ala Leu Gln Leu Ile Ser Phe 315 Asn Leu Asn Asp Asn Phe Phe Thr Gly Gly Leu Pro Asp Val Val Ala 330 Leu Asn Pro Asn Leu Val Glu Phe Lys Ile Phe Asn Asn Ser Phe Thr Gly Thr Leu Pro Arg Asn Leu Gly Lys Phe Ser Glu Ile Ser Glu Phe Asp Val Ser Thr Asn Arg Phe Ser Gly Glu Leu Pro Pro Tyr Leu Cys 375

Tyr Arg Arg Lys Leu Gln Lys Ile Ile Thr Phe Ser Asn Gln Leu Ser 395 Gly Glu Ile Pro Glu Ser Tyr Gly Asp Cys His Ser Leu Asn Tyr Ile . 405 Arg Met Ala Asp Asn Lys Leu Ser Gly Glu Val Pro Ala Arg Phe Trp Glu Leu Pro Leu Thr Arg Leu Glu Leu Ala Asn Asn Asn Gln Leu Gln 440 Gly Ser Ile Pro Pro Ser Ile Ser Lys Ala Arg His Leu Ser Gln Leu 455 Glu Ile Ser Ala Asn Asn Phe Ser Gly Val Ile Pro Val Lys Leu Cys Asp Leu Arg Asp Leu Arg Val Ile Asp Leu Ser Arg Asn Ser Phe Leu 490 Gly Ser Ile Pro Ser Cys Ile Asn Lys Leu Lys Asn Leu Glu Arg Val 505 Glu Met Gln Glu Asn Met Leu Asp Gly Glu Ile Pro Ser Ser Val Ser Ser Cys Thr Glu Leu Thr Glu Leu Asn Leu Ser Asn Asn Arg Leu Arg 535 540 Gly Gly Ile Pro Pro Glu Leu Gly Asp Leu Pro Val Leu Asn Tyr Leu Asp Leu Ser Asn Asn Gln Leu Thr Gly Glu Ile Pro Ala Glu Leu Leu 565 570 Arg Leu Lys Leu Asn Gln Phe Asn Val Ser Asp Asn Lys Leu Tyr Gly 585 Asn Pro Asn Leu Cys Ala Pro Asn Leu Asp Pro Ile Arg Pro Cys Arg 600 Ser Lys Arg Glu Thr Arg Tyr Ile Leu Pro Ile Ser Ile Leu Cys Ile 615 Val Ala Leu Thr Gly Ala Leu Val Trp Leu Phe Ile Lys Thr Lys Pro Leu Phe Lys Arg Lys Pro Lys Arg Thr Asn Lys Ile Thr Ile Phe Gln Arg Val Gly Phe Thr Glu Glu Asp Ile Tyr Pro Gln Leu Thr Glu Asp Asn Ile Ile Gly Ser Gly Gly Ser Gly Leu Val Tyr Arg Val Lys Leu 675 685

Lys Ser Gly Gln Thr Leu Ala Val Lys Lys Leu Trp Gly Glu Thr Gly 695 700 Gln Lys Thr Glu Ser Glu Ser Val Phe Arg Ser Glu Val Glu Thr Leu 710 Gly Arg Val Arg His Gly Asn Ile Val Lys Leu Leu Met Cys Cys Asn Gly Glu Glu Phe Arg Phe Leu Val Tyr Glu Phe Met Glu Asn Gly Ser 745 Leu Gly Asp Val Leu His Ser Glu Lys Glu His Arg Ala Val Ser Pro Leu Asp Trp Thr Thr Arg Phe Ser Ile Ala Val Gly Ala Ala Gln Gly Leu Ser Tyr Leu His His Asp Ser Val Pro Pro Ile Val His Arg Asp 790 795 Val Lys Ser Asn Asn Ile Leu Leu Asp His Glu Met Lys Pro Arg Val Ala Asp Phe Gly Leu Ala Lys Pro Leu Lys Arg Glu Asp Asn Asp Gly Val Ser Asp Val Ser Met Ser Cys Val Ala Gly Ser Tyr Gly Tyr Ile Ala Pro Glu Tyr Gly Tyr Thr Ser Lys Val Asn Glu Lys Ser Asp Val Tyr Ser Phe Gly Val Val Leu Leu Glu Leu Ile Thr Gly Lys Arg Pro 865 870 Asn Asp Ser Ser Phe Gly Glu Asn Lys Asp Ile Val Lys Phe Ala Met Glu Ala Ala Leu Cys Tyr Pro Ser Pro Ser Ala Glu Asp Gly Ala Met 905 Asn Gln Asp Ser Leu Gly Asn Tyr Arg Asp Leu Ser Lys Leu Val Asp 920 Pro Lys Met Lys Leu Ser Thr Arg Glu Tyr Glu Glu Ile Glu Lys Val Leu Asp Val Ala Leu Leu Cys Thr Ser Ser Phe Pro Ile Asn Arg Pro Thr Met Arg Lys Val Val Glu Leu Leu Lys Glu Lys Lys Ser Leu Glu 965

```
<210> 121
<211> 731
<212> DNA
<213> Arabidopsis thaliana
<400> 121
aagtcgagta tgattgtccg tacgtgctcg acggtgcgac cgtacgtacc ctggcagtcg 60
ccctgacgca acttcgaatc tgccctgcgc cctgctcctc ctatggcagt actgcgtact 120
tcgacgagca ggagctgaag ctgactataa cgtgcctggt cgaaaagcat gccagcccat 180
gaaaaaggag atcgagaacg gtatctcgga cttcggcgag gacggctccg ggaacgtcga 240
tttcgagaag tccgtgcaaa tcggtacggc gcggaacggc gagcgccacg cacgcgacga 300
ggtcataaac gaaaccegcc tgtteggegc acgccaaacc gggacgataa cctgcaacag 360
cctaaaacgc ccggccgagg agctaggcca gggggcggac ccggaggaga tcccgggaac 420
tagaccggac gggcgaccca tccagcctga ccgcttggac ccgtacccgt tgcctgaaat 540
gcctgaattc gcctcgcctt ggatgcctgc tctgaaatgc tcgcctgttg cctgaattcg 600
ctctgaaatc cgttcccccg cctccgcagc tcgtgaccgt ccgaaccgct cgaaccctqc 660
aaaaaaaaacagt ccaaaaaaaa 720
aaacgcctcg c
<210> 122
<211> 21
<212> DNA
<213> Artificial sequence
<400> 122
aaaaaacaca tacaggaatt c
<210> 123
<211> 21
<212> DNA
<213> Artificial sequence
<400> 123
agttagctag ctgagctcga g
```

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS	
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
COLOR OR BLACK AND WHITE PHOTOGRAPHS	`
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
□ OTHER:	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.